mec

Part 4: State of the Art and Beyond Miguel Camelo

GNNs for wired networks

Predicting delay of large networks

Predicting network performance using GNNs: generalization to larger unseen networks

Publisher: IEEE





Miguel Farreras : Paola Soto : Miguel Camelo : Lluís Fàbrega : Pere Vilà All Authors















Abstract

Introduction

II. Related Work

5G challenge

scalability

Show Full Outline ▼

V. Results

Authors

IV. Improving RouteNet for

III. RoutEnet and the ITU AI/ML

Document Sections


Abstract:


Autonomous Fifth Generation (5G) and Beyond 5G (B5G) networks require modelling tools to predict the impact on the performance when new configurations and features are applied in the network. Modeling modern networks through traditional mathematical analysis can lead to low accuracy, while the execution time and resource usage are high in network simulators. Machine Learning (ML) algorithms, and specifically Graph Neural Networks (GNNs), are suggested as a promising alternative since they can capture complex relationships from graph-like data, predicting properties with high accuracy and low resource requirements. However, they cannot generalize to larger networks, as their prediction accuracy decreases when input data (e.g., network topologies) is significantly different (e.g., larger) than the training data. This paper addresses the GNNs scalability issue by following a step-by-step approach, exploiting networking concepts to improve a baseline model. This work is framed in the 2021 International Telecommunication Union (ITU) and Barcelona Neural Networking Center -Universitat Politècnica de Catalunya (BNN-UPC) challenge. Results show that by following the suggested steps, applied on the RouteNet baseline developed by the BNN-UPC, can lower the Mean Average Percentage Error (MAPE) from 187.28% to 1.838%, improving the generalization significantly over larger graphs. Our approach is more simple than other solutions that participated in the challenge, but obtained similar results

Published in: NOMS 2022-2022 IEEE/IFIP Network Operations and Management Symposium



$$delay_{path} = \sum delay_{link}$$














Standarization efforts

- Unified architecture that aims at the integration of ML in 5G and beyond networks.
- Given enough accuracy, NDTs can serve as ML sandbox.



Source: ITU-T Rec. Y.3172, "Architectural framework for machine learning in future networks including IMT-2020," 2019.







Standarization efforts 3GPP

- 3GPP contemplates the Network Data Analytics Function (NWDAF).
- This function delivers realtime analytics to support the decisions of the OAM system or other NF.




Figure 4.2-1: general framework for 5G network automation

Source: 3GPP TR 23.791 V16.2.0 (2019-06), "Study of Enablers for Network Automation for 5G," 2019.







Standarization efforts

ETSI

ENI




Figure 4-5: High-Level Functional Architecture of ENI When an API Broker Is Used






Figure 6.2-1: ZSM framework reference architecture

Source: https://www.etsi.org/deliver/etsi_gs/ZSM/001_099/002/01.01.01_60/gs_ZSM002v010101p.pdf

Source: https://www.etsi.org/deliver/etsi_gs/ENI/001_099/005/02.01.01_60/gs_ENI005v020101p.pdf


unec







O-RAN and Al RAN Alliance



About Working Groups News Resources Membership Contact Us

Redefine what networks can transform

We utilize AI for the enhancement of RAN performance.

We build infrastructure where AI and RAN can share information and collaborate.

We enable new AI applications to run on RAN.

Smarter connections to sustain human progress.

Source: https://rimedolabs.com/blog/ml-framework-in-o-ran/










Research

6G-TWIN and other related projects.











Questions? Miguel Camelo miguel.camelo@imec.be

https://www.linkedin.com/in/miguel-camelo-59a73324/



mec

embracing a better life





