Notes 4

How to install and remove software using the APT command

- `sudo` + `apt` + `remove text editor`
- `sudo` + `apt-get` + `install mplayer`
- `sudo` + `apt` + `purge` + `firefox`

How to create a shell script


Step 1 Create the file

- Open a text editor
- Save the file as:
  - file_name.sh
- Or you could use *touch* command to
- First, use `cd` to go directly to the folder to create the file:
  - `cd` + `/home/user/CIS-106/notes/notes4`
  - Use `touch` command:
    - `touch` + `shellscript.sh`


Step 2 Add shell declaration

- `#!/bin/bash`

Step 3 Add your code



Step 4 Run the script


1 / 1
Tilix: ogsystem@cis106-desktop: ~
1: ogsystem@cis106-desktop: ~
ogsystem@cis106-desktop:~$ bash ~/CIS-106/notes/notes4/script.sh
Hello, ogsystem
Disk usage:
Filesystem Size Used Avail Use% Mounted on
udev 1.9G 0 1.9G 0% /dev
tmpfs 393M 4.3M 388M 2% /run
/dev/sda1 56G 11G 43G 21% /
tmpfs 2.0G 42M 1.9G 3% /dev/shm
tmpfs 5.0M 0 5.0M 0% /run/lock
tmpfs 1.0M 0 1.0M 0% /run/credentials/systemd-journald.service
tmpfs 2.0G 44K 2.0G 1% /tmp
/dev/loop0 45M 45M 0 100% /snap/snapd/28254
/dev/loop1 15M 15M 0 100% /snap/cheat/4279
/dev/loop2 64M 64M 0 100% /snap/core20/2922
tmpfs 393M 160K 393M 1% /run/user/1000
ogsystem@cis106-desktop:~$