```
Updated 360 formulae.
==> Deleted Formulae
vavrdiasm

==> Tapping homebrew/cask
Cloning into '/usr/local/Homebrew/Library/Taps/homebrew/homebrew-cask'...
remote: Enumerating objects: 593017, done.
remote: Total 593017 (delta 0), reused 0 (delta 0), pack-reused 593017
Receiving objects: 100% (593017/593017), 264.03 MiB | 10.49 MiB/s, done.
Resolving deltas: 100% (419067/419067), done.
Updating files: 100% (4001/4001), done.
Tapped 3932 casks (4,012 files, 283MB).
==> Downloading https://releases.hashicorp.com/vagrant/2.2.18/vagrant_2.2.18_x86
100.0%
==> Installing Cask vagrant
==> Running installer for vagrant; your password may be necessary.
Package installers may write to any location; options such as `--appdir` are ign
ored.
[Password:
installer: Package name is Vagrant
installer: Installing at base path /
installer: The install was successful.
🍺 vagrant was successfully installed!
miguel@MacBook-Pro-de-Miguel ~ %
```

# Hola Vagrant

**by Miguel Oleo Blanco**

```ruby
Vagrant.configure("2") do |config|
  config.vm.box = "ubuntu/trusty64"

  config.vm.network "forwarded_port", guest: 80, host: 8080

  config.vm.provider "virtualbox" do |vb|
    vb.gui = false
    vb.memory = 512
    vb.cpus = 1
    vb.name = "Web Server"
  end

  config.vm.provision "file", source: "index.html", destination: "index.html"

  config.vm.provision "shell", inline: <<-SHELL
      apt-get update
      apt-get install -y apache2
      cp index.html /var/www/html
  SHELL

end
```

Line 13, Column 40   Tab Size: 4   Ruby

Web Server [Running]

```
Ubuntu 14.04.6 LTS vagrant-ubuntu-trusty-64 tty1

vagrant-ubuntu-trusty-64 login:

Ubuntu 14.04.6 LTS vagrant-ubuntu-trusty-64 tty1

vagrant-ubuntu-trusty-64 login: _
```

Left ⌘

Oracle VM VirtualBox Manager

Tools

Ubuntu
Powered Off

Ubuntu Clone
Powered Off

Web Server
Running

New Settings Discard Show

General
Name: Web Server
Operating System: Ubuntu (64-bit)

System
Base Memory: 512 MB
Boot Order: Hard Disk
Acceleration: VT-x/AMD-V, Nested Paging

Preview

Display
Video Memory: 12 MB
Scale-factor: 2.00
Graphics Controller: VBoxVGA
Remote Desktop Server: Disabled
Recording: Disabled

Storage
Controller: SATAController
  SATA Port 0:   box-disk1.vmdk (Normal, 40,00 GB)

Audio
Disabled

Network
Adapter 1: Intel PRO/1000 MT Desktop (NAT)

USB
Disabled

Shared folders
Shared Folders: 1

Description
None

```
    default: Enabling module auth_basic.
    default: Enabling module access_compat.
    default: Enabling module authn_file.
    default: Enabling module authz_user.
    default: Enabling module alias.
    default: Enabling module dir.
    default: Enabling module autoindex.
    default: Enabling module env.
    default: Enabling module mime.
    default: Enabling module negotiation.
    default: Enabling module setenvif.
    default: Enabling module filter.
    default: Enabling module deflate.
    default: Enabling module status.
    default: Enabling conf charset.
    default: Enabling conf localized-error-pages.
    default: Enabling conf other-vhosts-access-log.
    default: Enabling conf security.
    default: Enabling conf serve-cgi-bin.
    default: Enabling site 000-default.
    default:  * Starting web server apache2
    default: AH00558: apache2: Could not reliably determine the server's fully qualified domain name, usi
ng 10.0.2.15. Set the 'ServerName' directive globally to suppress this message
    default:  *
    default: Setting up ssl-cert (1.0.33) ...
    default: Processing triggers for libc-bin (2.19-0ubuntu6.15) ...
    default: Processing triggers for ufw (0.34~rc-0ubuntu2) ...
    default: Processing triggers for ureadahead (0.100.0-16) ...
miguel@MacBook-Pro-de-Miguel Practica5 %
```