

Phase-Based Gravitational Dynamics and Synthetic Metrics: An Epistemic Analysis of Quantum Interferometry and Spatio-Temporal Modulation in the Context of UAT/UPC

Miguel A. Percudani

Independent Researcher, Argentina

ORCID: 0009-0007-1748-3212

miguel.percudani@gmail.com

September 24, 2026

Abstract

Recent experimental developments in quantum interferometry and spatio-temporally modulated resonant systems provide important empirical context for phase-based approaches to physical dynamics. In particular, the direct measurement of quantum phase accumulation during free fall reported by Dobkowski et al. [6], and the experimental realization of magnetic-free non-reciprocity through parametric phase modulation reported by Estep, Sounas, Soric, and Alù [5], demonstrate that phase evolution and its controlled spatio-temporal modulation can constitute experimentally observable physical degrees of freedom.

These results do not validate the Universal Applied Time (UAT) or Unified Principle of Causality (UPC) frameworks. Both experiments were developed and interpreted within established physical frameworks and address specific experimental questions unrelated to the validation of UAT/UPC. Nevertheless, they provide relevant experimental precedents for a research strategy in which discrete phase geometry, temporal modulation, and coherent superposition are treated as primary experimental variables.

Within this context, the present work identifies the eight-coil rotational matrix developed under the UAT/UPC program as an exploratory macroscopic platform for testing whether controlled phase geometry can produce reproducible collective observables. The objective is not to assume the existence of a new metric or causal field, but to determine experimentally whether a reproducible residual or convergence parameter emerges from an independently calibrated phase-rotational system.

Keywords: quantum interferometry, gravitational phase, spatio-temporal modulation, non-reciprocity, synthetic gauge field, UAT, UPC

1 Introduction

The experimental investigation of gravitational phenomena at the quantum level increasingly emphasizes the role of phase as an observable quantity. In an interferometric experiment, gravitational dynamics can be encoded in the relative phase accumulated by distinct quantum trajectories.

A particularly relevant recent result is the direct measurement of the quantum phase associated with free fall reported by Dobkowski et al. [6]. Their experiment employs a Quantum Galileo Interferometer (QGI) to measure the differential phase accumulated between a stationary and a freely falling component of an atomic wave packet.

The experiment provides an important benchmark for phase-based descriptions of gravitational dynamics. In particular, the observed time dependence contains a cubic contribution of the form

$$\phi_{\text{ff}} \propto T^3, \quad (1)$$

consistent with the theoretical phase evolution expected for the free-fall configuration investigated in that experiment.

This result should not be interpreted as evidence for UAT or UPC. Rather, it establishes an experimentally demonstrated example in which gravitational dynamics are directly encoded in a measurable quantum phase.

The distinction is essential:

experimental evidence for gravitational phase evolution $\neq$ experimental validation of UAT/UPC

(2)

The significance for the present research program is therefore methodological rather than confirmatory.

2 The Alù Precedent: Spatio-Temporal Phase Modulation

A second relevant experimental precedent is provided by Estep, Sounas, Soric, and Alù [5], who demonstrated magnetic-free non-reciprocity in a system consisting of three strongly coupled resonators whose resonance frequencies were parametrically modulated.

The three modulation signals were phase shifted by

$$\Delta\phi = \frac{2\pi}{3} = 120^\circ. \quad (3)$$

The resulting spatio-temporal modulation generated an effective angular-momentum bias in the coupled-resonator system and produced strong non-reciprocal transmission.

This can be represented schematically as

$$\text{distributed resonators} + \text{temporal phase modulation} \longrightarrow \text{modified collective dynamics}. \quad (4)$$

The Alù experiment does not demonstrate gravitational dynamics, synthetic space-time curvature, UAT, or UPC.

3 From Three-Element Phase Modulation to an Eight-Coil Matrix

For an ideal eight-element rotational phase structure, the discrete phase increment is

$$\Delta\phi = \frac{2\pi}{8} = \frac{\pi}{4} = 45^\circ. \quad (5)$$

The corresponding phase sequence may be represented as

$$\phi_k = \phi_0 + k\frac{\pi}{4}, \quad k = 0, \dots, 7. \quad (6)$$

The eight-coil detector and its calibration package are documented in Percudani [4].

physical coil array + controlled phase relationships = synthetic rotational configuration

(7)

4 The Eight-Coil Rotational Matrix

Its principal objective is to determine whether a controlled rotational phase configuration produces a reproducible collective observable after the individual channel contributions are combined.

The relevant phase structure is $\{0^\circ, 45^\circ, 90^\circ, 135^\circ, 180^\circ, 225^\circ, 270^\circ, 315^\circ\}$.

For eight pairwise channel relationships, the number of unordered pairs is $\binom{8}{2} = 28$. The value 28 is also the second perfect number. This numerical correspondence is noted here as a structural property and is not interpreted as evidence of a physical law.

5 Rotational Superposition and Residual Signal

For an idealized set of eight equal-amplitude phase components, the complex rotational sum is

$$S_8 = \sum_{k=0}^7 A e^{i(\phi_0 + k\pi/4)} = A e^{i\phi_0} \sum_{k=0}^7 e^{ik\pi/4}. \quad (8)$$

Since $e^{i8\pi/4} = e^{i2\pi} = 1$, the ideal symmetric sum satisfies $\boxed{S_8 = 0}$.

Consequently, any experimentally measured residual, $S_{\text{res}} \neq 0$, requires further analysis:

$$S_{\text{res}} = S_{\text{instrumental}} + S_{\text{phase}} + S_{\text{frequency}} + S_{\text{electronic}} + S_{\text{physical}}. \quad (9)$$

6 The Observed Residual and the Candidate Invariant

During the development of the eight-coil rotational configuration, a residual value close to $\boxed{R \simeq 0.2971}$ was identified.

This value is treated here as a *candidate invariant*, not as an established universal constant. A suitable experimental program would therefore measure $R = R(f, A, \phi_0, \Delta\phi, T, G, \dots)$.

7 The RMS Coherence Scale

The eight-coil calibration study also identified a central-coil RMS value close to $RMS_0 \simeq 0.707001$, close to $1/\sqrt{2} = 0.707106781\dots$ reported as the relevant causal-buffer scale in the UAT/UPC calibration framework [4].

8 Conceptual Convergence

$$\begin{aligned} \text{Dobkowski et al.} &\longrightarrow \text{direct measurement of gravitational quantum phase,} \\ \text{Estep et al./Alù} &\longrightarrow \text{controlled spatio-temporal phase modulation,} \\ \text{8-coil UAT/UPC experiment} &\longrightarrow \text{test of collective rotational phase coherence.} \end{aligned} \quad (10)$$

Accordingly, $\boxed{\text{Dobkowski et al. and Alù et al. do not validate UAT/UPC}}$.

9 Epistemic Boundaries and Falsifiability

The UAT/UPC interpretation remains a hypothesis requiring independent experimental validation. In particular, the following statements are deliberately kept separate:

1. Quantum gravitational phase accumulation has been experimentally measured in an established theoretical framework.

2. Spatio-temporal phase modulation has experimentally produced non-reciprocal dynamics in coupled resonator systems.
3. The eight-coil rotational configuration provides an experimentally testable implementation of discrete phase relationships.
4. A residual near 0.2971 has been observed within the corresponding experimental analysis.
5. The physical universality of 0.2971 remains an open experimental question.
6. None of the preceding results, individually or collectively, constitutes direct experimental validation of UAT or UPC.

10 Experimental Objective

The immediate experimental objective is to determine whether the eight-coil rotational matrix exhibits a statistically reproducible invariant under controlled experimental variation.

$$H_0 : R \neq 0 \quad \text{is entirely explained by instrumental and systematic effects,} \quad (11)$$

against the alternative

$$H_1 : R \approx 0.2971 \quad \text{persists after independently characterized instrumental effects are removed.} \quad (12)$$

11 Conclusion

Recent experimental developments in quantum interferometry and spatio-temporal modulation have established important empirical facts about the physical role of phase. Neither result validates UAT or UPC. Nevertheless, together they establish an experimentally grounded context in which phase geometry, temporal modulation, and coherent superposition can be treated as legitimate experimental variables. The candidate value $R \simeq 0.2971$ therefore remains an empirical hypothesis rather than an established universal constant.

References

- [1] M. A. Percudani, *Universal Applied Time (UAT): A Causal Framework for Rotational Coherence*, Zenodo (2025). DOI: <https://doi.org/10.5281/zenodo.17729221>
- [2] M. A. Percudani, *Unified Principle of Causality (UPC): Multiscale Homeostasis and the Bit of Authority*, Zenodo (2025). DOI: <https://doi.org/10.5281/zenodo.18210808>
- [3] M. A. Percudani and J. I. Díaz, *Resonant Hunter v8.4 – Gravitational Lens Signal Analysis*, Zenodo (2025). DOI: <https://doi.org/10.5281/zenodo.18446712>
- [4] M. A. Percudani, *Calibration Code and Technical Report for an 8+1 Coil Rotational Detector Based on the UAT/UPC Frameworks*, Zenodo (2026). DOI: <https://doi.org/10.5281/zenodo.19646349>
- [5] N. A. Estep, D. L. Sounas, J. Soric, and A. Alù, Magnetic-free non-reciprocity and isolation based on parametrically modulated coupled-resonator loops, *Nature Physics*, vol. 10, pp. 923–927 (2014). DOI: <https://doi.org/10.1038/nphys3134>
- [6] O. Dobkowski, R. Piccon, T. P. Zibrova, A. Baranov, S. De, S. H. Cantu, E. M. Rasel, D. Rohrlich, and C. Henkel, Direct measurement of the quantum phase of free fall, *Science Advances*, vol. 12, no. 3, eadj8028 (2026). DOI: <https://doi.org/10.1126/sciadv.adj8028>