

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ☐ css

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-
scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token"
content="ieZGdKGE7DDQ6s0y6V74aHTMAq524cn27IbL0X0Y">

    <title>ProjectFlow</title>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
[From line 15, column 81; to line 15, column 156](#)
`></script><link rel="stylesheet" href="http://127.0.0.1:5173/resources/css/app.css" />`
- Warning** The `type` attribute is unnecessary for JavaScript resources.
[From line 18, column 9; to line 18, column 39](#)
`<script type="text/javascript">`
- Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.
[From line 48, column 21; to line 48, column 123](#)

```
<input type="hidden" name="_token"
value="ieZGdKGE7DDQ6s0y6V74aHTMAq524cn27IbL0X0Y" autocomplete="off">
```

4. **Error** An **input** element with a **type** attribute whose value is **hidden** must not have an **autocomplete** attribute whose value is **on** or **off**.

[From line 87, column 13; to line 87, column 115](#)

```
<input type="hidden" name="_token"
value="ieZGdKGE7DDQ6s0y6V74aHTMAq524cn27IbL0X0Y" autocomplete="off">
```

Document checking completed.

Source

```
1. <!DOCTYPE html>
2. <html lang="en">
3.   <head>
4.     <meta charset="utf-8">
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">
6.     <meta name="viewport" content="width=device-width, initial-
7. scale=1">
8.   <!-- CSRF Token -->
9.   <meta name="csrf-token"
10. content="ieZGdKGE7DDQ6s0y6V74aHTMAq524cn27IbL0X0Y">
11.   <title>ProjectFlow</title>
12.   <!-- Styles -->
13.   <script type="module" src="http://127.0.0.1:5173/@vite/client">
14. </script><link rel="stylesheet"
15. href="http://127.0.0.1:5173/resources/css/app.css" /> <!-- Font
16. Awesome -->
17.   <link rel="stylesheet"
18. href="https://cdn.jsdelivr.net/npm/awesome/6.7.1/css/all.min.css">
19.   <script type="text/javascript">
20.     // Fix for Firefox autofocus CSS bug
21.     // See: http://stackoverflow.com/questions/18943276/html-5-
22. autofocus-messes-up-css-loading/18945951#18945951
23.   </script>
24.   <script type="module" src="http://127.0.0.1:5173/@vite/client">
25. </script><script type="module"
26. src="http://127.0.0.1:5173/resources/js/app.js"></script>
27. </head>
28.   <body class="flex flex-col min-h-screen">
29.     <main class="flex-grow">
30.       <header class="bg-white shadow-sm">
31.         <nav class="container mx-auto flex justify-between items-center py-4
32. px-6">
33.           <!-- Logo Section -->
34.           <div class="logo">
35.             <a href="http://localhost:8000" class="flex items-center">
36.               
38.             </a>
39.           </div>
40.           <!-- Menu Section -->
41.           <div class="menu flex items-center space-x-6">
42.             <div class="relative">
43.               <a href="http://localhost:8000/notifications/mark-
44. all-read" class="text-gray-700 hover:text-gray-900 text-lg relative">
45.                 <i class="fa-regular fa-bell"></i>
```

```

39.         </a>↵
40.         </div>↵
41.         <a href="http://localhost:8000/search" class="text-gray-
700 hover:text-gray-900 text-lg">↵
42.             <i class="fa-solid fa-magnifying-glass"></i>↵
43.         </a>↵
44.         <a href="http://localhost:8000/profile/2" class="text-
gray-700 hover:text-gray-900 font-medium">↵
45.             <i class="fa-solid fa-user">
</i>↵
46.         </a>↵
47.         <form action="http://localhost:8000/logout" method="GET"
class="inline">↵
48.             <input type="hidden" name=" token"
value="ieZGdKGE7DDQ6s0y6V74aHTMAq524cn27IbL0X0Y" autocomplete="off">↵
49.             <button type="submit" class="bg-red-500 text-white
px-4 py-2 rounded-lg font-medium hover:bg-red-600 transition">↵
50.                 Log Out↵
51.             </button>↵
52.         </form>↵
53.     </div>↵
54. </nav>↵
55. </header>↵
56.     <section id="content">↵
57.         <div class="max-w-3xl mx-auto px-6 py-12">↵
58.             <h1 class="text-3xl font-semibold text-gray-900 mb-6">Profile of
jane_doe</h1>↵
59.             <!-- Profile Card -->↵
60.             <div class="bg-white shadow-lg rounded-lg p-6 mb-6">↵
61.                 <div class="flex items-center mb-6">↵
62.                     <!-- Profile Picture -->↵
63.                     <div class="w-32 h-32 rounded-full border-2
border-gray-300 mr-6 flex items-center justify-center bg-gray-200">↵
64.                         <span class="text-gray-500">No Image</span>↵
65.                     </div>↵
66.                     <!-- Username & Bio -->↵
67.                     <div>↵
68.                         <h2 class="text-2xl font-semibold text-gray-
800">jane_doe</h2>↵
69.                         <p class="text-gray-600 mt-2">Project manager.</p>↵
70.                     </div>↵
71.                 </div>↵
72.             </div>↵
73.             <!-- User Details -->↵
74.             <div class="space-y-4">↵
75.                 <p class="text-lg text-gray-700"><strong>Email:</strong>
jane.doe@example.com</p>↵
76.                 <p class="text-lg text-gray-700"><strong>Phone Number:
</strong> 987654321</p>↵
77.             </div>↵
78.             </div>↵
79.             <!-- Edit Profile Button -->↵
80.             <div class="user_options flex space-x-4"> <!-- Flex container
for buttons -->↵
81.                 <a href="http://localhost:8000/profile/2/edit" class="inline-
block px-6 py-3 bg-blue-600 text-white text-lg font-semibold rounded-
full shadow-lg hover:bg-blue-700 transition-all duration-300 ease-in-
out">↵
82.                     Edit Profile↵
83.                 </a>↵
84.                 <form action="http://localhost:8000/profile/2" method="POST"
onsubmit="return confirm('Are you sure you want to delete this
account?');">↵
85.                     <input type="hidden" name=" token"
value="ieZGdKGE7DDQ6s0y6V74aHTMAq524cn27IbL0X0Y" autocomplete="off">↵
86.                     <input type="hidden" name="_method" value="DELETE">↵
87.                     <button type="submit" class="inline-block px-6 py-3 bg-red-600 text-white text-
lg font-semibold rounded-full shadow-lg hover:bg-red-700 transition-all
duration-300 ease-in-out">↵
88.                         <i class="fa-solid fa-trash mr-2" aria-hidden="true">
</i> Delete Account↵
89.                     </button>↵
90.                 </form>↵
91.             </div>↵

```

```
92.     </div>↵
93.         </section>↵
94.     </main>↵
95. ↵
96.         <!-- Footer Section -->↵
97.         <footer class="bg-gray-800 text-white py-4 mt-auto">↵
98.     <div class="flex justify-between items-center px-8">↵
99.         <div>↵
100.             <p>&copy; 2024 ProjectFlow, Inc. All rights reserved.</p>↵
101.         </div>↵
102.     </div>↵
103. </footer>     </body>↵
104. </html>
```

Used the HTML parser.

Total execution time 5 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.12.23