
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

4.

Error Duplicate ID sidebar.

From line 66, column 17; to line 66, column 88

```
<button onclick=toggleSidebar() id="sidebar" class="house-main"</pre>
     type="">↩
     Warning The first occurrence of ID sidebar was here.
 5.
    From line 40, column 5; to line 40, column 59
     body>←
               <div id="sidebar" class="sidebar" style="top: -1000px">←
     Error Bad value for attribute type on element button.
    From line 66, column 17; to line 66, column 88
                <button onclick=toggleSidebar() id="sidebar" class="house-main"</pre>
     type="">↩
     Error Duplicate ID notifications.
 7.
    From line 76, column 21; to line 76, column 107
                <button onclick=toggleNotificationsbar() id="notifications"</pre>
     class="house-main" type="">\leftrightarrow
    Warning The first occurrence of ID notifications was here.
 8.
    From line 54, column 5; to line 54, column 72
     /div>↩
               <div id="notifications" class="notifications" style="top:</pre>
     -1000px;">←
     Error Bad value for attribute type on element button.
 9.
    From line 76, column 21; to line 76, column 107
                <button onclick=toggleNotificationsbar() id="notifications"</pre>
     class="house-main" type="">↔
     Error The element button must not appear as a descendant of the a
10.
     element.
    From line 76, column 21; to line 76, column 107
                <button onclick=toggleNotificationsbar() id="notifications"</pre>
     class="house-main" type="">↩
    Error An input element with a type attribute whose value is hidden must
11.
     not have an autocomplete attribute whose value is on or off.
    From line 90, column 9; to line 90, column 111
                <input type="hidden" name=" token"</pre>
    value="LUJbFeTPhz3pzwKnyFWaPyd6jVmlLj0vjZQaQSbJ" autocomplete="off"> ↔
12.
    Error An input element with a type attribute whose value is hidden must
     not have an autocomplete attribute whose value is on or off.
```

Document checking completed.

Source

```
1. ←
 2. <!DOCTYPE html>↔
 3. <html lang="en">←
 4. ←
 5. <head>←
        <meta charset="utf-8">↔
 6.
 7.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
        <meta name="viewport" content="width=device-width, initial-scale=1">↔
 8.
 9. ←
10.
        <!-- CSRF Token -->↔
        <meta name="csrf-token"</pre>
11.
    content="LUJbFeTPhz3pzwKnyFWaPyd6jVmlLj0vjZQaQSbJ">↔
12. ←
13.
        <title>Q&amp;AHub</title>↔
14. ←
15.
        <!-- Styles -->↔
        <link href="https://lbaw2362.lbaw.fe.up.pt/css/milligram.min.css"</pre>
16.
    rel="stylesheet">↔
17.
        <link href="https://lbaw2362.lbaw.fe.up.pt/css/app.css" rel="stylesheet">←
18.
        <link href="https://lbaw2362.lbaw.fe.up.pt/css/home.css"</pre>
    rel="stylesheet">↔
19.
        <link href="https://lbaw2362.lbaw.fe.up.pt/css/home.css"</pre>
    rel="stylesheet">←
20.
        <link href="https://lbaw2362.lbaw.fe.up.pt/css/feed.css"</pre>
    rel="stylesheet">↔
21.
        <link href="https://lbaw2362.lbaw.fe.up.pt/css/profile.css"</pre>
    rel="stylesheet">↔
22.
        <link href="https://lbaw2362.lbaw.fe.up.pt/css/question.css"</pre>
    rel="stylesheet">↔
        <link href="https://lbaw2362.lbaw.fe.up.pt/css/editquestion.css"</pre>
23.
    rel="stylesheet">↔
        <link href="https://lbaw2362.lbaw.fe.up.pt/css/emails.css"</pre>
24.
    rel="stylesheet">↔
        <link href="https://lbaw2362.lbaw.fe.up.pt/css/tag.css" rel="stylesheet">←
25.
26.
        <link href="https://cdnjs.cloudflare.com/ajax/libs/bootstrap-</pre>
    icons/1.5.0/font/bootstrap-icons.min.css"↔
27.
            rel="stylesheet">↔
28 ←
29.
        <script type="text/javascript">

30.
        </script>↔
31.
        <script type="text/javascript" src=https://lbaw2362.lbaw.fe.up.pt/js/app.js</pre>
    defer>←
32.
        </script>↩
        <script type="text/javascript"</pre>
33.
    src=https://lbaw2362.lbaw.fe.up.pt/js/create_post.js defer> </script>←
34.
```

```
35. ←
36. ←
37. </head>↔
38. ←
39. <body>←
        <div id="sidebar" class="sidebar" style="top: -1000px">←
40.
41. ←
42.
                 <a href="/feed">Feed</a>↔
43.
             <a href="/feed?order=top">Top Questions</a>↔
             <a href="/feed?order=recent">Recent Questions</a>↔
44.
             <a href="/feed?order=myquestions">My Questions</a>←
45.
             <a href="/feed?order=followedquestions">Followed Questions</a>←
46.
             <a href="/feed?order=myanswers">My Answers</a>↔
47.
48.
             <a href="/feed?order=closedq">Closed Questions</a>↔
49.
             <a href="/tags">Tags</a>↔
50. ←
51.
        \leftarrow
52. ←
53.
        </div>←
54.
        <div id="notifications" class="notifications" style="top: -1000px;">←
55.
             <div class="notifications-header">←
56.
                 <h3>Notifications</h3>↔
57.
             </div>←
             <div class="notifications-body">↔
58.
59.
                         </div>←
60.
        </div>←
61 ←
62.
        <main>←
63.
             <header>←
64.
                 <div class="logo-container">←
65.
                     <h2 class="logo"><a
    href="https://lbaw2362.lbaw.fe.up.pt/home">Q&AHub</a></h2>↔
66.
                     <button onclick=toggleSidebar() id="sidebar" class="house-main"</pre>
    type="">↩
67.
                          <i class="bi bi-house-fill"></i></i>
68.
                     </button>←
                 </div>↩
69.
70
                 <nav class="navigation">←
71.
                     <a href="https://lbaw2362.lbaw.fe.up.pt/about">About</a>↔
72.
                     <a href="https://lbaw2362.lbaw.fe.up.pt/faq">FAQ</a>↔
73.
    href="https://lbaw2362.lbaw.fe.up.pt/services">Services</a>↔
                     <a href="https://lbaw2362.lbaw.fe.up.pt/contact">Contact</a>↔
74.
75.
                                       <a class="dropdown">↔
                         <button onclick=toggleNotificationsbar() id="notifications"</pre>
76.
    class="house-main" type="">↩
77.
                              <i class="bi bi-bell" style="font-size: 25px"></i>
78.
                         </button>←
79.
                     </a>←
80.
81.
82.
                                      <button class="btnLogout"</pre>
    onclick="location.href='https://lbaw2362.lbaw.fe.up.pt/logout'"> Logout
    </button>←
83.
                     <button class="btnLogin"←</pre>
84.
    onclick="location.href='https://lbaw2362.lbaw.fe.up.pt/profile'">Chico</button>
85.
86.
                 </nav>↔
87.
             </header>↩
88.
             <section id="content">←
89.
                     <form action="https://lbaw2362.lbaw.fe.up.pt/ask-question"</pre>
    {\tt method="POST"\ class="question-form"}{\succ} {\hookleftarrow}
             <input type="hidden" name=" token"</pre>
90.
    value="LUJbFeTPhz3pzwKnyFWaPyd6jVmlLj0vjZQaQSbJ" autocomplete="off"> ↔
91.
             <div class="search-container" id="search-container">←
                 <input type="text" id="question-title" name="title"</pre>
92.
    placeholder="Search anything" required class="question-input">←
                 <button type="submit" class="search-button">←
93.
                     <i class="bi bi-search"></i>↔
94.
```

```
95.
                  </button>←
 96.
              </div>←
 97.
         </form>←
         <button type="button" id="create-post-btn" class="create-post">Create
 98.
     Post</button>←
 99.
         <div id="postModal" class="modal">↔
100.
              <div class="modal-content">↔
                  <span class="close">&times;</span>↔
101.
102.
103.
                  <form action="https://lbaw2362.lbaw.fe.up.pt/ask-question"</pre>
     method="POST" id="postForm">↔
104.
                      <input type="hidden" name=" token"</pre>
     value="LUJbFeTPhz3pzwKnyFWaPyd6jVmlLj0vjZQaQSbJ" autocomplete="off">
     <input type="text" name="title" placeholder="Title" required>←
105.
                      <textarea name="content" placeholder="Description" required>
     </textarea>↔
106.
                      <div>←
107.
                           <label for="tags">Select Tags:</label>←
108.
                           <select id="tags" name="tags[]" multiple required>←
109.
                                                              <option
     value="2">SQL</option>↔
110.
                                                              <option value="3">Web
     Development</option>↔
111.
                                                              <option
     value="4">Programming</option>↔
112
                                                              <option
     value="5">Python</option>↔
113.
                                                              <option
     value="6">JavaScript</option>↔
114.
                                                              <option
     value="1">Database2</option>↔
115.
                                                     </select>↩
116.
                      </div>←
117. ←
    \leftarrow
118.
119.
                      <button class="submit-post" type="submit">Submit
     Post</button>↔
120.
                  </form>←
121.
              </div>↔
122.
         </div>↔
123.
              </section>←
124. ←
125.
         </main>↩
126.
         <script>↔
127.
         function toggleSidebar() \{\leftarrow
128.
              var sidebar = document.getElementById("sidebar"); ↔
129.
              if (sidebar.style.top === '-1000px') {↔
                  sidebar.style.top = '180px';↔
130.
131.
              } else {←
132.
                  sidebar.style.top = '-1000px';↔
133.
              }←
134.
         }←
135. ←
136.
         function toggleNotificationsbar() {

137.
              var notifications = document.getElementById("notifications");↔
              var body = document.body; // Get the body element↔
138.
139.
              var content = document.getElementById("content"); ↔
140.
              if (notifications.style.top === '-1000px') \{ \leftarrow \}
                  notifications.style.top = '130px';↔ body.classList.add('blur-backdrop'); // Add the blur effect to the
141.
142.
     body←
143.
                  content.style.display = "none";↔
144.
145.
                  notifications.style.top = '-1000px';↔
146.
                  body.classList.remove('blur-backdrop'); // Remove the blur effect
     from the body↔
147.
                  content.style.display = "block";↔
148.
149.
         }←
150. ←
151.
         </script>↔
```

12/21/23, 10:37 PM

152. </body>← 153. ← 154. </html>

Used the HTML parser.

Total execution time 14 milliseconds.

About this checker • Report an issue • Version: 23.11.28