```
entry
```

L0
LINENUMBER 976 L0
LDC "df4f1e28-3aa7-4c12-9443-01858850c825"
INVOKESTATIC edu/cmu/cs/mvelezce/java/execute/region/RegionsManager.enter (Ljava/lang/String;)V
ALOAD 0
INVOKESPECIAL java/lang/Object.<init> ()V
L1
LINENUMBER 977 L1
ALOAD 2
INVOKEVIRTUAL com/sleepycat/je/dbi/EnvironmentImpl.getConfigManager ()Lcom/sleepycat/je/dbi/DbConfigManager;
ASTORE 3
L2
LINENUMBER 978 L2
ALOAD 0
ALOAD 3
GETSTATIC com/sleepycat/je/config/EnvironmentParams.LOG_ITERATOR_MAX_SIZE : Lcom/sleepycat/je/config/IntConfigParam;
L3
LINENUMBER 979 L3
INVOKEVIRTUAL com/sleepycat/je/dbi/DbConfigManager.getInt (Lcom/sleepycat/je/config/IntConfigParam;)I
PUTFIELD com/sleepycat/je/log/FileReader$ReadWindow.maxReadBufferSize : I
L4
LINENUMBER 980 L4
ALOAD 0
ALOAD 2
PUTFIELD com/sleepycat/je/log/FileReader$ReadWindow.envImpl : Lcom/sleepycat/je/dbi/EnvironmentImpl;
L5
LINENUMBER 981 L5
ALOAD 0
ALOAD 2
INVOKEVIRTUAL com/sleepycat/je/dbi/EnvironmentImpl.getFileManager ()Lcom/sleepycat/je/log/FileManager;
PUTFIELD com/sleepycat/je/log/FileReader$ReadWindow.fileManager : Lcom/sleepycat/je/log/FileManager;
L6
LINENUMBER 983 L6
ALOAD 0
ILOAD 1
INVOKESTATIC java/nio/ByteBuffer.allocate (I)Ljava/nio/ByteBuffer;
PUTFIELD com/sleepycat/je/log/FileReader$ReadWindow.readBuffer : Ljava/nio/ByteBuffer;
L7
LINENUMBER 984 L7
ALOAD 0
GETFIELD com/sleepycat/je/log/FileReader$ReadWindow.readBuffer : Ljava/nio/ByteBuffer;
INVOKEVIRTUAL java/nio/ByteBuffer.flip ()Ljava/nio/Buffer;
POP
L8
LINENUMBER 985 L8
LDC "df4f1e28-3aa7-4c12-9443-01858850c825"
INVOKESTATIC edu/cmu/cs/mvelezce/java/execute/region/RegionsManager.exit (Ljava/lang/String;)V
RETURN
L9

```
exit
```