Jutge.org

The Virtual Learning Environment for Computer Programming

Reduction of digits

P96965_en

Write a function that, given a natural number *x*, returns the reduction of its digits.

Interface

```
C++ int reduction_of_digits (int x);

C int reduction_of_digits (int x);

Java public static int reductionOfDigits (int x);

Python reduction_of_digits (x) # returns int reduction_of_digits (x: int) \rightarrow int
```

In this exercise, we say that reducing the digits of a number means computing the sum of its digits. If the sum has just one digit, this is already the result. Otherwise, we apply the same process again to the sum, until we get a single digit.

Solve this problem using a recursive function to return the sum of the digits of a natural number x.

Interface

```
C++ int sum\_of\_digits (int x);
C int sum\_of\_digits (int x);
Java public static int sumOfDigits(int x);
Python sum\_of\_digits (x) # returns int sum\_of\_digits (x: int) \rightarrow int
```

Precondition

x is a natural number.

Observation

Although there is a mathematic trick to solve this problem faster than by adding up its digits, do not use it here.

Observation

You only need to submit the required procedure; your main program will be ignored.

Problem information

Author: Jordi Petit

Translator : Carlos Molina Generation : 2023-07-14 18:29:55

© *Jutge.org*, 2006–2023. https://jutge.org