

[App Store Server API](#) / [RefundLookupResponse](#) **Deprecated**

Object

RefundLookupResponse **Deprecated**

A response that contains an array of signed JSON Web Signature (JWS) transactions.

App Store Server API 1.1–1.6 **Deprecated**

object RefundLookupResponse

Deprecated

Use [Get Refund History](#) and its response, [RefundHistoryResponse](#), instead.

Properties

~~signedTransactions~~
[[JWSTransaction](#)]

Deprecated A list of JWS transactions, or an empty array if the customer has received no refunds in your app. The transactions are sorted in ascending order by their [revocationDate](#).

Mentioned in

 [App Store Server API changelog](#)

Discussion

If the customer hasn't received any refunds for in-app purchases in your app, the signed Transactions array is empty. To read the transaction information, decode the payload for each [JWSTransaction](#) object in the signedTransactions array. Use a [JWSTransaction DecodedPayload](#) object to read the transaction information in the payload.

This response can contain a maximum of 50 transactions in the `signedTransactions` array.

See Also

Deprecated

~~Get Transaction History V1~~

Get a customer's in-app purchase transaction history for your app, except finished consumable in-app purchases.

Deprecated

~~Get Refund History V1~~

Get a list of up to 50 of a customer's refunded in-app purchases for your app.

Deprecated