

[Address Book UI](#) / `ABNewPersonViewController` **Deprecated**

## Class

# ABNewPersonViewController **Deprecated**

A view controller presenting an interface to create a contact.

iOS 2.0–9.0 **Deprecated** | iPadOS 2.0–9.0 **Deprecated** | Mac Catalyst 13.1–13.1 **Deprecated**

```
@MainActor
class ABNewPersonViewController
```

### Deprecated

Use [CNContactViewController](#) instead.

## Overview

New-person view controllers are modal view controllers that manage a set of view controllers used to create a contact (`ABPersonRef`) and edit its properties.

### Important

New-person view controllers must be used with a navigation controller in order to function properly. It is recommended that you present a new-person view controller modally.

## Subclassing

The `ABNewPersonViewController` class does not support subclassing.

---

# Topics

## Responding to View Controller Interactions

~~var newPersonViewDelegate: (any ABNewPersonViewControllerDelegate)?~~

The delegate of a new-person view controller.

~~protocol ABNewPersonViewControllerDelegate~~

The ABNewPersonViewControllerDelegate protocol declares the interface that ABNewPersonViewController delegates must implement.

## Displaying Person Properties

~~var displayedPerson: ABRecord?~~

Optional. Specifies the person properties that the new-person view controller pre-fills in its views.

## Configuring New Person Views

~~var addressBook: ABAddressBook?~~

Optional. The address book to which the new contact is added.

~~var parentGroup: ABRecord?~~

Optional. Specifies the group to which to add the new contact on save.

---

# Relationships

## Inherits From

UIViewController

## Conforms To

CVarArg

CustomDebugStringConvertible

CustomStringConvertible  
Equatable  
Hashable  
NSCoding  
NSExtensionRequestHandling  
NSObjectProtocol  
NSTouchBarProvider  
UIActivityItemsConfigurationProviding  
UIAppearanceContainer  
UIContentContainer  
UIFocusEnvironment  
UIPasteConfigurationSupporting  
UIResponderStandardEditActions  
UIStateRestoring  
UITraitChangeObservable  
UITraitEnvironment  
UIUserActivityRestoring

---

## See Also

### Detail Display

~~class~~ ~~ABPersonViewController~~

The ABPersonViewController class (whose instances are known as **person view controllers**) implements the view used to display a person record (ABPersonRef).

Deprecated

~~class~~ ~~ABUnknownPersonViewController~~

The ABUnknownPersonViewController class (whose instances are known as **unknown-person view controllers**) implements a view controller used to create a person record from a set of person properties.

Deprecated

~~func~~ ~~ABCreateStringWithAddressDictionary([AnyHashable : Any], Bool) → String~~

Returns a formatted address from an address property.

Deprecated