Protocol

MobileDocumentDataRequest

A type that represents a mobile document data request.

iOS 26.0+ | iPadOS 26.0+ | Mac Catalyst 26.0+ | visionOS 26.0+

```
protocol MobileDocumentDataRequest : MobileDocumentRequest
```

Topics

Handling the response

```
protocol MobileDocumentDataResponse
```
A type that represents a mobile document data response.

Relationships

Inherits From

```
Equatable
Hashable
MobileDocumentRequest
Sendable
SendableMetatype
```

Conforming Types

`MobileDriversLicenseDataRequest`, `MobileNationalIDCardDataRequest`,
`MobilePhotoIDDataRequest`

See Also

Mobile document requests

struct `MobileDriversLicenseDisplayRequest`

A mobile driver's license request that retrieves elements from the holder and displays the results onscreen for visual inspection.

struct `MobileDriversLicenseDataRequest`

A mobile driver's license request that retrieves elements from the holder and returns the validated document elements.

struct `MobileDriversLicenseRawDataRequest`

A mobile driver's license request which retrieves elements from the holder and returns the raw response data for processing.

struct `MobileNationalIDCardDisplayRequest`

A mobile national ID card request that retrieves elements from the holder and displays the results onscreen for visual inspection.

struct `MobileNationalIDCardDataRequest`

A mobile national ID card request that retrieves elements from the holder and returns the validated document elements.

struct `MobileNationalIDCardRawDataRequest`

A mobile national ID card request which retrieves elements from the holder and returns the raw response data for processing.

struct `MobileDocumentDisplayRequest`

A mobile document request that retrieves elements from the holder and displays the results onscreen for visual inspection.

protocol `MobileDocumentRequest`

A type that represents a mobile document request.

protocol `MobileDocumentRawDataRequest`

A type that represents a mobile document raw data request.

struct MobilePhotoIDDataRequest

A photo ID request that retrieves elements from the holder and returns the validated document elements.

struct MobilePhotoIDRawDataRequest

A photo ID request which retrieves elements from the holder and returns the raw response data for processing.

struct MobileDocumentAnyOfDataRequest

A type that describes a data request for any mobile document from a group of requests.

struct MobileDocumentAnyOfRawDataRequest

A type that describes a raw data request for any mobile document from a group of requests.