

Documentation

[Analytics Reports](#) / Speech Framework Transcription Request Audio Duration

Article

Speech Framework Transcription Request Audio Duration

Analyze the distribution of audio duration for transcription requests in your app.

Overview

The data in this report contains information about the distribution of audio duration for Speech framework transcription requests.

- Territories: Worldwide
- Platforms: iOS, iPadOS. For more information about iOS and iPadOS, see the Platforms section in [Data Completeness and Corrections](#).
- Availability:
 - Daily: Every day.
- History: On request, data is available beginning with iOS 17.4 and iPadOS 17.4.
- Completeness: Data from devices that contribute to this report can arrive as late as 8 days after the date it generates on device. You can download recent data daily, but it might be incomplete, and data updates incrementally daily, until all late-arriving events are available.
- Privacy:
 - Includes data from users who have opted to share their data with Apple and developers.
 - Individual rows will only appear if they have a value of 5 or more.
- Data Context: You can analyze your data with additional context by comparing it with the data in the [App Sessions Context](#) report, which provides a count of unique devices that use your app on a specific day. For example, if your app performed an action detailed in this report on 10 unique devices on a specific day, and the App Sessions Context report shows there were 100

unique devices running your app that day, then you can approximate that 10% of the devices running your app performed that action.

Report Fields

| Report Field | Description | Data Type |
|----------------|--|-----------|
| Count | Number of times the event occurred | integer |
| Territory | Country or region in which the event occurred | string |
| Date | Date when the event occurred | string |
| Platform | OS version on the device on which the event occurred | string |
| Device | Type of device on which the event occurred | string |
| Build | Build of device on which event occurred | string |
| Unique Devices | The count of unique devices | integer |
| Release Type | Type of software release | string |
| Audio Duration | Duration of transcription audio requests | float |

Glossary

| Dimension | Value | Definition |
|----------------|-------|--------------------------------------|
| Audio Duration | 0 | Represents range from -Infinity to 0 |
| Audio Duration | 1 | Represents range from 0 to 20 |
| Audio Duration | 2 | Represents range from 20 to 40 |
| Audio Duration | 3 | Represents range from 40 to 60 |
| Audio Duration | 4 | Represents range from 60 to 80 |
| Audio Duration | 5 | Represents range from 80 to 100 |

| Dimension | Value | Definition |
|----------------|-------|--|
| Audio Duration | 6 | Represents range from 100 to 120 |
| Audio Duration | 7 | Represents range from 120 to 140 |
| Audio Duration | 8 | Represents range from 140 to 160 |
| Audio Duration | 9 | Represents range from 160 to 180 |
| Audio Duration | 10 | Represents range from 180 to 200 |
| Audio Duration | 11 | Represents range from 200 to 220 |
| Audio Duration | 12 | Represents range from 220 to 240 |
| Audio Duration | 13 | Represents range from 240 to 260 |
| Audio Duration | 14 | Represents range from 260 to 280 |
| Audio Duration | 15 | Represents range from 280 to 300 |
| Audio Duration | 16 | Represents range from 300 to +Infinity |

See Also

Framework Usage

- 📄 [AccessorySetupKit Accessory Picker Sessions](#)
Analyze how many people use your app to set up accessories by using AccessorySetupKit.
- 📄 [AccessorySetupKit Usage](#)
Analyze how often your app uses AccessorySetupKit.
- 📄 [AirPlay Discovery Sessions](#)
Review information about AirPlay discovery sessions.
- 📄 [Animoji Stickers Sent](#)
Analyze how many times people use Memoji stickers in your app.
- 📄 [App Added to Focus](#)
Review information about your app's relationship to Focus modes.

-  **App Disk Space Usage**
Analyze your app's disk space use.
-  **App Runtime Usage**
Analyze how often your app executes specific symbols of different dynamic libraries.
-  **App Sessions Context**
Analyze how many people use your app and for how long.
-  **Application Preferred Language Settings**
Review how people use language preference settings in your app.
-  **ARKit ARSession Duration**
Review information about ARKit ARSession duration.
-  **ARKit ARSession Failures**
Analyze details about ARKit ARSession failures.
-  **ARKit Capture Frame Rate Throttling**
Analyze how long it takes for ARKit to throttle the camera frame rate.
-  **ARKit Collaborative Session Features**
Review how your app uses ARKit collaborative session features.
-  **ARKit Face Tracking**
Analyze how often your app uses ARKit face tracking.
-  **ARKit Video Formats**
Review information about ARKit video formats and high-resolution frames.