

[AccessorySetupKit](#) / [ASError](#) / [ASError.Code](#)

Enumeration

ASError.Code

Codes that describe errors encountered during accessory discovery.

iOS 18.0+ | iPadOS 18.0+

`enum` Code

Topics

Activation errors

```
case activationFailed
```

Session activation failed.

Timeout and life cycle errors

```
case discoveryTimeout
```

Accessory discovery timed out.

```
case invalidated
```

The session invalidated prior to completing the operation.

Configuration errors

```
case extensionNotFound
```

The framework couldn't find the app extension.

`case userRestricted`

The person using the app restricted access.

`case invalidRequest`

The session received an invalid request.

Picker errors

`case pickerRestricted`

The picker can't be used because the app is in the background.

`case pickerAlreadyActive`

The picker received a show request when it was already active.

Cancellation errors

`case userCancelled`

The person using the app canceled the operation.

Communication errors

`case connectionFailed`

The session was unable to establish a connection.

Success cases

`case success`

A code that represents a successful action.

Unclassified errors

`case unknown`

An underlying failure with an unknown cause.

Accessing the error domain

```
static var errorDomain: String
```

```
let ASErrorDomain: String
```

NSError domain for AccessorySetupKit errors.

Working with raw values

```
init?(rawValue: Int)
```

Relationships

Conforms To

BitwiseCopyable

Equatable

Hashable

RawRepresentable

Sendable

SendableMetatype

See Also

Errors

```
struct ASError
```

An error encountered during accessory discovery.

```
let ASErrorDomain: String
```

NSError domain for AccessorySetupKit errors.