Structure

AccessoryAnchor

Represents a tracked accessory.

visionOS 26.0+

```
struct AccessoryAnchor
```

Topics

Instance Properties

`var accessory: Accessory`

Accessory tracked by this anchor.

`var angularVelocity: SIMD3<Float>`

Angular velocity of the accessory in the local coordinate system [rad/s].

`var description: String`

A textual representation of this anchor.

`var heldChirality: Accessory.Chirality?`

Which hand the accessory is currently held in. Returns nil if the accessory is not held.

`var id: UUID`

The unique identifier of this anchor.

`var isTracked: Bool`

Whether this anchor is currently tracked or not.

`var originFromAnchorTransform: simd_float4x4`

The transform from the accessory anchor to the origin coordinate system.

`var trackingState: AccessoryAnchor.TrackingState`

Tracking state of this anchor.

`var velocity: SIMD3<Float>`

Velocity of the accessory in the local coordinate system [m/s].

Instance Methods

`func coordinateSpace(correction: ARKitCoordinateSpace.Correction) -> ARKitCoordinateSpace`

The anchor coordinate space.

`func coordinateSpace(for: Accessory.LocationName, correction: ARKitCoordinateSpace.Correction) -> ARKitCoordinateSpace`

The coordinate space of a location on this accessory.

Enumerations

`enum TrackingState`

Tracking state of accessory anchors.

Relationships

Conforms To

`Anchor`
`CustomStringConvertible`
`Equatable`
`Identifiable`
`Sendable`
`SendableMetatype`
`TrackableAnchor`

See Also

Accessory tracking

`class AccessoryTrackingProvider`

Provides the real time position of accessories in the user's environment.

`struct Accessory`

Represents an accessory to be tracked.

{} Tracking accessories in volumetric windows

Translate the position and velocity of tracked handheld accessories to throw virtual balls at a stack of cans.

{} Tracking a handheld accessory as a virtual sculpting tool

Use a tracked accessory with Apple Vision Pro to create a virtual sculpture.