

[Intents](#) / [INSendPaymentIntentResponse](#)

Class

INSendPaymentIntentResponse

Your app's response to a send payment intent.

iOS 10.0+ | iPadOS 10.0+ | Mac Catalyst 13.1+ | visionOS 1.0+ | watchOS 3.2+

```
class INSendPaymentIntentResponse
```

Overview

Use an [INSendPaymentIntentResponse](#) object to specify the details of the financial transaction that you perform. After creating the object, assign the details of the payment transaction to the [paymentRecord](#) property, the details of which Siri communicates to the user at appropriate times.

You create an [INSendPaymentIntentResponse](#) object in the [confirm\(intent:completion:\)](#) and [handle\(intent:completion:\)](#) methods of your handler object. For more information about implementing your handler object, see [INSendPaymentIntent Handling](#).

Topics

Initializing the Response Object

```
init(code: INSendPaymentIntentResponseCode, userActivity: NSUserActivity?)
```

Initializes the response object with the specified code and user activity object.

Getting the Response Code

```
var code: INSendPaymentIntentResponseCode
```

The code indicating whether you successfully handled the intent.

```
enum INSendPaymentIntentResponseCode
```

Constants indicating the state of the response.

Accessing the Payment Information

```
var paymentRecord: INPaymentRecord?
```

The details of the payment transaction.

Relationships

Inherits From

INIntentResponse

Conforms To

CVarArg

CustomDebugStringConvertible

CustomStringConvertible

Equatable

Hashable

NSCoding

NSCopying

NSObjectProtocol

NSSecureCoding

See Also

[Send a Payment](#)

```
protocol INSendPaymentIntentHandling
```

The handler interface for transferring money from the current user's account to a different user's account.

```
class INSendPaymentIntent
```

A request to transfer money from the current user's account to a different user's account.