

[Accounts](#) / [ACAccount](#) **Deprecated**

Class

ACAccount **Deprecated**

The information associated with one of the user's accounts.

iOS 6.0–15.0 **Deprecated** | iPadOS 6.0–15.0 **Deprecated** | Mac Catalyst 13.1–15.0 **Deprecated** |

macOS 10.8–12.0 **Deprecated**

```
class ACAccount
```

Deprecated

Use appropriate non-Apple SDK corresponding to the type of account you want to reference instead

Overview

An [ACAccount](#) object encapsulates information about a user account stored in the Accounts database. You can create and retrieve accounts using an [ACAccountStore](#) object. The [ACAccountStore](#) object provides an interface to the persistent Accounts database. For each user, all account objects belong to a single [ACAccountStore](#) object.

Topics

Creating an Account Object

```
init!(accountType: ACAccountType!)
```

Initializes a new account of the specified type.

Accessing Properties

~~var accountDescription: String!~~

A human-readable description of the account.

~~var accountType: AccountType!~~

The type of service account.

~~var credential: AccountCredential!~~

The credential used to authenticate the user of this account.

~~var identifier: NSString!~~

A unique identifier for this account.

~~var username: String!~~

The username for this account.

~~var userFullName: String!~~

The full name associated with the user account.

Relationships

Inherits From

NSObject

Conforms To

CVarArg

CustomDebugStringConvertible

CustomStringConvertible

Equatable

Hashable

NSObjectProtocol

See Also

Account Management

~~class~~ ~~ACAAccountStore~~

The object you use to request, manage, and store the user's account information.

Deprecated

~~class~~ ~~ACAAccountCredential~~

A credential object that encapsulates the information needed to authenticate a user.

Deprecated