API Collection

Data Objects

Access contact-related data, such as the user's postal address and phone number.

Topics

Addresses

`class` `CNPostalAddress`

An immutable representation of the postal address for a contact.

`class` `CNMutablePostalAddress`

A mutable representation of the postal address for a contact.

`class` `CNInstantMessageAddress`

An immutable object representing an instant message address for the contact.

Phone Numbers

`class` `CNPhoneNumber`

An immutable object representing a phone number for a contact.

Groups and Containers

`class` `CNGroup`

An immutable object that represents a group of contacts.

`class` `CNMutableGroup`

A mutable object that represents a group of contacts.

`class CNContainer`

An immutable object that represents a collection of contacts.

Social Profiles

`class CNSocialProfile`

An immutable object that represents one of the user's social profiles.

Related Data

`class CNContactRelation`

An immutable object that represents the relationship between one contact to another.

Generic Types

`class CNLabeledValue`

An immutable object that combines a contact property value with a label that describes that property.

`class CNContactProperty`

An object that represents a property of a contact.

See Also

Contact data

`class CNContact`

An immutable object that stores information about a single contact, such as the contact's first name, phone numbers, and addresses.

`class CNMutableContact`

A mutable object that stores information about a single contact, such as the contact's first name, phone numbers, and addresses.

≔   Contact Keys

Specify contact-related properties during fetch operations.