

[ProximityReader](#) / [MobileNationalIDCardDisplayRequest](#)

## Structure

# MobileNationalIDCardDisplayRequest

A mobile national ID card request that retrieves elements from the holder and displays the results onscreen for visual inspection.

iOS 18.0+ | iPadOS 18.0+ | Mac Catalyst 18.0+ | visionOS 2.0+

```
struct MobileNationalIDCardDisplayRequest
```

## Topics

### Creating a display request

```
init(region: Locale.Region, elements: [MobileNationalIDCardDisplayRequest.Element], options: MobileNationalIDCardDisplayRequest.Options)
```

Creates a new mobile national ID card display request.

### Determining the region availability

```
static func isSupportedRegion(Locale.Region) -> Bool
```

Returns a Boolean value that indicates whether you can make a request for the specified region.

### Configuring the request details

```
var region: Locale.Region
```

The region of the document you're requesting.

```
var elements: [MobileNationalIDCardDisplayRequest.Element]
```

The document elements you're requesting.

```
struct Element
```

A type that represents an element you can request from a mobile national ID card.

```
var options: MobileNationalIDCardDisplayRequest.Options
```

An object that customizes how to perform a display request.

```
struct Options
```

An object that customizes how to perform a display request.

## Handling the response

```
struct Response
```

A type that contains the response information from a successful mobile national ID card display request.

## Default Implementations

≡ MobileDocumentRequest Implementations

---

## Relationships

### Conforms To

Equatable

Hashable

MobileDocumentRequest

Sendable

SendableMetatype

---

## See Also

[Mobile document requests](#)

```
struct MobileDriversLicenseDisplayRequest
```

A mobile driver's license request that retrieves elements from the holder and displays the results onscreen for visual inspection.

```
struct MobileDriversLicenseDataRequest
```

A mobile driver's license request that retrieves elements from the holder and returns the validated document elements.

```
struct MobileDriversLicenseRawDataRequest
```

A mobile driver's license request which retrieves elements from the holder and returns the raw response data for processing.

```
struct MobileNationalIDCardDataRequest
```

A mobile national ID card request that retrieves elements from the holder and returns the validated document elements.

```
struct MobileNationalIDCardRawDataRequest
```

A mobile national ID card request which retrieves elements from the holder and returns the raw response data for processing.

```
struct MobileDocumentDisplayRequest
```

A mobile document request that retrieves elements from the holder and displays the results onscreen for visual inspection.

```
protocol MobileDocumentRequest
```

A type that represents a mobile document request.

```
protocol MobileDocumentDataRequest
```

A type that represents a mobile document data request.

```
protocol MobileDocumentRawDataRequest
```

A type that represents a mobile document raw data request.

```
struct MobilePhotoIDDataRequest
```

A photo ID request that retrieves elements from the holder and returns the validated document elements.

```
struct MobilePhotoIDRawDataRequest
```

A photo ID request which retrieves elements from the holder and returns the raw response data for processing.

```
struct MobileDocumentAnyOfDataRequest
```

A type that describes a data request for any mobile document from a group of requests.

```
struct MobileDocumentAnyOfRawDataRequest
```

A type that describes a raw data request for any mobile document from a group of requests.