

## Documentation

---

[Apple Maps Server API](#) / AddressCategory

Type

# AddressCategory

Search categories related to political geographical boundaries.

Apple Maps Server API 1.2+

```
string AddressCategory
```

---

## Possible Values

**Country**

**AdministrativeArea**

**SubAdministrativeArea**

**Locality**

**SubLocality**

**PostalCode**

## Possible Values

**Country**

Countries and regions. **AdministrativeArea** The primary administrative divisions of countries or regions.

**SubAdministrativeArea**

The secondary administrative divisions of countries or regions.

## Locality

Local administrative divisions, postal cities and populated places.

## SubLocality

Local administrative sub-divisions, postal city sub-districts, and neighborhoods.

## PostalCode

A code assigned to addresses for mail sorting and delivery.

---

# See Also

## Searching

### `type SearchACResultType`

An enumerated string that indicates the result type for the search request.

### `type SearchResultType`

An enumerated string that indicates the result type for the search autocomplete request.

### `object AlternateIdsResponse`

A list of alternate Place IDs and associated errors.

### `object AlternateIdsResponse.AlternateIds`

Contains a list of alternate Place IDs for a given Place ID.

### `object PlacesResponse`

A list of Place IDs and errors.

### `object PlacesResponse.PlaceLookupError`

An error associated with a lookup call.

## Search for places that match specific criteria

Find places by name or by specific search criteria.

## Search for places that meet specific criteria to autocomplete a place search

Find results that you can use to autocomplete searches.

## Search for a place using an identifier

Obtain a Place object for a given Place ID.

## Search for places using multiple identifiers

Obtain a set of Place objects for a given set of Place IDs.

Obtain a list of alternate place identifiers

Get a list of alternate Place IDs given one or more Place IDs.