

[Account Data Transfer](#) / Submit request

Web Service Endpoint

Submit request

Starts preparing someone's data for download.

Account Data Transfer 1.0+

URL

POST `https://accountdatatransfer.apple.com/api/transfer/accountdata/submit`

HTTP Body

`JobSubmission`

The description of the new download request.

Content-Type: application/json

Response Codes

200	OK
<code>CreatedJob</code>	Content-Type: application/json
400	Bad Request
401	Unauthorized
403	Forbidden
500	Internal Server Error

Overview

Request the app-store data type to get App Store information and app-install activity.

Request a one-time download

Request Response

```
% curl -X POST \  
-H "Authorization: Bearer [ACCESS_TOKEN]" \  
-H "X-Apple-Transaction-Id: E3857B28-7FC4-41C8-AC54-08E121E26F59" \  
-H "Content-Type: application/json" \  
-d '{ "mode": "ONE_TIME" }' \  
https://accountdatatransfer.apple.com/api/transfer/accountdata/submit
```

Request a recurring download

Request Response

```
% curl -X POST \  
-H "Authorization: Bearer [ACCESS_TOKEN]" \  
-H "X-Apple-Transaction-Id: E3857B28-7FC4-41C8-AC54-08E121E26F59" \  
-H "Content-Type: application/json" \  
-d '{ "mode": "DAILY_30" }' \  
https://accountdatatransfer.apple.com/api/transfer/accountdata/submit
```

See Also

Request creation

`object` JobSubmission

An object that describes a submission that requests someone's data.

`object` CreatedJob

An object that represents a newly created download request.

`Resubmit request`

Enqueue the next instance of a recurring request.

`object ResubmissionRequest`

An object that describes a request to resubmit a recurring download request.

`object ResubmissionResponse`

An object that represents a resubmitted recurring download request.