Structure

MobileDriversLicenseDisplayRequest

A mobile driver's license request that retrieves elements from the holder and displays the results onscreen for visual inspection.

iOS 17.0+ | iPadOS 17.0+ | Mac Catalyst 17.0+ | visionOS 1.0+

```
struct MobileDriversLicenseDisplayRequest
```

Topics

Creating a display request

`init(elements: [MobileDriversLicenseDisplayRequest.Element], options: MobileDriversLicenseDisplayRequest.Options)`

Creates a new mobile driver's license display request.

`var elements: [MobileDriversLicenseDisplayRequest.Element]`

The document elements you're requesting.

`struct Element`

A type that represents an element you can request from a mobile driver's license.

Configuring a display request

`var options: MobileDriversLicenseDisplayRequest.Options`

An object that customizes how to perform a display request.

`struct Options`

An object that customizes how to perform a display request.

Handling the response

`struct` `Response`

A type that contains the response information from a successful mobile driver's license display request.

Default Implementations

☰   MobileDocumentRequest Implementations

Relationships

Conforms To

```
Equatable
Hashable
MobileDocumentRequest
Sendable
SendableMetatype
```

See Also

Mobile document requests

`struct` `MobileDriversLicenseDataRequest`

A mobile driver's license request that retrieves elements from the holder and returns the validated document elements.

`struct` `MobileDriversLicenseRawDataRequest`

A mobile driver's license request which retrieves elements from the holder and returns the raw response data for processing.

`struct` `MobileNationalIDCardDisplayRequest`

A mobile national ID card request that retrieves elements from the holder and displays the results onscreen for visual inspection.

`struct MobileNationalIDCardDataRequest`

A mobile national ID card request that retrieves elements from the holder and returns the validated document elements.

`struct MobileNationalIDCardRawDataRequest`

A mobile national ID card request which retrieves elements from the holder and returns the raw response data for processing.

`struct MobileDocumentDisplayRequest`

A mobile document request that retrieves elements from the holder and displays the results onscreen for visual inspection.

`protocol MobileDocumentRequest`

A type that represents a mobile document request.

`protocol MobileDocumentDataRequest`

A type that represents a mobile document data request.

`protocol MobileDocumentRawDataRequest`

A type that represents a mobile document raw data request.

`struct MobilePhotoIDDataRequest`

A photo ID request that retrieves elements from the holder and returns the validated document elements.

`struct MobilePhotoIDRawDataRequest`

A photo ID request which retrieves elements from the holder and returns the raw response data for processing.

`struct MobileDocumentAnyOfDataRequest`

A type that describes a data request for any mobile document from a group of requests.

`struct MobileDocumentAnyOfRawDataRequest`

A type that describes a raw data request for any mobile document from a group of requests.