Protocol

MobileDocumentRawDataRequest

A type that represents a mobile document raw data request.

iOS 26.0+ | iPadOS 26.0+ | Mac Catalyst 26.0+ | visionOS 26.0+

```
protocol MobileDocumentRawDataRequest : MobileDocumentRequest
```

Relationships

Inherits From

```
Equatable
Hashable
MobileDocumentRequest
Sendable
SendableMetatype
```

Conforming Types

```
MobileDriversLicenseRawDataRequest, MobileNationalIDCardRawDataRequest,
MobilePhotoIDRawDataRequest
```

See Also

Mobile document requests

struct MobileDriversLicenseDisplayRequest

A mobile driver's license request that retrieves elements from the holder and displays the results onscreen for visual inspection.

struct MobileDriversLicenseDataRequest

A mobile driver's license request that retrieves elements from the holder and returns the validated document elements.

struct MobileDriversLicenseRawDataRequest

A mobile driver's license request which retrieves elements from the holder and returns the raw response data for processing.

struct MobileNationalIDCardDisplayRequest

A mobile national ID card request that retrieves elements from the holder and displays the results onscreen for visual inspection.

struct MobileNationalIDCardDataRequest

A mobile national ID card request that retrieves elements from the holder and returns the validated document elements.

struct MobileNationalIDCardRawDataRequest

A mobile national ID card request which retrieves elements from the holder and returns the raw response data for processing.

struct MobileDocumentDisplayRequest

A mobile document request that retrieves elements from the holder and displays the results onscreen for visual inspection.

protocol MobileDocumentRequest

A type that represents a mobile document request.

protocol MobileDocumentDataRequest

A type that represents a mobile document data request.

struct MobilePhotoIDDataRequest

A photo ID request that retrieves elements from the holder and returns the validated document elements.

struct MobilePhotoIDRawDataRequest

A photo ID request which retrieves elements from the holder and returns the raw response data for processing.

struct `MobileDocumentAnyOfDataRequest`

A type that describes a data request for any mobile document from a group of requests.

struct `MobileDocumentAnyOfRawDataRequest`

A type that describes a raw data request for any mobile document from a group of requests.