API Collection

Bundle ID Capabilities

Manage the app capabilities for a bundle ID.

Overview

The `bundleIdCapabilities` resource represents capabilities that you can enable or disable for a bundle ID. To learn about capabilities, see Advanced App Capabilities.

Topics

Enabling and Disabling Capabilities

`Enable a Capability`

Enable a capability for a bundle ID.

`Disable a Capability`

Disable a capability for a bundle ID.

Updating Capabiities

`Modify a Capability Configuration`

Update the configuration of a specific capability.

Object and Data Types

`object BundleIdCapability`

The data structure that represents a Bundle ID Capabilities resource.

object `BundleIdCapabilityCreateRequest`

The request body you use to create a Bundle ID Capability.

object `BundleIdCapabilityUpdateRequest`

The request body you use to update a Bundle ID Capability.

object `BundleIdCapabilityResponse`

A response that contains a single Bundle ID Capabilities resource.

object `BundleIdCapabilitiesResponse`

A response that contains a list of Bundle ID Capability resources.

object `BundleIdCapabilitiesWithoutIncludesResponse`

object `CapabilityOption`

An option within a capability setting.

object `CapabilitySetting`

An object that represents a capability setting for an app.

type `CapabilityType`

String that represents an app's capability type.

See Also

Provisioning

≔ Bundle IDs

Manage the bundle IDs that uniquely identify your apps.

≔ Certificates

Create, download, and revoke signing certificates for app development and distribution.

≔ Devices

Register devices for development and testing.

≔ Profiles

Create, delete, and download provisioning profiles that enable app installations for development and distribution.

☰ Merchant ID

Manage your merchant ID for Apple Pay.

☰ Pass type Ids

Create, download, and revoke pass type ids for app development and distribution.