

[Apple Pay Merchant Tok...](#) / MerchantToken Usage Data Availability Notification

Web Service Endpoint

MerchantToken Usage Data Availability Notification

Notify Apple servers that the user's devices can retrieve merchant token usage information.

Apple Pay Merchant Token Management API 1.0.12+

URL

POST `https://apple-pay-gateway.apple.com/paymentservices/v1/merchantId/{merchantId}`,

Path Parameters

merchantId string	(Required) Your merchant identifier. Maximum length: 64
-----------------------------	---

Header Parameters

Accept string	The response format the client expects, for example, <code>application/json</code> for JSON payloads.
Content-Type string	(Required) The format of the data sent in the request body, for example, <code>application/json</code> for JSON payloads.
x-request-id string	(Required) The header that uniquely identifies the request.

HTTP Body

[MerchantTokenUsage](#)
[DataAvailability](#)
[NotificationRequest](#)

The data.
Content-Type: application/json

Response Codes

200	OK Successful response.
400 ErrorResponse	Bad Request Bad request. Content-Type: application/json
403 ErrorResponse	Forbidden Authorization failed. Content-Type: application/json
404 ErrorResponse	Not Found Not found. Content-Type: application/json
500 ErrorResponse	Internal Server Error Internal server error. Content-Type: application/json

Discussion

Use this API to notify Apple that the user's device can retrieve merchant token usage information. The request includes metadata about encryption and where to retrieve the usage information.

See Also

Merchant token usage information

Retrieve Merchant Token Public Key
Get the merchant token public key.

`object MerchantTokenUsageDataAvailabilityNotificationRequest`
The data for the merchant token usage data availability notification request.

Get MerchantToken Usage Information Package

Retrieve the merchant token usage information package from the merchant server.

`object GetMerchantTokenUsageInformationPackageResponse`

The encrypted merchant token usage information package.

`object AutomaticReloadPaymentDetails`

Details about an automatic reload payment.

`object CurrencyAmount`

An amount of money.

`object DeferredPaymentDetails`

Details about a deferred payment, such as a hotel booking or a preorder.

`object PastPayment`

A past payment.

`object RecurringPaymentDetails`

Details about a recurring payment, typically a subscription.

`object UpcomingPayment`

An upcoming payment.

`object UsageInformation`

Information about the usage of a merchant token, such as past and upcoming payments.