

[App Intents](#) / ShowsSnippetView

Protocol

# ShowsSnippetView

The result of performing an action that delivers a view back to the initiator of the action.

iOS 16.0+ | iPadOS 16.0+ | Mac Catalyst | macOS 13.0+ | tvOS 16.0+ | visionOS | watchOS 9.0+

```
protocol ShowsSnippetView : IntentResult where Self.Snippet == _SnippetViewContainer
```

## Mentioned in

 Displaying static and interactive snippets

## Relationships

### Inherits From

IntentResult, Sendable, SendableMetatype

### Conforming Types

#### IntentResultContainer

Conforms when Value conforms to \_IntentValue, OpensAppIntent conforms to AppIntent, Snippet is \_SnippetViewContainer, Dialog conforms to Copyable, and Dialog conforms to Escapable.

---

# See Also

## Results

`protocol IntentResult`

A type that contains the result of performing an action, and includes optional information to deliver back to the initiator.

`struct IntentResultContainer`

An object that represents the output of a completed intent.

`protocol OpensIntent`

The result of performing an action that delivers an app intent back to the initiator of the action.

`protocol ProvidesDialog`

The result of performing an action that delivers a dialog back to the initiator of the action.

`protocol ReturnsValue`

The result of performing an action that delivers a value back to the initiator.

`protocol ResultsCollection`

A protocol representing a collection of returned items with support for sectioning.