

Framework

Audio Toolbox

Record or play audio, convert formats, parse audio streams, and configure your audio session.

iOS 2.0+ | iPadOS 2.0+ | Mac Catalyst 13.1+ | macOS 10.0+ | tvOS 9.0+ | visionOS 1.0+

Overview

The AudioToolbox framework provides interfaces for recording, playback, and stream parsing. In iOS, the framework provides additional interfaces for managing audio sessions.

Topics

Essentials

📄 Porting your audio code to Apple silicon

Eliminate issues in your audio-specific code when running on Apple silicon Mac computers.

Audio Units

{ } Generating spatial audio from a multichannel audio stream

Convert 8-channel audio to 2-channel spatial audio by using a spatial mixer audio unit.

☰ Audio Unit v3 Plug-Ins

Deliver custom audio effects, instruments, and other audio behaviors using an Audio Unit v3 app extension.

☰ Audio Components

Find, load, and configure audio components, such as Audio Units and audio codecs.

- ☰ Audio Unit v2 (C) API
Configure an Audio Unit and prepare it to render audio.
- ☰ Audio Unit Properties
Obtain information about the built-in mixers, equalizers, filters, effects, and other Audio Unit app extensions.
- ☰ Audio Unit Voice I/O
Configure system voice processing and respond to speech events.

Playback and Recording

- ☰ Audio Queue Services
Connect to audio hardware and manage the recording or playback process.
- ☰ Audio Services
Play short sounds or trigger a vibration effect on iOS devices with the appropriate hardware.
- ☰ Music Player
Create and play a sequence of tracks, and manage aspects of playback in response to standard events.
- 📄 Anchoring sound to a window or volume
Provide unique app experiences by attaching sounds to windows and volumes in 3D space.

Audio Files and Formats

- ☰ Audio Format Services
Access information about audio formats and codecs.
- ☰ Audio File Services
Read or write a variety of audio data to or from disk or a memory buffer.
- ☰ Extended Audio File Services
Read and write compressed files and linear PCM audio files using a simplified interface.
- ☰ Audio File Stream Services
Parse streamed audio files as the data arrives on the user's computer.
- ☰ Audio File Components
Get information about audio file formats, and about files containing audio data.

- ☰ Core Audio File Format
Parse the structure of Core Audio files.

Utilities

- 📄 Analyzing audio performance with Instruments
Ensure a smooth and immersive audio experience in your apps using Audio System Trace.
- ☰ Audio Converter Services
Convert between linear PCM audio formats, and between linear PCM and compressed formats.
- ☰ Audio Session Support
Describe the properties that you associate with audio sessions and audio routes.
- ☰ Audio Toolbox Debugging
Obtain the internal state of Core Audio objects during the development and debugging of your code.
- ☰ Workgroup Management
Coordinate the activity of custom real-time audio threads with those of the system and other processes.
- ☰ Audio Codec
Translate audio data from one format to another.
- ☰ Clock Utilities
Manage time-related information associated with audio playback.

Deprecated

- ☰ Deprecated Symbols
Review unsupported symbols and their replacements.

Reference

- ☰ AudioToolbox Structures
- ☰ AudioToolbox Enumerations
- ☰ AudioToolbox Constants

☰ AudioToolbox Functions

☰ AudioToolbox Data Types

Macros

☰ Macros

Protocols

`protocol SpatialAudioExperience`

Configure an audio stream for spatial computing.

Structures

`struct AutomaticSpatialAudio`

A spatial audio experience determined by the system.

`struct BypassedSpatialAudio`

An experience in which the system does not apply spatial processing to the audio stream.

`struct FixedSpatialAudio`

A spatial experience that does not take user motion into account.

`struct HeadTrackedSpatialAudio`

A spatial experience that takes user motion into account.

Variables

`var kAUAudioMixParameter_RemixAmount: AudioUnitParameterID`

`var kAUAudioMixParameter_Style: AudioUnitParameterID`

`var kAUAudioMixProperty_EnableSpatialization: AudioUnitPropertyID`

`var kAUAudioMixProperty_SpatialAudioMixMetadata: AudioUnitPropertyID`

`var kAudioCodecContentSource_AV_Spatial_Live: Int32`

`var kAudioCodecContentSource_AV_Spatial_Offline: Int32`

`var kAudioCodecContentSource_AV_Traditional_Live: Int32`

`var kAudioCodecContentSource_AV_Traditional_Offline: Int32`

```
var kAudioCodecContentSource_AppleAV_Spatial_Live: Int32
var kAudioCodecContentSource_AppleAV_Spatial_Offline: Int32
var kAudioCodecContentSource_AppleAV_Traditional_Live: Int32
var kAudioCodecContentSource_AppleAV_Traditional_Offline: Int32
var kAudioCodecContentSource_AppleCapture_Spatial: Int32
var kAudioCodecContentSource_AppleCapture_Spatial_Enhanced: Int32
var kAudioCodecContentSource_AppleCapture_Traditional: Int32
var kAudioCodecContentSource_AppleMusic_Spatial: Int32
var kAudioCodecContentSource_AppleMusic_Traditional: Int32
var kAudioCodecContentSource_ApplePassthrough: Int32
var kAudioCodecContentSource_Capture_Spatial: Int32
var kAudioCodecContentSource_Capture_Spatial_Enhanced: Int32
var kAudioCodecContentSource_Capture_Traditional: Int32
var kAudioCodecContentSource_Music_Spatial: Int32
var kAudioCodecContentSource_Music_Traditional: Int32
var kAudioCodecContentSource_Passthrough: Int32
var kAudioCodecContentSource_Reserved: Int32
var kAudioCodecContentSource_Unspecified: Int32
var kAudioCodecDynamicRangeControlConfiguration_Capture: UInt32
var kAudioCodecDynamicRangeControlConfiguration_Movie: UInt32
var kAudioCodecDynamicRangeControlConfiguration_Music: UInt32
var kAudioCodecDynamicRangeControlConfiguration_None: UInt32
var kAudioCodecDynamicRangeControlConfiguration_Speech: UInt32
var kAudioCodecPropertyASPFrequency: AudioCodecPropertyID
var kAudioCodecPropertyContentSource: AudioCodecPropertyID
var kAudioCodecPropertyDynamicRangeControlConfiguration: AudioCodecPropertyID
```

```
var kAudioConverterPropertyChannelMixMap: AudioConverterPropertyID

var kAudioConverterPropertyPerformDownmix: AudioConverterPropertyID

var kAudioUnitErr_MultipleVoiceProcessors: OSStatus

var kAudioUnitSubType_AUAudioMix: UInt32
```

Functions

```
func AudioConverterFillComplexBufferRealtimeSafe(AudioConverterRef,
AudioConverterComplexInputDataProcRealtimeSafe, UnsafeMutableRawPointer?,
UnsafeMutablePointer<UInt32>, UnsafeMutablePointer<AudioBufferList>,
UnsafeMutablePointer<AudioStreamPacketDescription>?) -> OSStatus
```

```
func AudioConverterFillComplexBufferWithPacketDependencies(Audio
ConverterRef, AudioConverterComplexInputDataProc, UnsafeMutableRaw
Pointer?, UnsafeMutablePointer<UInt32>, UnsafeMutablePointer<Audio
BufferList>, UnsafeMutablePointer<AudioStreamPacketDescription>?,
UnsafeMutablePointer<AudioStreamPacketDependencyDescription>) ->
OSStatus
```

```
func AudioFileWritePacketsWithDependencies(AudioFileID, Bool, UInt32,
UnsafePointer<AudioStreamPacketDescription>?, UnsafePointer<AudioStream
PacketDependencyDescription>, Int64, UnsafeMutablePointer<UInt32>,
UnsafeRawPointer) -> OSStatus
```

```
func AudioServicesPlayAlertSound(SystemSoundID, spatialExperience: any
SpatialAudioExperience) async
```

Play an alert sound with the provided spatial audio experience.

```
func AudioServicesPlaySystemSound(SystemSoundID, spatialExperience: any
SpatialAudioExperience) async
```

Play a system sound with the provided spatial audio experience.

Type Aliases

```
typealias AudioConverterComplexInputDataProcRealtimeSafe
```

Enumerations

```
enum AUAudioMixRenderingStyle
```

enum SpatialAudioExperiences