

[EventKit](#) / EKReminder

Class

EKReminder

A class that represents a reminder in a calendar.

iOS 6.0+ | iPadOS 6.0+ | Mac Catalyst 13.1+ | macOS 10.8+ | visionOS 1.0+ | watchOS 2.0+

```
class EKReminder
```

Mentioned in

 Creating events and reminders

Overview

Use the `init\(eventStore:\)` method to create a new reminder. Use the properties in the class to get and modify certain information about a reminder.

Topics

Creating a Reminder

```
init(eventStore: EKEventStore)
```

Creates and returns a new reminder in the given event store.

Accessing Reminder Properties

`enum EKReminderPriority`

The priority of the reminder.

`var priority: Int`

The reminder's priority.

`var startDateComponents: DateComponents?`

The start date of the task.

`var dueDateComponents: DateComponents?`

The date by which the reminder should be completed.

`var isCompleted: Bool`

A Boolean value determining whether or not the reminder is marked completed.

`var completionDate: Date?`

The date on which the reminder was completed.

Relationships

Inherits From

`EKCalendarItem`

Conforms To

`CVarArg`

`CustomDebugStringConvertible`

`CustomStringConvertible`

`Equatable`

`Hashable`

`NSObjectProtocol`

See Also

Events and reminders



Creating events and reminders

Create and modify events and reminders in a person's database.



Retrieving events and reminders

Fetch events and reminders from the Calendar database.



Updating with notifications

Register for notifications about changes and keep your app up to date.



Managing location-based reminders

Access reminders set up with geofence-enabled alarms on a person's calendars.

```
class EKEvent
```

A class that represents an event in a calendar.