

[Core Video](#) / CVPixelBuffer

API Collection

CVPixelBuffer

An image buffer that holds pixels in main memory.

Overview

A Core Video pixel buffer is an image buffer that holds pixels in main memory. Applications generating frames, compressing or decompressing video, or using Core Image can all make use of Core Video pixel buffers.

Topics

Creating pixel buffers

```
func CVPixelBufferCreate(CFAllocator?, Int, Int, OSType, CFDictionary?,  
UnsafeMutablePointer<CVPixelBuffer?>) -> CVReturn
```

Creates a single pixel buffer for a given size and pixel format.

```
func CVPixelBufferCreateWithBytes(CFAllocator?, Int, Int, OSType,  
UnsafeMutableRawPointer, Int, CVPixelBufferReleaseBytesCallback?,  
UnsafeMutableRawPointer?, CFDictionary?, UnsafeMutablePointer<CVPixel  
Buffer?>) -> CVReturn
```

Creates a pixel buffer for a given size and pixel format containing data specified by a memory location.

```
func CVPixelBufferCreateWithPlanarBytes(CFAllocator?, Int, Int, OSType,
UnsafeMutableRawPointer?, Int, Int, UnsafeMutablePointer<UnsafeMutable
RawPointer?>, UnsafeMutablePointer<Int>, UnsafeMutablePointer<Int>,
UnsafeMutablePointer<Int>, CVPixelBufferReleasePlanarBytesCallback?,
UnsafeMutableRawPointer?, CFDictionary?, UnsafeMutablePointer<CVPixel
Buffer?>) -> CVReturn
```

Creates a single pixel buffer in planar format for a given size and pixel format containing data specified by a memory location.

```
func CVPixelBufferCreateWithIOSurface(CFAllocator?, IOSurfaceRef,
CFDictionary?, UnsafeMutablePointer<Unmanaged<CVPixelBuffer>?>) ->
CVReturn
```

Creates a single pixel buffer for the IO surface that you specify.

Inspecting Pixel Buffers

```
func CVPixelBufferGetBaseAddress(CVPixelBuffer) -> UnsafeMutableRaw
Pointer?
```

Returns the base address of the pixel buffer.

```
func CVPixelBufferGetBaseAddressOfPlane(CVPixelBuffer, Int) -> Unsafe
MutableRawPointer?
```

Returns the base address of the plane at the specified plane index.

```
func CVPixelBufferGetBytesPerRow(CVPixelBuffer) -> Int
```

Returns the number of bytes per row of the pixel buffer.

```
func CVPixelBufferGetBytesPerRowOfPlane(CVPixelBuffer, Int) -> Int
```

Returns the number of bytes per row for a plane at the specified index in the pixel buffer.

```
func CVPixelBufferGetHeight(CVPixelBuffer) -> Int
```

Returns the height of the pixel buffer.

```
func CVPixelBufferGetHeightOfPlane(CVPixelBuffer, Int) -> Int
```

Returns the height of the plane at planeIndex in the pixel buffer.

```
func CVPixelBufferGetWidth(CVPixelBuffer) -> Int
```

Returns the width of the pixel buffer.

```
func CVPixelBufferGetWidthOfPlane(CVPixelBuffer, Int) -> Int
```

Returns the width of the plane at a given index in the pixel buffer.

```
func CVPixelBufferIsPlanar(CVPixelBuffer) -> Bool
```

Determines whether the pixel buffer is planar.

```
func CVPixelBufferGetPlaneCount(CVPixelBuffer) -> Int
```

Returns number of planes of the pixel buffer.

```
func CVPixelBufferGetDataSize(CVPixelBuffer) -> Int
```

Returns the data size for contiguous planes of the pixel buffer.

```
func CVPixelBufferGetPixelFormatType(CVPixelBuffer) -> OSType
```

Returns the pixel format type of the pixel buffer.

```
func CVPixelBufferGetExtendedPixels(CVPixelBuffer, UnsafeMutablePointer<Int>?, UnsafeMutablePointer<Int>?, UnsafeMutablePointer<Int>?, UnsafeMutablePointer<Int>?)
```

Returns the amount of extended pixel padding in the pixel buffer.

```
func CVPixelBufferGetIOSurface(CVPixelBuffer?) -> Unmanaged<IOSurface Ref>?
```

Returns the IOSurface backing the pixel buffer, or NULL if it is not backed by an IOSurface.

```
func CVPixelBufferCreateResolvedAttributesDictionary(CFAllocator?, CFArray?, UnsafeMutablePointer<CFDictionary?>) -> CVReturn
```

Resolves an array of CFDictionary objects describing various pixel buffer attributes into a single dictionary.

```
func CVPixelBufferGetTypeID() -> CTypeID
```

Returns the Core Foundation type identifier of the pixel buffer type.

Modifying Pixel Buffers

```
func CVPixelBufferFillExtendedPixels(CVPixelBuffer) -> CVReturn
```

Fills the extended pixels of the pixel buffer.

```
func CVPixelBufferLockBaseAddress(CVPixelBuffer, CVPixelBufferLockFlags) -> CVReturn
```

Locks the base address of the pixel buffer.

```
func CVPixelBufferUnlockBaseAddress(CVPixelBuffer, CVPixelBufferLockFlags) -> CVReturn
```

Unlocks the base address of the pixel buffer.

Related Documentation

Core Video Programming Guide

Data Processing



CVBuffer

An abstract base class that defines how to interact with data buffers.



CVImageBuffer

An interface for managing different types of image data.



CVPixelBufferPool

A utility object for managing a recyclable set of pixel buffer objects.



CVPixelFormatDescription

An API that provides functions and types for defining custom pixel formats.