


# Gestionarea unui magazin de haine online

## 1)Descrierea bazei de date


Am ales sa cosntruiesc o baza de date pentru gestionarea unui magazin de haine online. Aceasta baza de date contine informatii despre produse, care fac parte dintr-o categorie. Aceste produse sunt vandute de diferiti distribuitori, fiecare distribuitor avand propria oferta pentru un produs. Clienti magazinul pot pune in cosul lor ofertele pe care doresc sa le achizitioneze si sa dea comanda. Dupa ce comanda ii este livrata clientului, el poate sa dea o recenzie produselor pe care le-a comandat.

In baza de date avem 8 entitati independente: Adresa, Clienti, Produs, Categorie, Comanda, Cos, Oferta si Distribuitor si 2 tabele asociative: Recenzie si OfertaCos.

## 2)Diagrama Entitate Relatie



### 3)Diagrama Conceptuala:



### 4)Implementarea tabelelor:

create table Clienti

```
(
    id_client NUMBER(10) PRIMARY KEY,
    nume VARCHAR2(25) NOT NULL ,
    prenume VARCHAR2(25) NOT NULL ,
    email VARCHAR2(50) NOT NULL ,
    telefon VARCHAR2(15) NOT NULL,
    id_adresa NUMBER(10) NOT NULL
);
```

create table Adresa

```
(
    id_adresa NUMBER(10) PRIMARY KEY,
    tara VARCHAR2(25) NOT NULL ,
    oras VARCHAR2(25) NOT NULL ,
    strada VARCHAR2(25) NOT NULL ,
    numar NUMBER(10) NOT NULL,
    cod_postal VARCHAR2(25) NOT NULL
);
```

```
create table Comanda
(
  id_comanda NUMBER(10) PRIMARY KEY,
  id_client NUMBER(10) NOT NULL,
  pret_total NUMBER(8,2) NOT NULL,
  data_plasare DATE NOT NULL,
  data_primire DATE
);
```

```
create table Produs
(
  id_produs NUMBER(10) PRIMARY KEY,
  id_categorie NUMBER(10) NOT NULL,
  nume VARCHAR2(30) NOT NULL ,
  materiale VARCHAR2(25) NOT NULL ,
  pret NUMBER(8,2) NOT NULL
);
```

```
create table Categorie
(
  id_categorie NUMBER(10) PRIMARY KEY,
  nume VARCHAR2(30) NOT NULL
);
```

```
create table Recenzie
(
  id_client NUMBER(10) NOT NULL,
  id_produs NUMBER(10) NOT NULL,
  nota NUMBER(2) NOT NULL,
  data_recenzie DATE NOT NULL
);
```

```
create table Cos
(
  id_cos NUMBER(10) PRIMARY KEY,
  nr_produce NUMBER(3) NOT NULL,
  pret_total NUMBER(10,2) NOT NULL
);
```

```
create table Oferta
```

```
(
  id_oferta NUMBER(10) PRIMARY KEY,
  id_distribuitor NUMBER(10) NOT NULL,
  id_produs NUMBER(10) NOT NULL,
  pret_oferta NUMBER(8,2) NOT NULL,
  stoc NUMBER(10) NOT NULL
);
```

create table Distribuitor

```
(
  id_distribuitor NUMBER(10) PRIMARY KEY,
  nume VARCHAR2(30) NOT NULL ,
  email VARCHAR2(30) NOT NULL ,
  telefon VARCHAR2(30) NOT NULL ,
  adresa VARCHAR2(30) NOT NULL
);
```

create table OferteCos

```
(
  id_cos NUMBER(10) NOT NULL,
  id_oferta NUMBER(10) NOT NULL,
  cantitate NUMBER(10) NOT NULL
);
```

## 5)Adaugarea informatiilor in tabele:

```
insert into Clienti (id_client, nume, prenume, email, telefon, id_adresa)
values(100, 'Popescu', 'Otilia', 'popescuotilia@yahoo.com', '+40733456721', 101);
```

```
insert into Clienti (id_client, nume, prenume, email, telefon, id_adresa)
values(101, 'Marinescu', 'Ion', 'marinescuion@yahoo.com', '+40733259721', 102);
```

```
insert into Clienti (id_client, nume, prenume, email, telefon, id_adresa)
values(102, 'Popescu', 'Vasile', 'popescuvasile@yahoo.com', '+40722698721',
100);
```

```
insert into Clienti (id_client, nume, prenume, email, telefon, id_adresa)
values(103, 'Popa', 'Lucian', 'popalucian@yahoo.com', '+40731156721', 103);
```


```
insert into Clienti (id_client, nume, prenume, email, telefon, id_adresa)
values(104, 'Iliescu', 'Teodor', 'iliescuteodor@yahoo.com', '+40789016721', 105);
```

```
insert into Clienti (id_client, nume, prenume, email, telefon, id_adresa)
```

```
values(105, 'Grigore', 'Ludovic', 'grigoreludovic@yahoo.com', '+40718356721',  
104);
```

```
insert into Clienti (id_client, nume, prenume, email, telefon, id_adresa)  
values(106, 'Popescu', 'Delia', 'popescudeliah@yahoo.com', '+40718906721', 101);
```

```
insert into Clienti (id_client, nume, prenume, email, telefon, id_adresa)  
values(107, 'Ionescu', 'Felicia', 'ionescufelicia@yahoo.com', '+4071897721', 102);
```



ID_CLIENT	NUME	PRENUME	EMAIL	TELEFON	ID_ADRESA
1	107 Ionescu	Felicia	ionescufelicia@yahoo.com	+4071897721	102
2	100 Popescu	Otilia	popescuotilia@yahoo.com	+40733456721	101
3	101 Marinescu	Ion	marinescuion@yahoo.com	+40733259721	102
4	102 Popescu	Vasile	popescuvasile@yahoo.com	+40722698721	100
5	103 Popa	Lucian	popalucian@yahoo.com	+40731156721	103
6	104 Iliescu	Teodor	iliescuteodor@yahoo.com	+40789016721	105
7	105 Grigore	Ludovic	grigoreludovic@yahoo.com	+40718356721	104
8	106 Popescu	Delia	popescudeliah@yahoo.com	+40718906721	101

```
insert into Adresa(id_adresa, tara, oras, strada, numar, cod_postal)  
values(100, 'Romania', 'Cluj', 'strada Doamnei', 5, '240011');
```

```
insert into Adresa(id_adresa, tara, oras, strada, numar, cod_postal)  
values(101, 'Germania', 'Berlin', 'strada Kugel', 3, '242351');
```

```
insert into Adresa(id_adresa, tara, oras, strada, numar, cod_postal)  
values(102, 'Romania', 'Bucuresti', 'strada Paris', 2, '241011');
```

```
insert into Adresa(id_adresa, tara, oras, strada, numar, cod_postal)  
values(103, 'Romania', 'Sibiu', 'strada Calului', 19, '278011');
```

```
insert into Adresa(id_adresa, tara, oras, strada, numar, cod_postal)  
values(104, 'Germania', 'Frankfurt', 'strada Wagen', 51, '241111');
```

```
insert into Adresa(id_adresa, tara, oras, strada, numar, cod_postal)  
values(105, 'Spania', 'Madrid', 'strada Ola', 3, '240431');
```

```
insert into Adresa(id_adresa, tara, oras, strada, numar, cod_postal)  
values(106, 'Italia', 'Roma', 'strada Bella', 10, '267011');
```

ID_ADRESA	TARA	ORAS	STRADA	NUMAR	COD_POSTAL
1	100	Romania	Cluj	strada Doamnei	5 240011
2	101	Germania	Berlin	strada Kugel	3 242351
3	102	Romania	Bucuresti	strada Paris	2 241011
4	103	Romania	Sibiu	strada Calului	19 278011
5	104	Germania	Frankfurt	strada Wagen	51 241111
6	105	Spania	Madrid	strada Ola	3 240431
7	106	Italia	Roma	strada Bella	10 267011

```
insert into Comanda(id_comanda, id_client, pret_total, data_plasare, data_primire)
values(100, 105, '950.99', sysdate - 20.5, sysdate - 15.4 );
```

```
insert into Comanda(id_comanda, id_client, pret_total, data_plasare, data_primire)
values(101, 103, '570.00', sysdate - 27.5, sysdate - 18.4 );
```

```
insert into Comanda(id_comanda, id_client, pret_total, data_plasare, data_primire)
values(102, 101, '1400.90', sysdate - 21.5, sysdate - 10.4 );
```

```
insert into Comanda(id_comanda, id_client, pret_total, data_plasare, data_primire)
values(103, 100, '1000.99', sysdate - 30.5, sysdate - 19.4 );
```

```
insert into Comanda(id_comanda, id_client, pret_total, data_plasare, data_primire)
values(104, 101, '2500.39', sysdate - 20.5, NULL );
```

```
insert into Comanda(id_comanda, id_client, pret_total, data_plasare, data_primire)
values(105, 102, '350.99', sysdate - 25.5, NULL );
```

```
insert into Comanda(id_comanda, id_client, pret_total, data_plasare, data_primire)
values(106, 103, '1980.99', sysdate - 22.5, sysdate - 15.4 );
```

```
insert into Comanda(id_comanda, id_client, pret_total, data_plasare, data_primire)
values(107, 105, '1780.99', sysdate - 22.5, sysdate - 15.4 );
```

```
insert into Comanda(id_comanda, id_client, pret_total, data_plasare, data_primire)
values(108, 104, '1340.99', sysdate - 22.5, sysdate - 15.4 );
```

```
insert into Comanda(id_comanda, id_client, pret_total, data_plasare, data_primire)
values(109, 101, '1240.99', sysdate - 22.5, NULL );
```

```
insert into Comanda(id_comanda, id_client, pret_total, data_plasare, data_primire)
values(110, 102, '1890.99', sysdate - 22.5, NULL );
```

select \*  
from Comanda;

ID_COMANDA	ID_CLIENT	PRET_TOTAL	DATA_PLASARE	DATA_PRIMIRE
1	100	105	950.99	17-DEC-21
2	101	103	570	10-DEC-21
3	102	101	1400.9	16-DEC-21
4	103	100	1000.99	07-DEC-21
5	104	101	2500.39	17-DEC-21
6	105	102	350.99	12-DEC-21
7	106	103	1980.99	15-DEC-21
8	107	105	1780.99	15-DEC-21
9	108	104	1340.99	15-DEC-21
10	109	101	1240.99	15-DEC-21
11	110	102	1890.99	15-DEC-21

```
insert into Categorie(id_categorie, nume)
values(100, 'Hanorace');
```

```
insert into Categorie(id_categorie, nume)
values(101, 'Tricouri');
```

```
insert into Categorie(id_categorie, nume)
values(102, 'Pantaloni');
```

```
insert into Categorie(id_categorie, nume)
values(103, 'Camasi');
```

```
insert into Categorie(id_categorie, nume)
values(104, 'Sepci');
```

```
insert into Categorie(id_categorie, nume)
values(105, 'Geci');
```

```
insert into Categorie(id_categorie, nume)
values(106, 'Sneakers');
```

select \*  
from Categorie;

ID_CATEGORIE	NUME
1	100 Hanorace
2	101 Tricouri
3	102 Pantaloni
4	103 Camasi
5	104 Sepci
6	105 Geci
7	106 Sneakers

```
insert into Produs(id_produs, id_categorie, nume, materiale , pret)
values (100, 101, 'Tricou DSQUARED2 Logo Milano', 'bumbac', '450.00');
```

```
insert into Produs(id_produs, id_categorie, nume, materiale , pret)
values (101, 101, 'Tricou VERSACE Brand Print', 'bumbac', '650.00');
```

```
insert into Produs(id_produs, id_categorie, nume, materiale , pret)
values (102, 101, 'Tricou BALENCIAGA Yellow', 'bumbac', '700.00');
```

```
insert into Produs(id_produs, id_categorie, nume, materiale , pret)
values (103, 100, 'Hanorac BURBERRY SS20', 'bumbac', '1050.90');
```

```
insert into Produs(id_produs, id_categorie, nume, materiale , pret)
values (104, 100, 'Hanorac Barrow Flower Print', 'bumbac', '950.90');
```


```
insert into Produs(id_produs, id_categorie, nume, materiale , pret)
values (105, 100, 'Hanorac Heron Preston', 'bumbac', '1250.90');
```

```
insert into Produs(id_produs, id_categorie, nume, materiale , pret)
values (106, 102, 'Pantaloni BARROW', 'bumbac', '530.90');
```

```
insert into Produs(id_produs, id_categorie, nume, materiale , pret)
values (107, 105, 'Geaca VERSACE Padded', 'bumbac', '4550.90');
```

```
insert into Produs(id_produs, id_categorie, nume, materiale , pret)
values (108, 104, 'Sapca DSQUARED2 Born in Canada', 'bumbac', '350.90');
```

```
insert into Produs(id_produs, id_categorie, nume, materiale , pret)
values (109, 106, 'Sneakers ALEXANDER MCQUEEN', 'piele, cauciuc', '2350.90');
```



The screenshot shows a database query result in a web interface. The query is 'select \* from Produs;'. The result is a table with 10 rows and 5 columns: ID\_PRODUS, ID\_CATEGORIE, NUME, MATERIALE, and PRET. The data is as follows:

ID_PRODUS	ID_CATEGORIE	NUME	MATERIALE	PRET
1	100	101Tricou DSQUARED2 Logo Milano	bumbac	450
2	101	101Tricou VERSACE Brand Print	bumbac	650
3	102	101Tricou BALENCIAGA Yellow	bumbac	700
4	103	100Hanorac BURBERRY SS20	bumbac	1050.9
5	104	100Hanorac Barrow Flower Print	bumbac	950.9
6	105	100Hanorac Heron Preston	bumbac	1250.9
7	106	102Pantaloni BARROW	bumbac	530.9
8	107	105Geaca VERSACE Padded	bumbac	4550.9
9	108	104Sapca DSQUARED2 Born in Canada	bumbac	350.9
10	109	106Sneakers ALEXANDER MCQUEEN	piele, cauciuc	2350.9

```
insert into Cos(id_cos, nr_produce, pret_total)
values(100, 4, '4500.90');
```

```
insert into Cos(id_cos, nr_produce, pret_total)
values(101, 1, '750.90');
```

```
insert into Cos(id_cos, nr_produce, pret_total)
values(102, 3, '1400.90');
```


```
insert into Cos(id_cos, nr_produce, pret_total)
values(103, 7, '6500.90');
```



```
insert into Cos(id_cos, nr_produce, pret_total)
values(104, 2, '1300.00');
```

```
insert into Cos(id_cos, nr_produce, pret_total)
values(105, 6, '5500.90');
```

```
insert into Cos(id_cos, nr_produce, pret_total)
values(106, 4, '2000.90');
```



The screenshot shows a SQL query result in a web application. The query is 'select \* from Cos;'. The result is a table with 7 rows and 3 columns: ID\_COS, NR\_PRODUCE, and PRET\_TOTAL. The data is as follows:

	ID_COS	NR_PRODUCE	PRET_TOTAL
1	100	4	4500.9
2	101	1	750.9
3	102	3	1400.9
4	103	7	6500.9
5	104	2	1300
6	105	6	5500.9
7	106	4	2000.9

```
insert into Recenzie(id_client, id_produ, nota, data_recenzie)
values(100, 103, 4, sysdate - 19.4);
```

```
insert into Recenzie(id_client, id_produ, nota, data_recenzie)
values(101, 101, 5, sysdate - 20.4);
```

```
insert into Recenzie(id_client, id_produ, nota, data_recenzie)
values(102, 104, 3, sysdate - 10.4);
```

```
insert into Recenzie(id_client, id_produ, nota, data_recenzie)
values(103, 106, 5, sysdate - 15.4);
```

```
insert into Recenzie(id_client, id_produ, nota, data_recenzie)
values(104, 102, 4, sysdate - 6.4);
```


```
insert into Recenzie(id_client, id_produ, nota, data_recenzie)
values(105, 107, 3, sysdate - 15.4);
```

```
insert into Recenzie(id_client, id_produ, nota, data_recenzie)
values(106, 108, 3, sysdate - 10.4);
```

```
insert into Recenzie(id_client, id_produ, nota, data_recenzie)
values(103, 104, 5, sysdate - 15.4);
```

```
insert into Recenzie(id_client, id_produ, nota, data_recenzie)
values(104, 107, 4, sysdate - 6.4);
```

```
insert into Recenzie(id_client, id_produs, nota, data_recenzie)
values(107, 101, 5, sysdate - 15.4);
```



The screenshot shows a SQL query window with the following query: `select * from Recenzie;`. The results are displayed in a table with 10 rows and 4 columns: ID\_CLIENT, ID\_PRODUS, NOTA, and DATA\_RECENZIE.

ID_CLIENT	ID_PRODUS	NOTA	DATA_RECENZIE
1	106	108	3 28-DEC-21
2	103	104	5 23-DEC-21
3	104	107	4 01-JAN-22
4	107	101	5 23-DEC-21
5	100	103	4 18-DEC-21
6	101	101	5 17-DEC-21
7	102	104	3 27-DEC-21
8	103	106	5 22-DEC-21
9	104	102	4 31-DEC-21
10	105	107	3 22-DEC-21

```
insert into Distribuitor(id_distribuitor, nume, email, telefon, adresa)
values(100,'Capodopera12', 'capodopera12@yahoo.com', '+40722698721',
'Bucuresti, Romania');
```

```
insert into Distribuitor(id_distribuitor, nume, email, telefon, adresa)
values(101,'Farfetch', 'farfetch@yahoo.com', '+40722634521', 'Madris, Spania');
```


```
insert into Distribuitor(id_distribuitor, nume, email, telefon, adresa)
values(102,'LuisaViaRoma', 'luisaviaroma@yahoo.com', '+40722691231', 'Roma,
Italia');
```

```
insert into Distribuitor(id_distribuitor, nume, email, telefon, adresa)
values(103,'CatWalk', 'catwalk@yahoo.com', '+40754698721', 'Berlin, Germania');
```

```
insert into Distribuitor(id_distribuitor, nume, email, telefon, adresa)
values(104,'Modaverse', 'modaverse@yahoo.com', '+40745788721', 'Constanta,
Romania');
```

```
insert into Distribuitor(id_distribuitor, nume, email, telefon, adresa)
values(105,'Nike', 'nike@yahoo.com', '+40745098721', 'Moscova, Rusia');
```

```
insert into Distribuitor(id_distribuitor, nume, email, telefon, adresa)
values(106,'Ankl', 'ankl@yahoo.com', '+40761098721', 'Cluj, Romania');
```



The screenshot shows a SQL query window with the following query: `select * from Distribuitor;`. The results are displayed in a table with 7 rows and 5 columns: ID\_DISTRIBUITOR, NUME, EMAIL, TELEFON, and ADRESA.

ID_DISTRIBUITOR	NUME	EMAIL	TELEFON	ADRESA
1	100 Capodopera12	capodopera12@yahoo.com	+40722698721	Bucuresti, Romania
2	101 Farfetch	farfetch@yahoo.com	+40722634521	Madris, Spania
3	102 LuisaViaRoma	luisaviaroma@yahoo.com	+40722691231	Roma, Italia
4	103 CatWalk	catwalk@yahoo.com	+40754698721	Berlin, Germania
5	104 Modaverse	modaverse@yahoo.com	+40745788721	Constanta, Romania
6	105 Nike	nike@yahoo.com	+40745098721	Moscova, Rusia
7	106 Ankl	ankl@yahoo.com	+40761098721	Cluj, Romania

```
insert into Oferta(id_oferta, id_distribuito, id_produs, pret_oferta, stoc)
values(100, 101, 103, '950.90', 3);
```

```
insert into Oferta(id_oferta, id_distribuito, id_produs, pret_oferta, stoc)
values(101, 100, 102, '650.90', 4);
```

```
insert into Oferta(id_oferta, id_distribuito, id_produs, pret_oferta, stoc)
values(102, 101, 101, '550.90', 1);
```


```
insert into Oferta(id_oferta, id_distribuito, id_produs, pret_oferta, stoc)
values(103, 102, 105, '950.90', 0);
```

```
insert into Oferta(id_oferta, id_distribuito, id_produs, pret_oferta, stoc)
values(104, 102, 107, '4000.90', 1);
```

```
insert into Oferta(id_oferta, id_distribuito, id_produs, pret_oferta, stoc)
values(105, 103, 108, '250.90', 9);
```

```
insert into Oferta(id_oferta, id_distribuito, id_produs, pret_oferta, stoc)
values(106, 104, 104, '900.90', 7);
```

```
insert into Oferta(id_oferta, id_distribuito, id_produs, pret_oferta, stoc)
values(107, 105, 109, '2000.90', 4);
```



The screenshot shows a database query window with the SQL statement `select * from Oferta;` and its results. The results are displayed in a table with 5 columns: ID\_OFERTA, ID\_DISTRIBUTOR, ID\_PRODUS, PRET\_OFERTA, and STOC. There are 8 rows of data.

ID_OFERTA	ID_DISTRIBUTOR	ID_PRODUS	PRET_OFERTA	STOC
1	100	101	950.9	3
2	101	100	650.9	4
3	102	101	550.9	1
4	103	102	950.9	0
5	104	102	4000.9	1
6	105	103	250.9	9
7	106	104	900.9	7
8	107	105	2000.9	4

```
insert into OferteCos(id_cos, id_oferta, contitate)
values(100, 101, 3);
```

```
insert into OferteCos(id_cos, id_oferta, contitate)
values(101, 102, 1);
```

```
insert into OferteCos(id_cos, id_oferta, contitate)
values(102, 106, 5);
```

```
insert into OferteCos(id_cos, id_oferta, contitate)
values(103, 104, 1);
```

```
insert into OferteCos(id_cos, id_oferta, contitate)
values(104, 107, 3);
```

```
insert into OferteCos(id_cos, id_oferta, contitate)
values(105, 100, 2);
```

```
insert into OferteCos(id_cos, id_oferta, contitate)
values(106, 105, 4);
```

```
insert into OferteCos(id_cos, id_oferta, contitate)
values(102, 104, 1);
```

```
insert into OferteCos(id_cos, id_oferta, contitate)
values(101, 107, 2);
```

```
insert into OferteCos(id_cos, id_oferta, contitate)
values(105, 105, 7);
```

```
select *
from OferteCos;
```

Script Output x Query Result x Query Result 1 x Query Result 2 x Query Result 3 x

SQL | All Rows Fetched: 10 in 0.005 seconds

	ID_COS	ID_OFERTA	CONTITATE
1	106	105	4
2	102	104	1
3	101	107	2
4	105	105	7
5	100	101	3
6	101	102	1
7	102	106	5
8	103	104	1
9	104	107	3
10	105	100	2

## 6)Subprogram stocat - 2 tipuri de colectii

Scriti un subprogram care sa afiseze toate produsele dintr-o categorie aleasa, fiecare produs fiind urmat de toate notele primite din recenzii.

```
create or replace procedure CategoriaPret (
    v_categorie Categoria.nume %type
) as
    type t_nota is table of Recenzie.nota%type; --tablou imbricat
    v_nota t_nota := t_nota();
    type tablou_indexat is table of Produs %rowtype index by binary_integer; --tablou
indexat
    v_produs tablou_indexat;
    v_id_categorie Categoria.id_categorie %type;
    e_no_haine    exception;
    --e_no_nota    exception;
begin
```

```

DBMS_OUTPUT.PUT_LINE('-----Categoria: ' || v_categorie || '-----');
select id_categorie
into v_id_categorie
from Categorie
where lower(ume) = lower(v_categorie);

select *
bulk collect into v_produc
from Produc
where id_categorie = v_id_categorie;

if v_produc.count != 0 then
    for i in v_produc.first..v_produc.last loop
        DBMS_OUTPUT.PUT_LINE(v_produc(i).id_produc || ' ' ||
v_produc(i).ume || ' ' || v_produc(i).pret);

        select nota
        bulk collect into v_nota
        from Recenzie
        where id_produc = v_produc(i).id_produc;

        if v_nota.count != 0 then
            for j in v_nota.first..v_nota.last loop
                DBMS_OUTPUT.PUT_LINE('A primit urmatoarele note din
recenzii: ' || v_nota(j));
            end loop;
        else
            DBMS_OUTPUT.PUT_LINE('Nu a primit recenzii acest produs. ');
        end if;
    end loop;
else
    raise e_no_haine;
end if;
DBMS_OUTPUT.NEW_LINE;

exception
when e_no_haine then
    DBMS_OUTPUT.PUT_LINE('Nu exista haine in categoria cautata si in pretul
dorit. ');
    DBMS_OUTPUT.NEW_LINE;
when no_data_found then
    DBMS_OUTPUT.PUT_LINE('Nu exista categoria');

```

```
        DBMS_OUTPUT.NEW_LINE;
    when others then
        DBMS_OUTPUT.PUT_LINE('Alta eroare. ');
        DBMS_OUTPUT.NEW_LINE;
    end CategoriePret;
/

begin
    CategoriePret('Tricouri');
    CategoriePret('Hanorace');
    CategoriePret('Camasi');
    CategoriePret('Bluze');
end;
/
```

```
begin
    CategoriePret('Tricouri');
    CategoriePret('Hanorace');
    CategoriePret('Camasi');
    CategoriePret('Bluze');
end;
```

Script Output x Query Result x Query Result 1 x Query Result 2 x Query Result 3 x

Task completed in 0.064 seconds

PL/SQL procedure successfully completed.

Dbms Output

Buffer Size: 20000

birsan\_mihai\_local x

```
-----Categoria: Tricouri-----
100 Tricou DSQUARED2 Logo Milano 450
Nu a primit recenzii acest produs.
101 Tricou VERSACE Brand Print 650
A primit urmatoarele note din recenzii: 5
A primit urmatoarele note din recenzii: 5
102 Tricou BALENCIAGA Yellow 700
A primit urmatoarele note din recenzii: 4

-----Categoria: Hanorace-----
103 Hanorac BURBERRY SS20 1050.9
A primit urmatoarele note din recenzii: 4
104 Hanorac Barrow Flower Print 950.9
A primit urmatoarele note din recenzii: 5
A primit urmatoarele note din recenzii: 3
105 Hanorac Heron Preston 1250.9
Nu a primit recenzii acest produs.

-----Categoria: Camasi-----
Nu exista haine in categoria cautata si in pretul dorit.

-----Categoria: Bluze-----
Nu exista categoria
```

## 7)Subprogram stocat - 1 tip de cursor

Scrieti un subprogram care afiseaza cate produse sunt in stoc din ofertele unui distribuitor.

```
create or replace procedure StocOferte (
    v_distrib Distribuitor.nume %type
```

```

) as
  v_nr number := 0;
  v_nr1 number := 0;
  v_id_oferta number;
  v_id_distribuito1 number;
  v_stoc number;
  v_nume Distributor.nume %type;
  v_id_distribuito1 Distributor.id_distribuito1 %type;
  cursor c is
    select id_oferta, o.id_distribuito1, stoc
    from Oferta o
    join Distributor d
    on o.id_distribuito1 = d.id_distribuito1;
  e_no_stoc exception;

begin

  select id_distribuito1
  into v_id_distribuito1
  from Distributor
  where lower(nume) = lower(v_distrib);

  open c;
  loop

    fetch c into v_id_oferta, v_id_distribuito1, v_stoc;
    exit when c%notfound;

    if v_id_distribuito1 = v_id_distribuito1 then
      v_nr := v_nr + 1;
      v_nr1 := v_nr1 + v_stoc;

    end if;
  end loop;
  if v_nr > 0 then
    if v_nr1 > 0 then
      DBMS_OUTPUT.PUT_LINE('Distribuito1ul ' || v_distrib || ' are in stoc ' || v_nr
|| ' produse.');
```

```

      DBMS_OUTPUT.NEW_LINE;
```

```

    else
```

```

      raise e_no_stoc;
```

```

    end if;
```

```

  end if;
```

```

exception
```



```

when e_no_stoc then
    DBMS_OUTPUT.PUT_LINE('Nu exista oferte de la acest distribuitor. ');
    DBMS_OUTPUT.NEW_LINE;
when no_data_found then
    DBMS_OUTPUT.PUT_LINE('Nu exista distribuitorul. ');
    DBMS_OUTPUT.NEW_LINE;
when others then
    DBMS_OUTPUT.PUT_LINE('Alta eroare. ');
    DBMS_OUTPUT.NEW_LINE;
end StocOferte;
/

begin
    StocOferte('Capodopera12');
    StocOferte('Farfetch');
    StocOferte('Ankl');
    StocOferte('Puma');
end;
/

```

The screenshot displays a SQL IDE interface. The top editor pane contains the PL/SQL code for the `StocOferte` procedure, which is executed successfully. Below the editor, a status bar indicates "Task completed in 0.033 seconds". The bottom pane, titled "Dbms Output", shows the results of the procedure execution for the user `birsan_mihai_local`. The output consists of four lines: "Distribuitorul Capodopera12 are in stoc 1 produse.", "Distribuitorul Farfetch are in stoc 2 produse.", "Nu exista oferte de la acest distribuitor.", and "Nu exista distribuitorul."

```

begin
    StocOferte('Capodopera12');
    StocOferte('Farfetch');
    StocOferte('Ankl');
    StocOferte('Puma');
end;
/

```

Task completed in 0.033 seconds

PL/SQL procedure successfully completed.

Dbms Output

Buffer Size: 20000

birsan\_mihai\_local

Distribuitorul Capodopera12 are in stoc 1 produse.

Distribuitorul Farfetch are in stoc 2 produse.

Nu exista oferte de la acest distribuitor.

Nu exista distribuitorul.

## 8)Subprogram stocat de tip functie - 3 tabele

Scrieti o functie care sa calculeze numarul de clienti dintr-o tara aleasa care au dat comenzi.

```
create or replace function ClientTara
(
    v_tara Adresa.tara %type
) return varchar2
as

    type t_id_client is table of Clienti.id_client %type; --tabel imbricat
    v_id_client t_id_client := t_id_client();
    v_nr_comenzi NUMBER;
    V_numar NUMBER :=0;
    e_no_clienti exception;

begin

    select id_client
    bulk collect into v_id_client
    from Clienti
    where id_adresa in (select id_adresa
                        from Adresa
                        where lower(tara) = lower(v_tara)
                        );

    if v_id_client.count = 0 then
        raise e_no_clienti;
    end if;
    for i in v_id_client.first..v_id_client.last loop

        select count(distinct id_client)
        into v_nr_comenzi
        from Comanda
        where id_client = v_id_client(i);

        v_numar := v_numar + v_nr_comenzi;

    end loop;

    return 'Din tara ' || v_tara || ' au fost ' || to_char(v_numar) || ' clienti.';
```


```

exception
when e_no_clienti then
    return 'Din tara ' || v_tara || ' nu au existat momentan clienti.';
--return 0;
when others then
    return 'Alta eroare.';
--return -20005;


end ClientTara;
/

```


```
select ClientTara('Romania') Clienti_din_Romania from dual;
```



```
select ClientTara('Germania') Clienti_din_Germania from dual;
```



```
select ClientTara('China') Clienti_din_China from dual;
```



## 9)Subprogram stocat de tip procedura - 5 tabele

Scrieti o procedura care primeste ca paramentru numele de familie al unui client si afiseaza numele complet al clietului , tara de provenienta si categoriile produselor carora le-a acordat o recenzie.

```
create or replace procedure ex9(
    v_nume Clienti.nume %type
) is
    v_client Clienti%rowtype;

    type t_produc is table of Produs%rowtype;
    v_produc t_produc;

    type t_categorie is table of Categorie.nume %type;
    v_categorie t_categorie;

    v_tara Adresa.tara %type;

begin

    select *
    into v_client
    from Clienti
    where lower(nume) = lower(v_nume);

    select tara
    into v_tara
    from Adresa
    where id_adresa = v_client.id_adresa;

    DBMS_OUTPUT.PUT_LINE('Clientul ' || v_client.nume || ' ' || v_client.prenume || '
din ' || v_tara || ' a cumparat:');

    select distinct Categorie.nume
    bulk collect into v_categorie
    from Categorie
    join Produs using (id_categorie)
    join Recenzie using (id_produc)
    join Clienti using (id_client)
    where id_client = v_client.id_client
    order by 1;
```

```

if v_categorie.count = 0 then
    DBMS_OUTPUT.PUT_LINE('Acest client nu a cumparat nimic.');
```

else

```

    for i in v_categorie.first..v_categorie.last loop
        DBMS_OUTPUT.PUT_LINE(v_categorie(i));
    end loop;
    DBMS_OUTPUT.NEW_LINE();
end if;
```

exception

```

    when no_data_found then
        DBMS_OUTPUT.PUT_LINE('Nu exista niciun client cu acest nume.');
```

DBMS\_OUTPUT.NEW\_LINE();

```

    when too_many_rows then
        DBMS_OUTPUT.PUT_LINE('Mai multi clienti cu acelasi nume.');
```

DBMS\_OUTPUT.NEW\_LINE();

```


    when others then
        DBMS_OUTPUT.PUT_LINE('Alta eroare.');
```

DBMS\_OUTPUT.NEW\_LINE();

```

end ex9;
/

begin
    ex9('Popescu');
    ex9('Popa');
    ex9('Ionela');
    ex9('Grigore');
    ex9('Ionescu');
end;
```



## 10) Trigger de tip LMD la nivel de comanda

Un client nu poate sa aibe mai mult de o comanda in curs de livrare la acel moment.

```

create or replace trigger InCursDeLivrare
after insert on Comanda
declare
    nr_comenzi number;
begin
    select max(count(id_comanda))
    into nr_comenzi
    from Comanda
    where data_primire is NULL
    group by id_client;

```

```


    if nr_comenzi > 1 then
        raise_application_error(-20200, 'O comanda de la acest client se afla deja in
curs de livrare.');
```

```

    end if;
end;
/
```

```

insert into Comanda
values (111, 102, '1300.54', sysdate-3.4, null);
```



## 11)Trigger de tip LMD la nivel de linie

Sa se realizeze operatiile de insert si update pentru un produs doar daca se respecta urmatoarele reguli:

- pretul sa nu fie negativ
- materialul sa nu fie polyester

```

create or replace trigger trigger_produs
before insert or update on Produs
for each row
declare
```

```

begin
```

```

    if inserting then
        if :new.pret < 0.00 then
            raise_application_error(-20005, 'Pretul nu poate sa fie negativ.');
```

```

end if;

if lower(:new.materiale) = lower('polyester') then
    raise_application_error(-20010, 'Nu se pot adauga haine din polyester.');
```

end if;

```

elsif updating ('pret') then
    if :new.pret < 0.00 then
        raise_application_error(-20015, 'Pretul nu poate sa fie negativ.');
```

end if;

```

elsif updating ('materiale') then
    if lower(:new.materiale) = lower('polyester') then
        raise_application_error(-20010, 'Nu se pot adauga haine din polyester.');
```

end if;

```

end if;
end;
/

insert into Produs
values(111, 100, 'Hanorac IH NOM UH NIT Cagula', 'polyester', 1909.33);
```

```

insert into Produs
  values(111, 100, 'Hanorac IH NOM UH NIT Cagula', 'polyester', 1909.33);

update Produs
set pret = -10.90
where id_produs = 100;

update Produs
set materiale = 'polyester'
where id_produs = 100;

insert into Produs
  values(112, 101, 'Tricou Palm Angels', 'bumbac', -99.33);
```

Script Output x Query Result x Query Result 1 x Query Result 2 x


Task completed in 0.066 seconds

```

Error starting at line : 728 in command -
insert into Produs
  values(111, 100, 'Hanorac IH NOM UH NIT Cagula', 'polyester', 1909.33)
Error report -
ORA-20010: Nu se pot adauga haine din polyester.
ORA-06512: at "BIRSAN.TRIGGER_PRODUS", line 11
ORA-04088: error during execution of trigger 'BIRSAN.TRIGGER_PRODUS'
```



```
update Produs
set pret = -10.90
where id_produs = 100;
```



The screenshot shows a SQL IDE window with a script editor and a results pane. The script editor contains the following SQL commands:

```
insert into Produs
  values(111, 100, 'Hanorac IH NOM UH NIT Cagula', 'polyester', 1909.33);

update Produs
set pret = -10.90
where id_produs = 100;

update Produs
set materiale = 'polyester'
where id_produs = 100;

insert into Produs
  values(112, 101, 'Tricou Palm Angels', 'bumbac', -99.33);
```

The results pane shows the following error message:

```
Error starting at line : 731 in command -
update Produs
set pret = -10.90
where id_produs = 100
Error report -
ORA-20015: Pretul nu poate sa fie negativ.
ORA-06512: at "BIRSAN.TRIGGER_PRODUS", line 17
ORA-04088: error during execution of trigger 'BIRSAN.TRIGGER_PRODUS'
```

```
update Produs
set materiale = 'polyester'
where id_produs = 100;
```

```
insert into Produs
  values(111, 100, 'Hanorac IH NOM UH NIT Cagula', 'polyester', 1909.33);

update Produs
set pret = -10.90
where id_produs = 100;

update Produs
set materiale = 'polyester'
where id_produs = 100;

insert into Produs
  values(112, 101, 'Tricou Palm Angels', 'bumbac', -99.33);
```

Script Output x | Query Result x | Query Result 1 x | Query Result 2 x  
Task completed in 0.066 seconds

Error starting at line : 735 in command -  
update Produs  
set materiale = 'polyester'  
where id\_produs = 100  
Error report -  
ORA-20010: Nu se pot adauga haine din polyester.  
ORA-06512: at "BIRSAN.TRIGGER\_PRODUS", line 22  
ORA-04088: error during execution of trigger 'BIRSAN.TRIGGER\_PRODUS'

insert into Produs  
values(112, 101, 'Tricou Palm Angels', 'bumbac', -99.33);

```
insert into Produs
  values(111, 100, 'Hanorac IH NOM UH NIT Cagula', 'polyester', 1909.33);

update Produs
set pret = -10.90
where id_produs = 100;

update Produs
set materiale = 'polyester'
where id_produs = 100;

insert into Produs
  values(112, 101, 'Tricou Palm Angels', 'bumbac', -99.33);
```

Script Output x | Query Result x | Query Result 1 x | Query Result 2 x  
Task completed in 0.066 seconds

Error starting at line : 739 in command -  
insert into Produs  
values(112, 101, 'Tricou Palm Angels', 'bumbac', -99.33)  
Error report -  
ORA-20005: Pretul nu poate sa fie negativ.  
ORA-06512: at "BIRSAN.TRIGGER\_PRODUS", line 7  
ORA-04088: error during execution of trigger 'BIRSAN.TRIGGER\_PRODUS'

## 12) Trigger LDD


Creati tabelul: activitate\_user(ume\_baza\_date, user\_actual, actiuni, ume\_obiect, data\_realizare).

Definiti un declansator care sa introduca date in tabelul activitate\_user dupa ce utilizatorul a folosit o comanda LDD.

```
create table activitate_user
(
  ume_baza_date VARCHAR2(50),
  user_actual VARCHAR2(30),
  actiuni VARCHAR2(20),
  ume_obiect VARCHAR2(30),
  data_realizare TIMESTAMP(3)
);
```

```
create or replace trigger trigger_12
after create or drop or alter on schema
begin
  insert into activitate_user
    values(SYS.DATABASE_NAME, SYS.LOGIN_USER, SYS.SYSEVENT,
    SYS.DICTIONARY_OBJ_NAME, SYSTIMESTAMP(3));
end;
/
```

```
select *
from activitate_user;
```



	NUME_BAZA_DATE	USER_ACTUAL	ACTIUNI	NUME_OBJECT	DATA_REALIZARE
1	XE	BIRSAN	CREATE CATEGORIEPRET	07-JAN-22	12.40.11.220000000 PM
2	XE	BIRSAN	CREATE CATEGORIEPRET	07-JAN-22	12.42.29.369000000 PM
3	XE	BIRSAN	CREATE CATEGORIEPRET	07-JAN-22	12.42.47.209000000 PM
4	XE	BIRSAN	CREATE CATEGORIEPRET	07-JAN-22	12.43.22.146000000 PM
5	XE	BIRSAN	CREATE CATEGORIEPRET	07-JAN-22	12.44.48.474000000 PM
6	XE	BIRSAN	CREATE CATEGORIEPRET	07-JAN-22	12.45.30.827000000 PM
7	XE	BIRSAN	CREATE STOCOFERTE	07-JAN-22	01.28.37.079000000 PM
8	XE	BIRSAN	CREATE STOCOFERTE	07-JAN-22	01.54.41.604000000 PM
9	XE	BIRSAN	CREATE STOCOFERTE	07-JAN-22	01.56.02.336000000 PM
10	XE	BIRSAN	CREATE STOCOFERTE	07-JAN-22	01.58.56.922000000 PM
11	XE	BIRSAN	CREATE STOCOFERTE	07-JAN-22	01.59.59.230000000 PM
12	XE	BIRSAN	CREATE CLIENTTARA	07-JAN-22	02.03.11.398000000 PM
13	XE	BIRSAN	CREATE CLIENTTARA	07-JAN-22	02.13.10.379000000 PM
14	XE	BIRSAN	CREATE CLIENTTARA	07-JAN-22	02.13.33.302000000 PM
15	XE	BIRSAN	CREATE CLIENTTARA	07-JAN-22	02.15.37.433000000 PM
16	XE	BIRSAN	CREATE EX9	07-JAN-22	02.18.42.919000000 PM
17	XE	BIRSAN	CREATE EX9	07-JAN-22	02.19.50.616000000 PM
18	XE	BIRSAN	CREATE HAINE_PACKAGE	07-JAN-22	05.28.26.126000000 PM
19	XE	BIRSAN	CREATE HAINE_PACKAGE	07-JAN-22	05.28.40.183000000 PM
20	XE	BIRSAN	CREATE STOCOFERTE	07-JAN-22	06.59.55.994000000 PM
21	XE	BIRSAN	CREATE HAINE_PACKAGE	07-JAN-22	07.37.05.363000000 PM
22	XE	BIRSAN	CREATE HAINE_PACKAGE	07-JAN-22	07.37.17.501000000 PM
23	XE	BIRSAN	CREATE HAINE_PACKAGE	07-JAN-22	07.39.03.255000000 PM
24	XE	BIRSAN	CREATE EX9	07-JAN-22	07.40.13.991000000 PM
25	XE	BIRSAN	CREATE STOCOFERTE	07-JAN-22	07.44.36.884000000 PM
26	XE	BIRSAN	CREATE STOCOFERTE	07-JAN-22	07.48.57.155000000 PM
27	XE	BIRSAN	CREATE STOCOFERTE	07-JAN-22	07.49.41.415000000 PM
28	XE	BIRSAN	CREATE STOCOFERTE	07-JAN-22	07.55.41.097000000 PM
29	XE	BIRSAN	CREATE STOCOFERTE	07-JAN-22	07.56.34.697000000 PM
30	XE	BIRSAN	CREATE STOCOFERTE	07-JAN-22	07.56.53.572000000 PM
31	XF	BIRSAN	CREATE STOCOFERTE	07-JAN-22	07.57.27.452000000 PM

### 13)Pachet care sa contina toate obiectele definite in cadrul proiectului

-- definim specificatia pachetului

create or replace package haine\_package  
as

--ex 6

procedure CategoriaPret (v\_categorie Categoria.nume %type);

--ex7

procedure StocOferte (v\_distrib Distribuitor.nume %type);

--ex8

function ClientTara (v\_tara Adresa.tara %type)  
return varchar2;

--ex9

procedure ex9(v\_nume Clienti.nume %type);  
end haine\_package;

/

```

--definim corpul pachetului
create or replace package body haine_package
as
--ex 6
    procedure CategoriaPret (v_categorie Categoria.nume %type)
    as
        type t_nota is table of Recenzie.nota%type; --tablou imbricat
        v_nota t_nota := t_nota();
        type tablou_indexat is table of Produs %rowtype index by binary_integer;
--tablou indexat
        v_produs tablou_indexat;
        v_id_categorie Categoria.id_categorie %type;
        e_no_haine    exception;
        --e_no_nota    exception;
    begin
        DBMS_OUTPUT.PUT_LINE('-----Categoria: ' || v_categorie || '-----');
        select id_categorie
        into v_id_categorie
        from Categoria
        where lower(nume) = lower(v_categorie);

        select *
        bulk collect into v_produs
        from Produs
        where id_categorie = v_id_categorie;

        if v_produs.count != 0 then
            for i in v_produs.first..v_produs.last loop
                DBMS_OUTPUT.PUT_LINE(v_produs(i).id_produs || ' ' ||
v_produs(i).nume || ' ' || v_produs(i).pret);

                select nota
                bulk collect into v_nota
                from Recenzie
                where id_produs = v_produs(i).id_produs;

                if v_nota.count != 0 then
                    for j in v_nota.first..v_nota.last loop
                        DBMS_OUTPUT.PUT_LINE('A primit urmatoarele note din
recenzii: ' || v_nota(j));
                    end loop;
                else

```

```

                DBMS_OUTPUT.PUT_LINE('Nu a primit recenzii acest produs.');
```

end if;

```

    end loop;
else
    raise e_no_haine;
end if;
DBMS_OUTPUT.NEW_LINE;

exception
    when e_no_haine then
        DBMS_OUTPUT.PUT_LINE('Nu exista haine in categoria cautata si in pretul
dorit.');
```

DBMS\_OUTPUT.NEW\_LINE;

```

    when no_data_found then
        DBMS_OUTPUT.PUT_LINE('Nu exista categoria');
        DBMS_OUTPUT.NEW_LINE;
    when others then
        DBMS_OUTPUT.PUT_LINE('Alta eroare.');
```

DBMS\_OUTPUT.NEW\_LINE;

```

end CategoriePret;
```

--ex7

```

procedure StocOferte ( v_distrib Distributor.nume %type)
```

```

as
```

```

    v_nr number := 0;
```

```

    v_nr1 number := 0;
```

```

    v_id_oferta number;
```

```

    v_id_distributor1 number;
```

```

    v_stoc number;
```

```

    v_nume Distributor.nume %type;
```

```

    v_id_distributor Distributor.id_distributor %type;
```

```

    cursor c is
```

```

        select id_oferta, o.id_distributor, stoc
```

```

        from Oferta o
```

```

        join Distributor d
```

```

        on o.id_distributor = d.id_distributor;
```

```

    e_no_stoc exception;
```

```

begin
```

```

    select id_distributor
```

```

    into v_id_distributor
```

```

from Distribuitor
where lower(ume) = lower(v_distrib);

open c;
loop

    fetch c into v_id_oferta, v_id_distribuitor1, v_stoc;
    exit when c%notfound;

    if v_id_distribuitor1 = v_id_distribuitor then
        v_nr := v_nr + 1;
        v_nr1 := v_nr1 + v_stoc;

    end if;
end loop;
if v_nr > 0 then
    if v_nr1 > 0 then
        DBMS_OUTPUT.PUT_LINE('Distribuitorul ' || v_distrib || ' are in stoc ' ||
v_nr || ' produse. ');
        DBMS_OUTPUT.NEW_LINE;
    else
        raise e_no_stoc;
    end if;
end if;
exception
when e_no_stoc then
    DBMS_OUTPUT.PUT_LINE('Nu exista oferte de la acest distribuitor. ');
    DBMS_OUTPUT.NEW_LINE;
when no_data_found then
    DBMS_OUTPUT.PUT_LINE('Nu exista distribuitorul. ');
    DBMS_OUTPUT.NEW_LINE;
when others then
    DBMS_OUTPUT.PUT_LINE('Alta eroare. ');
    DBMS_OUTPUT.NEW_LINE;
end StocOferte;

--ex8
function ClientTara(v_tara Adresa.tara %type)
return varchar2
as

type t_id_client is table of Clienti.id_client %type; --tabel imbricat
v_id_client  t_id_client := t_id_client();

```

```

v_nr_comenzi NUMBER;
V_numar NUMBER :=0;
e_no_clienti    exception;

begin

select id_client
bulk collect into v_id_client
from Clienti
where id_adresa in (select id_adresa
                    from Adresa
                    where lower(tara) = lower(v_tara)
                    );

if v_id_client.count = 0 then
    raise e_no_clienti;
end if;
for i in v_id_client.first..v_id_client.last loop

    select count(distinct id_client)
    into v_nr_comenzi
    from Comanda
    where id_client = v_id_client(i);

    v_numar := v_numar + v_nr_comenzi;

end loop;

return 'Din tara ' || v_tara || ' au fost ' || to_char(v_numar) || ' clienti.';

exception
when e_no_clienti then
    return 'Din tara ' || v_tara || ' nu au existat momentan clienti.';
--return 0;
when others then
    return 'Alta eroare.';
--return -20005;

end ClientTara;

--ex9
procedure ex9(v_nume Clienti.nume %type)
is
    v_client Clienti%rowtype;

```



```

type t_produs is table of Produs%rowtype;
v_produs t_produs;

type t_categorie is table of Categorie.nume %type;
v_categorie t_categorie;

v_tara Adresa.tara %type;

begin

    select *
    into v_client
    from Clienti
    where lower(numa) = lower(v_nume);

    select tara
    into v_tara
    from Adresa
    where id_adresa = v_client.id_adresa;

    DBMS_OUTPUT.PUT_LINE('Clientul ' || v_client.nume || ' ' || v_client.prenume ||
' din ' || v_tara || ' a cumparat:');

    select distinct Categorie.nume
    bulk collect into v_categorie
    from Categorie
    join Produs using (id_categorie)
    join Recenzie using (id_produs)
    join Clienti using (id_client)
    where id_client = v_client.id_client
    order by 1;

    if v_categorie.count = 0 then
        DBMS_OUTPUT.PUT_LINE('Acest client nu a cumparat nimic.');
```

```

    else
        for i in v_categorie.first..v_categorie.last loop
            DBMS_OUTPUT.PUT_LINE(v_categorie(i));

        end loop;
        DBMS_OUTPUT.NEW_LINE();
    end if;

```

exception

```
    when no_data_found then
        DBMS_OUTPUT.PUT_LINE('Nu exista niciun client cu acest nume. ');
        DBMS_OUTPUT.NEW_LINE();
    when too_many_rows then
        DBMS_OUTPUT.PUT_LINE('Mai multi clienti cu acelasi nume. ');
        DBMS_OUTPUT.NEW_LINE();
    when others then
        DBMS_OUTPUT.PUT_LINE('Alta eroare. ');
        DBMS_OUTPUT.NEW_LINE();
end ex9;
```

```
end haine_package;
/
```

--verificarea pachetului

```
--ex6
begin
    haine_package.CategoriePret('Tricouri');
    haine_package.CategoriePret('Hanorace');
    haine_package.CategoriePret('Camasi');
    haine_package.CategoriePret('Bluzon');
end;
/
```

```
--ex6
begin
    haine_package.CategoriePret('Tricouri');
    haine_package.CategoriePret('Hanorace');
    haine_package.CategoriePret('Camasi');
    haine_package.CategoriePret('Bluzon');
end;
```

Script Output x | Query Result x | Query Result 1 x | Query Result 2 x | Query Result 3 x  
Task completed in 0.037 seconds

PL/SQL procedure successfully completed.

Dbms Output x | Buffer Size: 20000 |

birsan\_mihai\_local x

```
Nu a primit recenzii acest produs.
101 Tricou VERSACE Brand Print 650
A primit urmatoarele note din recenzii: 5
A primit urmatoarele note din recenzii: 5
102 Tricou BALENCIAGA Yellow 700
A primit urmatoarele note din recenzii: 4

-----Categoria: Hanorace-----
103 Hanorac BURBERRY SS20 1050.9
A primit urmatoarele note din recenzii: 4
104 Hanorac Barrow Flower Print 950.9
A primit urmatoarele note din recenzii: 5
A primit urmatoarele note din recenzii: 3
105 Hanorac Heron Preston 1250.9
Nu a primit recenzii acest produs.

-----Categoria: Camasi-----
Nu exista haine in categoria cautata si in pretul dorit.

-----Categoria: Bluzon-----
Nu exista categoria
```

```
--ex7
begin
    haine_package.StocOferte('Capodopera12');
    haine_package.StocOferte('Farfetch');
    haine_package.StocOferte('Ankl');
    haine_package.StocOferte('Puma');
```

```
end;  
/
```

```
--ex7  
begin  
    haine_package.StocOferte('Capodopera12');  
    haine_package.StocOferte('Farfetch');  
    haine_package.StocOferte('Ankl');  
    haine_package.StocOferte('Puma');  
end;  
/
```

Script Output x Query Result x Query Result 1 x Query Result 2 x Query Result 3 x

Task completed in 0.029 seconds

PL/SQL procedure successfully completed.

Dbms Output

Buffer Size: 20000

birsan\_mihai\_local x

```
Distribuitorul Capodopera12 are in stoc 1 produse.  
  
Distribuitorul Farfetch are in stoc 2 produse.  
  
Nu exista oferte de la acest distribuitor.  
  
Nu exista distribuitorul.
```

```
--ex8  
select haine_package.ClientTara('Romania') Clienti_din_Romania from dual;
```

```
select haine_package.ClientTara('Romania') Clienti_din_Romania from dual;  
select haine_package.ClientTara('Germania') Clienti_din_Germania from dual;  
select haine_package.ClientTara('China') Clienti_din_China from dual;  
/
```

```
--ex9
```

Script Output x Query Result x Query Result 1 x Query Result 2 x

All Rows Fetched: 1 in 0.002 seconds


CLIENTI_DIN_ROMANIA
1 Din tara Romania au fost 3 clienti.

Dbms Output


Buffer Size: 20000

Compiler - Log

```
select haine_package.ClientTara('Germania') Clienti_din_Germania from dual;
```



```
select haine_package.ClientTara('China') Clienti_din_China from dual;
/
```



```
--ex9
begin
  haine_package.ex9('Popescu');
  haine_package.ex9('Popa');
  haine_package.ex9('Ionela');
  haine_package.ex9('Grigore');
  haine_package.ex9('Ionescu');
end;
/
```

```
--ex9
begin
    haine_package.ex9('Popescu');
    haine_package.ex9('Popa');
    haine_package.ex9('Ionela');
    haine_package.ex9('Grigore');
    haine_package.ex9('Ionescu');
end;
```

Script Output x Query Result x Query Result 1 x Query Result 2 x

Task completed in 0.029 seconds

PL/SQL procedure successfully completed.

Dbms Output x Compiler - Log

Buffer Size: 20000

birsan\_mihai\_local x

Mai multi clienti cu acelasi nume.

Clientul Popa Lucian din Romania a cumparat:  
Hanorace  
Pantaloni

Nu exista niciun client cu acest nume.

Clientul Grigore Ludovic din Germania a cumparat:  
Geci

Clientul Ionescu Felicia din Romania a cumparat:  
Tricouri