# Baselines - PoseTrack Challenge Winners

- **Pose Tracking Winner** [Girdhar et al., arXiv'17]

  ➜ unsupervised during test time

  ➜ multi-person pose estimation using Mask-RCNN [He et al., ICCV'17]

  ➜ tracking using the Hungarian Algorithm

- **Pose Estimation Winner** [Zhu et al., ICCVw'17]

    ➔ unsupervised during test time

    ➔ multi-person pose estimation using Part Affinity Fields [Cao et al., CVPR'17]

Quantitative Results

Baselines vs. HumanPoseTracker

Method	Supervision @ Test Time	mAP	mMOTA
Pose Tracking Winner	✗	59.7	<u>54</u>
Pose Estimation Winner	✗	<u>67.2</u>	20.1

Baselines - PoseTrack Challenge Winners

- **Pose Tracking Winner** [Girdhar et al., arXiv'17]
  - ➔ unsupervised during test time
  - ➔ multi-person pose estimation using Mask-RCNN [He et al., ICCV'17]
  - ➔ tracking using the Hungarian Algorithm

- **Pose Estimation Winner** [Zhu et al., ICCVw'17]
  - ➔ unsupervised during test time
  - ➔ multi-person pose estimation using Part Affinity Fields [Cao et al., CVPR'17]