Odsek Visoka ICT škola, Akademija tehničko-umetničkih strukovnih studija, Beograd

SWIFTMARKET

http://swiftmarket.infinityfreeapp.com/

Smer: Internet tehnologije

Modul: Web programiranje

Predmet: Praktikum iz Web Programiranja PHP

Mihailo Ilić 41/19

Sadržaj

1. Uvod	5
1.1 Korišćeni programski jezici/tehnologije	5
1.2 Opis funkcionalnosti	5
1.2 Template	6
2. Organizacija	6
2.1 Dizajn baze podataka	6
2.2 Struktura projekta	7
2.3 Slike stranica i opisi funkcionalnosti	8
2.3.1 home	8
2.3.2 buy	9
2.3.3 products	10
2.3.4 product	11
2.3.5 sell	12
2.3.4 login	13
2.3.5 register	14
2.3.6 wish-list	15
2.3.7 profile	16
2.3.8 contact	17
2.3.9 author	18
2.3.10 user-products	19
2.3.11 user-offers	20
2.3.12 c-h-a-t	21
2.3.13 admin	22
2.3.14 admin-see-offers	25
2.3.15 admin-see-chat	26
3. Kodovi	27
3.1 PHP	27
3.1.1 index.php	27
3.1.2 views/fixed/head.php	28
3.1.3 views/fixed/nav.php	28
3.1.4 views/fixed/footer.php	31
3.1.5 views/pages/admin-see-chat.php	32

3.1.6 views/pages/admin-see-offers.php	33
3.1.7 views/pages/admin.php	35
3.1.8 views/pages/author.php	41
3.1.9 views/pages/buy.php	41
3.1.10 views/pages/c-h-a-t.php	42
3.1.11 views/pages/contact.php	43
3.1.12 views/pages/home.php	44
3.1.13 views/pages/login.php	44
3.1.14 views/pages/product.php	45
3.1.15 views/pages/products.php	49
3.1.16 views/pages/profile.php	54
3.1.17 views/pages/register.php	55
3.1.18 views/pages/sell.php	56
3.1.19 views/pages/user-offers.php	60
3.1.20 views/pages/user-products.php	62
3.1.21 views/pages/wish-list.php	65
3.1.22 models/admin/add-category.php	67
3.1.23 models/admin/change-cover-image.php	68
3.1.24 models/admin/change-user-ban-status.php	70
3.1.25 models/admin/change-user-password.php	71
3.1.26 models/admin/export-offers-to-excel.php	72
3.1.27 models/admin/functions.php	73
3.1.28 models/admin/get-users.php	76
3.1.29 models/admin/make-product-inactive.php	77
3.1.30 models/admin/remove-category.php	78
3.1.31 models/admin/unlock-user.php	79
3.1.32 models/mail/functions.php	80
3.1.33 models/mail/send-mail.php	81
3.1.34 models/offers/functions.php	82
3.1.35 models/offers/rate-seller.php	85
3.1.36 models/offers/seller-accept.php	86
3.1.37 models/offers/send-m-e-s-s-a-g-e.php	87
3.1.38 models/offers/show-m-e-s-s-a-g-e-s.php	89
3.1.39 models/offers/user-remove-offer.php	90
3.1.40 models/offers/user-submit-offer.php	91

	3.1.41 models/products/functions.php	92
	3.1.42 models/products/get-categories.php	96
	3.1.43 models/products/get-products.php	96
	3.1.44 models/products/get-wish-list-status.php	99
	3.1.45 models/products/set-wish-list-status.php	100
	3.1.46 models/products/user-submit-new-product.php	101
	3.1.47 models/users/functions.php	105
	3.1.48 models/users/login.php	106
	3.1.49 models/users/logout.php	108
	3.1.50 models/users/register.php	109
	3.1.51 models/users/user-change-pw.php	111
	3.1.52 models/users/user-unlock-account.php	112
	3.1.53 models/export-author-to-word.php	113
	3.1.54 models/functions.php	113
	3.1.55 config/config.php	117
	3.1.56 config/connection.php	117
3	.2 JS	119
	3.2.1 assets/js/main.js	119
3	.3 CSS	136
	3.3.1 assets/css/style.scss	136

1. Uvod

1.1 Korišćeni programski jezici/tehnologije

Za potrebe sajta korišćene su sledeće tehnologije:

- HTML
- CSS, SASS
- Bootstrap (samo CSS), Font Awesome
- JavaScript, jQuery
- PHP
- PHPMailer
- Xampp (Apache, MySQL)
- Visual Studio Code

1.2 Opis funkcionalnosti

Funkcionalnosti sajta se mogu svrstati u sledeće kategorije:


- Dinamičko učitavanje navigacije, cover slika i naslova stranica iz baze
- Prodavnica sa robom koju postavljaju korisnici, svrstanom u glavne kategorije, a zatim u potkategorije
- Prikaz proizvoda glavne kategorije preko AJAX-a, uz filtriranje, sortiranje, pretragu i paginaciju (sve ovo se obavlja na serverskom delu)
- Mogućnost dodavanja proizvoda na listu želja korisnika
- Dve varijante slika za proizvode i kategorije: puna veličina (maks. 1920px širine) i thumbnail
- Forma za postavljanje novih proizvoda od strane korisnika, moguće je uploadovati više slika, i sav unos se proverava na oba kraja
- Davanje ponuda od strane kupaca, i prihvatanje istih od strane prodavca
- Čet namenjen za razgovor prodavca i kupca (osvežavanje 3-5s zbog limitacija servera)
- Slanje mejlova uz pomoć PHPMailera predefinisanoj mejl adresi administratora kroz kontakt formu
- Zaključavanje naloga ukoliko se za isti ukuca pogrešna lozinka 3 puta u roku od 5min i slanje mejla vlasniku naloga
- Admin panel sa osnovnim statističkim podacima o sajtu i opcijama za upravljanje korisnicima, izmenu/brisanje kategorija, promenu cover slika
- Mogućnost administratora da deaktivira proizvode i vidi ponude za isti zajedno sa četom
- Eksportovanje ponuda u formi Excel fajla, dostupno administratoru na stranici za pregled svih ponuda za određeni proizvod (See Offers)
- Eksportovanje informacija o autoru u formi Word fajla
- Log fajl u kom se beleži pristup svih posetilaca sajta, kao i error log fajl u kom se beleže greške

1.2 Template


Za izradu sajta nije korišćeno gotovo rešenje. Sve funkcionalnosti i kod su napisani ispočetka.

2. Organizacija

2.1 Dizajn baze podataka




2.2 Struktura projekta




2.3 Slike stranica i opisi funkcionalnosti

2.3.1 home




Whether you want to earn money, or buy stuff at reasonable prices - you won't find any better place!


With our offer system, eveyone profits.



Na ovoj stranici se nalazi samo opšti sadržaj sajta. Cover slika i naslov se učitavaju iz baze na osnovu stranice na kojoj se korisnik nalazi.

Navigacija i korisnički panel (ako je korisnik autorizovan) su učitani iz baze, a tu su i linkovi ka listi želja i informacijama o nalogu, kao i link za odjavu (ako se korisnik nije ulogovao – ponuđeni su mu linkovi za registraciju i login).






Na ovoj stranici se mogu videti svi sve glavne kategorije (koje nisu potkategorije). Prikazane slike kategorija su thumbnailovi.

Klikom na kategoriju odlazi se na stranicu sa proizvodima koji pripadaju svim njenim potkategorijama.

2.3.3 products





Na ovoj stranici se dinamički prikazuju svi proizvodi iz izabrane glavne kategorije sa thumbnail slikama, cenom i brojem pregleda. Za cover sliku se uzima slika glavne kategorije u punoj veličini.

Korisniku se nude opcije za filtriranje prema potkategorijama, stanju, ceni, lokaciji i u određenim kategorijama prema polu. Tu su i pretraga, sortiranje i straničenje.

Klikom na proizvod odlazi se na stranicu sa informacijama i opcijom za davanje ponude.

2.3.4 product





Ova stranica se dinamički popunjava u zavisnosti od toga koji je proizvod izabran, sa svim informacijama o njemu.

Korisnici mogu dodati proizvod na listu želja.

Prikazane su sve slike, jedna trenutno prikazana u punoj veličini, dok su ostale thumbnailovi, a klikom na njih dobija se slika u punom prikazu.

Ispod se nalaze broj pregleda, broj ponuda, prosečna ocena prodavca i polje za davanje ponude.


2.3.5 sell





1. Put your item up for sale by using the form below and set desired price.


Add new item




Prvo je objašnjen proces prodavanja proizvoda.

Korisnicima se ispod nudi da dodaju nove proizvode kroz formu. Moguće je uploadovati više slika za jedan proizvod.

Svi podaci se proveravaju i na klijentskoj i na serverskoj strani.




2.3.4 login



Na ovoj stranici posetioci se mogu ulogovati, a kredencijali se proveravaju na serveru. Polja se takođe proveravaju JavaScriptom kako se ne bi slali bespotrebni zahtevi ka serveru.

Ukoliko nalog postoji, a na klijentu se tri puta pogreši lozinka u roku od 5 minuta – taj nalog se zaključava i vlasniku naloga šalje se mejl sa linkom za otključavanje naloga.


2.3.5 register



Ovde se vrši registracija novih korisnika, sva polja se proveravaju regularnim izrazima na oba kraja. Takođe, ne mogu se registrovati dva naloga sa istim korisničkim imenom ili imejl adresom, a krajnji korisnik će biti obavešten o ishodu registracije.


Ako je sve ispravno upisuju se podaci u bazu, a lozinke se upisuju samo kao md5 kriptografija.

2.3.6 wish-list




Na ovoj stranici se vidi sadržaj liste želja korisnika (ako ih nema onda se izdaje takva poruka). Prikazani su i aktivni i neaktivni proizvodi.

2.3.7 profile



Na ovoj stranici ispisuju se informacije o korisničkom nalogu, a korisniku se takođe nudi promena lozinke. Provera se vrši regularnim izrazima.

2.3.8 contact






Slanje poruka administratorima sajta moguće je kroz ovu kontakt formu. Ulogovanim korisnicima se automatski popunjavaju ime i imejl adresa. Sadržaj ovih polja proverava se regularnim izrazima.

Poruke se šalju na predefinisanu e-mail adresu za primanje poruka kroz kontakt formu.


2.3.9 author






Informacije o autoru se mogu preuzeti u obliku Word dokumenta.

2.3.10 user-products






Na ovoj stranici nalaze se svi proizvodi koje je korisnik(prodavac) dodao, zajedno sa ponudama od strane drugih korisnika. Omogućen je i čet između kupca i prodavca.

Prodavac ima opciju da izabere ponudu koja mu najviše odgovara. Na taj način proizvod postaje neaktivan i sve ostale ponude dobijaju status da su odbijene.

Nakon prihvatanja ponude, prodavac i kupac se dogovaraju oko preuzimanja putem četa.


2.3.11 user-offers



Na ovoj stranici nalaze se sve ponude koje je korisnik dao. Korisnik može da povuče ponudu ili da je izmeni odlaskom na stranicu za proizvod.

Ispisan je i njihov status, a čet sa prodavcem je omogućen ukoliko status proizvoda nije "rejected". Ukoliko postoje nove poruke pojaviće se crveni bedž u okviru tastera za čet.

2.3.12 c-h-a-t




Na ovoj stranici omogućen je razgovor između kupca i prodavca.


Zbog toga što je kod free hosting provajdera blokirana upotreba četa, stranica je nazvana sa crticama između slova i osvežavanje poruka se vrši između 3 i 5 sekundi, kako se server ne bi preopteretio.

Pravila četa su ispisana iz tekstualnog fajla.


2.3.13 admin



Na ovoj stranici nalaze se opcije namenjene administratoru sajta, i niko drugi ne može da joj pristupi. Podeljena je na tabove realizovane pomoću jQuery biblioteke.




U odeljku Stats nalaze se statističke informacije o pristupu sajtu, kao i broj ponuda na čekanju i broj kreiranih proizvoda tekućeg dana.




U odeljku Users administrator može da vidi informacije o svim nalozima koji nisu administratorski, i da vrši pretragu istih preko korisničkog imena ili imejl adrese.

Takođe su ponuđene opcije za jednostavnu promenu lozinke, banovanje naloga i otključavanje zaključanih naloga.




U odeljku Items/Categories administrator može dodavati nove kategorije i potkategorije, a može i brisati postojeće u kojima se ne nalazi nijedan proizvod/potkategorija.

Administrator je takođe obavešten da odlaskom na stranicu za konkretan proizvod dobija opciju da deaktivira proizvod ili vidi ponude za isti.



U odeljku Cover images administrator može menjati cover slike stranica i kategorija. Ove slike se koriste i na stranici buy ali u thumbnail varijanti.


2.3.14 admin-see-offers



Na ovoj stranici administrator ima mogućnost da vidi sve ponude koje su korisnici dali za određeni proizvod. Tu je i mogućnost pregleda svih poruka između kupca i prodavca.

Spisak ponuda se može preuzeti u Excel formatu.

2.3.15 admin-see-chat



Na ovoj stranici administrator može videti sve poruke između kupca i prodavca za izabranu ponudu.

3. Kodovi

3.1 PHP

3.1.1 index.php

```
<?php
    ob start();
    require_once "config/connection.php";
    $this_page = isset($_GET["page"]) ? $_GET["page"] : "home";
    if(!file_exists("views/pages/$this_page.php")){
        header("Location: index.php");
        die();
    }
    $pages = get_pages();
    require_once "views/fixed/head.php";
    require_once "views/fixed/nav.php";
    $file = "views/pages/$this_page.php";
    $info = get_page_info($this_page);
    if($info):
        if(!$user_obj && $info->requires_auth == "1"){
            header("Location: index.php");
            die();
        }
?>
    <main id="<?=$this_page?>">
        <section class="page-image w-100 d-flex flex-column justify-content-</pre>
center align-items-center">
                <img id="page-bg-image" class="w-100 h-100"</pre>
                    src="assets/images/<?=$info->image_filename?>"
                    alt="<?=$info->image_title?>" />
                <h1 class="d-inline">
                    <?=$info->page_title?>
                <h2 class="d-inline mt-1 h5">
                    <?=$info->page_description?>
        </section>
```

3.1.2 views/fixed/head.php

3.1.3 views/fixed/nav.php

```
<?php

$nav_string = "";</pre>
```

```
foreach($pages as $link){
               if($link->show on nav == "0"){
                   continue;
               $active = $this_page==$link->page_name ? "active" : "";
               $link title = ucfirst($link->page name);
               $nav string .= "
               <a class='$active' href='index.php?page=$link-</pre>
>page_name'>$link_title</a>
               ";
           }
?>
<header id="header" class="position-fixed w-100 m-0 row align-items-center shadow">
       <div class="col-3 col-sm-6 col-md-4 col-lg-3">
           <!-- Logo -->
           <a class="font-weight-bold" href="index.php?page=home">
               <img src="assets/img/logo.png" alt="swiftmarket" id="logo-img"/>
               <span id="logo-title" class="d-none d-sm-inline font-weight-</pre>
light"> SWIFTMARKET</span>
           </a>
       </div>
       <!-- glavni meni -->
       <nav class="col-6 col-md-5 col-lg-6 d-none d-md-block">
           <?=$nav_string?>
           </nav>
       <!-- opcije vezane za nalog, responsive meni toggle -->
       <div id="side-togglers" class="col-9 col-sm-6 col-md-3 text-right">
           <?php
               if($user_obj):
           ?>
           <a class="position-relative d-inline mx-2 color-
primary" href="index.php?page=profile">
               <span class="fas fa-user-cog"></span>
           </a>
           <a class="position-relative d-inline mx-2 color-</pre>
primary" href="index.php?page=wish-list">
               <span class="fas fa-heart"></span>
           </a>
           <a class="position-relative d-inline mx-2 color-</pre>
primary" href="models/users/logout.php">
               <span class="fas fa-sign-out-alt"></span>
           </a>
```

```
<?php
             else:
          ?>
          <a class="position-relative d-inline mx-2 color-</pre>
primary" href="index.php?page=login">
             Login
          </a>
          <a class="position-relative d-inline mx-2 color-</pre>
primary" href="index.php?page=register">
             Register
          </a>
          <?php
             endif;
          ?>
          <a id="menu-button" class="position-relative d-inline d-md-none ml-3 mr-</pre>
2 color-primary" href="#!">
             <span class="fas fa-bars"></span>
          </a>
      </div>
      <!-- user meni -->
      <?php
          if($user_obj):
      <nav id="user-menu-wrapper" class="position-absolute w-100 px-2">
          <a href="index.php?page=user-offers">My offers</a>
                 <a href="index.php?page=user-products">My items</a>
                 <?php
                    if($user_obj->role_name == "Administrator"):
                 ?>
                    <a href="index.php?page=admin">Admin</a>
                    <?php
                    endif;
                 ?>
             </nav>
      <?php
```

3.1.4 views/fixed/footer.php

```
<footer class="position-relative bg-light-trans w-100 border-top row m-0 pt-5">
       <div id="footer-company-info" class="col-12 col-md-4 text-center">
          <a class="font-weight-bold" href="index.php?page=home">
              <img src="assets/img/logo.png" id="footer-img"/><span class="h5 font-</pre>
weight-light"> SWIFTMARKET</span>
          light">Easy buying & selling
       </div>
       <div id="footer-links" class="col-12 col-md-4 text-center mt-5 mt-md-0">
          <h5 id="footer-links-title" class="d-inline font-weight-light">Links</h5>
          <
                 <a href="documentation.pdf" target="_blank"><span class="far fa-</pre>
file-pdf"></span> Documentation</a>
              <1i>>
                 <a href="assets/js/main.js" target="_blank"><span class="far fa-</pre>
file-code"></span> main.js</a>
              </div>
       0">Mihailo Ilic 41/19
   </footer>
   <script type="text/javascript" src="assets/js/jquery-3.5.1.min.js"></script>
   <script type="text/javascript" src="assets/js/main.js"></script>
</body>
</html>
```

```
<?php
    if(!($user_obj && $user_obj->role_name == "Administrator" && isset($_GET["id"]))){
       header("Location: index.php?page=home");
       die();
    require once "models/admin/functions.php";
    $offer_id = $_GET["id"];
   $chat = get_chat_by_offer($offer_id);
    if($chat[0]->offer_status == "0"){
        $status html = "<span class='text-warning font-weight-bold'>pending</span>";
    elseif($chat[0]->offer status == "1") {
       $status html = "<span class='text-success font-weight-bold'>accepted</span>";
    }
   else {
       $status html = "<span class='text-danger font-weight-bold'>rejected</span>";
    }
?>
<section id="admin-see-chat" class="custom container px-3">
    The status of this offer is <?=$status html?>.
   <h1 class="font-weight-light h4"><?=$chat[0]->product_title?></h1>
    <h2 class="font-weight-light h5"><span class="text-success"><?=$chat[0]-</pre>
>buyer?></span>'s offer: <span class="text-primary"><?=$chat[0]-
>offer price?></span></h2>
    <h2 class="font-weight-light h5">Desired price: <span class="text-</pre>
primary">$<?=$chat[0]->product_price?></span></h2>
    <div class="my-5">
        <a href="index.php?page=admin-see-offers&id=<?=$chat[0]-</pre>
>product id?>"><span class="fas fa-chevron-</pre>
left"></span> Back to offers for this product</a>
    </div>
    <div class="border container-fluid rounded" id="admin-see-chat-box">
        <?php
            if($chat[0]->message id === null):
        ?>
            <div class="message clearfix p-2">
               No messages
            </div>
        <?php
```

```
else:
                 foreach($chat as $message):
                     if($message->username == $chat[0]->buyer):
        ?>
                         <div class="message clearfix p-2">
                         <div class="message-sender w-75 w-md-50 text-success text-</pre>
right float-right"><?=$message->username?> (buyer):</div>
                         <div class="message-content w-75 w-md-50 text-right float-</pre>
right"><?=$message->message_text?></div>
        <?php
                     else:
        ?>
                         <div class="message clearfix p-2">
                             <div class="message-sender w-75 w-md-50 text-primary text-</pre>
left"><?=$message->username?> (seller):</div>
                             <div class="message-content w-75 w-md-50 text-</pre>
left"><?=$message->message text?></div>
                         </div>
        <?php
                     endif;
                 endforeach;
            endif;
        ?>
    </div>
</section>
```

3.1.6 views/pages/admin-see-offers.php

```
    if(!($user_obj && $user_obj->role_name == "Administrator" && isset($_GET["id"]))){
        header("Location: index.php?page=home");
        die();
    }

    require_once "models/admin/functions.php";
    $product_id = $_GET["id"];

    $offers = get_offers_by_product($product_id);

    if($offers[0]->active == "1"){
        $status_html = "<span class='text-success font-weight-bold'>active</span>";
    }
    else {
        $status_html = "<span class='text-danger font-weight-bold'>inactive</span>";
    }

    *>

    <section id="admin-see-offers" class="custom container px-3">
```

```
This product is <?=$status html?>.<br/>>
       When a seller accepts an offer, the product becomes inactive and all the other p
ending offers automatically change their status to rejected.
   <h1 class="font-weight-light h4 mt-5"><?=$offers[0]->product title?></h1>
   <h2 class="font-weight-light h5">Desired price: <span class="text-</pre>
primary">$<?=$offers[0]->product price?></span></h2>
   <div class="my-5">
       <a href="index.php?page=product&id=<?=$product_id?>"><span class="fas fa-</pre>
chevron-left"></span> Back to product</a>
        <a href="models/admin/export-offers-to-
excel.php?id=<?=$product_id?>" class="btn btn-success float-right">Export to excel</a>
   </div>
   <div id="admin-offers-wrapper" class="containter-fluid pt-5 mt-5">
       <div class="admin-offers-info row m-0 border-bottom px-4">
           <div class="col-2 h5 font-weight-light">ID</div>
           <div class="col-3 h5 font-weight-light">Buyer</div>
           <div class="col-2 h5 font-weight-light">Status</div>
           <div class="col-2 h5 font-weight-light">Price</div>
           <div class="col-3 h5 font-weight-light">Chat history</div>
       </div>
       <div id="admin-offers" class="container-fluid">
           <?php
               if($offers[0]->offer_id === null):
           ?>
                   <div class="col-12 h5 font-weight-light p-3">No offers to show</div>
           <?php
               else:
                   foreach($offers as $offer):
                       switch($offer->offer_status){
                           case "0":
                               $class = "text-warning";
                               $text = "pending";
                               break;
                           case "1":
                               $class = "text-success";
                               $text = "accepted";
                               break;
                           case "2":
                               $class = "text-danger";
                               $text = "rejected";
                               break;
                           default:
                               $class = "";
                               $text = "unknown";
```

```
?>
                <div class="admin-offer-row row m-0 p-2">
                    <div class="col-2"><?=$offer->offer id?></div>
                    <div class="col-3"><?=$offer->buyer username?></div>
                    <div class="col-2 <?=$class?>"><?=$text?></div>
                    <div class="col-2 text-primary">$<?=$offer->offer price?></div>
                    <div class="col-3">
                        <a href="index.php?page=admin-see-chat&id=<?=$offer-</pre>
>offer_id?>" class="btn btn-primary">See chat (<?=$offer->message_count?>)</a>
                    </div>
                </div>
            <?php
                    endforeach;
                endif;
            ?>
        </div>
    </div>
 /section>
```

3.1.7 views/pages/admin.php

```
<section id="admin-panel-wrapper" class="container py-3 mx-auto">
   <?php
      if(!($user_obj && $user_obj->role_name == "Administrator")){
          header("Location: index.php?page=home");
          die();
      require once "models/admin/functions.php";
      if(isset($ GET["message"])){
          echo "".$_GET["message"]."";
      if(isset($_GET["error"])){
          echo "".$ GET["error"]."";
      }
      $classes = [
          "stats"=> ["nav"=>"", "content"=>"d-none"],
          "users"=> ["nav"=>"", "content"=>"d-none"],
          "covers" => ["nav"=>"", "content"=>"d-none"],
          "products" => ["nav"=>"", "content"=>"d-none"]
      ];
      $panel = "stats";
      if(isset($ GET["panel"])){
          $panel = $_GET["panel"];
```

```
$classes[$panel] = ["nav"=>"active", "content"=>""];
   ?>
   5 pb-4">
       class="p-2">
           <a href="#!" class="p-2 admin-panel-</pre>
link <?=$classes["stats"]["nav"]?>" data-target="#admin-panel-stats">Stats</a>
       class="p-2">
           <a href="#!" class="p-2 admin-panel-
link <?=$classes["users"]["nav"]?>" data-target="#admin-panel-users">Users</a>
       class="p-2">
           <a href="#!" class="p-2 admin-panel-
link <?=$classes["products"]["nav"]?>" data-target="#admin-panel-
products">Items/Categories</a>
       class="p-2">
           <a href="#!" class="p-2 admin-panel-
link <?=$classes["covers"]["nav"]?>" data-target="#admin-panel-covers">Cover images</a>
       <div class="p-2 admin-panel <?=$classes["stats"]["content"]?> row" id="admin-panel-
stats">
       <?php
           $stats = get_stats();
           $stats_today = get_stats(true);
       ?>
               <div class="col-12 col-md-6 my-3">
                  <h3 class="font-weight-light h5">Page view stats (all time):</h3>
       <?php
              foreach($stats["page percentages"] as $key=>$value):
                  <span class="text-</pre>
muted small"> <?=$key?></span><span class="progress">
                      <div class="progress-bar px-2" role="progressbar" aria-</pre>
valuenow="<?=(int)$value?>"
                      aria-valuemin="0" aria-valuemax="100"><?=$value?>%</div>
                  </span>
       <?php
              endforeach;
       ?>
              </div>
```

```
<div class="col-12 col-md-6 my-3">
                   <h3 class="font-weight-light h5">Page view stats (today):</h3>
       <?php
               foreach($stats_today["page_percentages"] as $key=>$value):
        ?>
                   <span class="text-</pre>
muted small"> <?=$key?></span><span class="progress">
                       <div class="progress-bar px-2" role="progressbar" aria-</pre>
valuenow="<?=(int)$value?>"
                       aria-valuemin="0" aria-valuemax="100"><?=$value?>%</div>
                   </span>
        <?php
               endforeach;
        ?>
               </div>
               <div class="col-12 col-md-6 my-3">
                   <h3 class="font-weight-
light h5">Users that visited today (<?=count($stats today["users"])?>):</h3>
                   <?php
                           foreach($stats today["users"] as $user):
                       ?>
                       <?=$user?>
                       <?php
                           endforeach;
                       ?>
                   </div>
               <div class="col-12 col-md-6 my-3">
                   <h3 class="font-weight-
light h5">Total pending offers: <span class="text-</pre>
primary"><?=pending offers()?></span></h3>
                   <h3 class="font-weight-
light h5">Items created today: <span class="text-</pre>
primary"><?=products_created_today()?></span></h3>
               </div>
    </div>
```

```
<div class="admin-panel <?=$classes["users"]["content"]?> py-2" id="admin-panel-
users">
        <span class="fas fa-search text-muted"></span>
        <input type="text" id="search-users" class="form-control d-</pre>
inline" placeholder="Search by username or e-mail" />
        <div id="users-wrapper" class="containter-fluid pt-5">
            <div class="user-info row m-0 border-bottom">
                <div class="col-1 user-id h5 font-weight-light">ID</div>
                <div class="col-2 username h5 font-weight-light">Username</div>
                <div class="col-3 user-email h5 font-weight-light">E-mail</div>
                <div class="col-2 user-full-name h5 font-weight-light">Full Name</div>
                <div class="col-2 user-date-created h5 font-weight-</pre>
light">Date created</div>
                <div class="col-2 h5 font-weight-light text-right pr-4">Options</div>
            </div>
            <div id="users">
            </div>
        </div>
    </div>
    <div class="admin-panel <?=$classes["covers"]["content"]?> py-2 row" id="admin-
panel-covers">
        <div class="col-12 col-md-6 my-3">
            <h3 class="font-weight-light h5 mb-4">Change main category cover image</h3>
            <form action="models/admin/change-cover-</pre>
image.php" method="post" enctype="multipart/form-data" id="admin-change-category-cover-
form">
                <input type="hidden" name="type" value="category"/>
                <select name="category-id" class="admin-panel-covers-select form-</pre>
control">
            <?php
                require once "models/products/functions.php";
                $main cats = get categories(true);
                foreach($main cats as $cat):
            ?>
                    <option value="<?=$cat->category id?>"><?=$cat-</pre>
>category name?></option>
            <?php
                endforeach;
            ?>
                </select><br/>
                <span class="font-weight-light mr-3">Select image:</span>
                <input type="file" name="cover-image" /><br/>
                <small class="text-</pre>
muted">Recommended resolution: 1920 x 1080</small><br/>>
```

```
<button type="submit" name="btn-change" class="mt-3 btn btn-</pre>
primary">Change</putton>
            </form>
        </div>
        <div class="col-12 col-md-6 my-3">
            <h3 class="font-weight-light h5 mb-4">Change page cover image</h3>
            <form action="models/admin/change-cover-</pre>
image.php" method="post" enctype="multipart/form-data" id="admin-change-page-cover-
form">
                <input type="hidden" name="type" value="page"/>
                <select name="page-id" class="admin-panel-covers-select form-control">
                require once "models/functions.php";
                $pages = get_pages();
                foreach($pages as $page):
            ?>
                    <option value="<?=$page->page id?>"><?=$page->page name?></option>
            <?php
                endforeach;
            ?>
                </select><br/>
                <span class="font-weight-light mr-3">Select image:</span>
                <input type="file" name="cover-image" /><br/>
                <small class="text-</pre>
muted">Recommended resolution: 1920 x 1080</small><br/>>
                <button type="submit" name="btn-change" class="mt-3 btn btn-</pre>
primary">Change</button>
            </form>
        </div>
    </div>
    <div class="admin-panel <?=$classes["products"]["content"]?> py-2 row" id="admin-
panel-products">
        <div class="alert alert-info col-12"><span class="fas fa-info-circle text-</pre>
info"></span> To make items inactive or to see all offers & chat history - visit their d
edicated pages in the <a href="index.php?page=buy">store</a>.<br/>br/>
        It looks like this: <img class="mt-2" src="assets/img/admin-
demo.png" alt="admin demo"/>
        </div>
        <form action="models/admin/add-category.php" method="post" id="admin-add-</pre>
category" class="col-12 col-md-6 p-4">
            <h3 class="h5 font-weight-light my-3">Add new category</h3>
            <input type="text" name="name" id="category-name" class="form-</pre>
control" placeholder="Category name"/>
```

```
<select name="main" id="main-cat" class="form-control mt-2">
                <option value="0">Select main category...
                <?php
                    $main cats = get categories(true);
                    foreach($main_cats as $cat):
                ?>
                        <option value="<?=$cat->category id?>"><?=$cat-</pre>
>category_name?></option>
                <?php
                    endforeach;
                ?>
            </select>
            <div class="form-check pl-0 mt-1">
                <input type="checkbox" name="is-main" id="is-main-cat" value="true" />
                <label class="form-check-label" for="is-main-cat">
                This is a main category
                </label>
            </div>
            <div class="form-check pl-0 mt-1">
                <input type="checkbox" name="gender-applies" id="gender-</pre>
applies" value="true" />
                <label class="form-check-label" for="gender-applies">
                Gender applies to this category
                </label>
            </div>
            <button type="submit" name="btn-add" class="btn btn-primary mt-</pre>
2">Add</button>
        </form>
        <form action="models/admin/remove-category.php" method="post" id="admin-remove-</pre>
category" class="col-12 col-md-6 p-4">
            <h3 class="h5 font-weight-light my-3">Remove category</h3>
            <small class="text-</pre>
muted">Only categories without existing items and subcategories can be removed</small>
            <select name="remove-category-id" id="remove-category-id" class="form-</pre>
control mt-2">
                <option value="0">Select...</option>
                    <?php
                        $arranged categories = arrange categories(get categories());
                        foreach($arranged_categories as $cat):
                    ?>
                        <optgroup label="<?=$cat["name"]?>">
                        <option value="<?=$cat["id"]?>">Main category: <?=$cat["name"]?>
</option>
                        <?php
                             foreach($cat["subcategories"] as $subcat):
```

3.1.8 views/pages/author.php

```
<section id="author-data" class="row container mx-auto justify-content-center align-</pre>
items-center">
            <div id="author-portrait" class="col-10 col-md-4 p-5 p-md-2 p-lg-5">
                <img src="assets/img/author-portrait.jpg" class="img-</pre>
fluid" alt="Author"/>
            </div>
            <div id="author-info" class="col-12 col-md-8 p-5">
                <h4 class="font-weight-light h4">Mihailo Ilić<small class="text-</pre>
muted font-weight-light"> 41/19</small></h4>
                Hi. I'm a web developer from Serbia. I've recently started studying I
T/Web programming at <a href="https://ict.edu.rs/" class="primary-
color" target=" blank"><span class="fa fa-graduation-</pre>
cap"></span> ICT College</a> because I've always been interested in computers and techno
logy.
                Although my skills are limited at this moment, I will continuously tr
y to improve them through my studies, projects etc. You can check my recent projects and
learn more about me by visiting my portfolio website.
                <a href="https://mihailoilic.github.io/portfolio/" target=" blank" class</pre>
="btn btn-primary text-center">My portfolio website</a>
                <a href="models/export-author-to-word.php" class="btn btn-primary text-</pre>
center">Export to Word</a>
            </div>
        </section>
```

3.1.9 views/pages/buy.php

```
<div class="container row mx-auto my-5" id="categories">
</div>
```

```
<?php
    if(!isset($ GET["offer-id"])){
        header("Location: index.php");
        die();
    }
    $offer_id = $_GET["offer-id"];
    require once "models/offers/functions.php";
    $offer_info = get_offer_info_for_chat($offer id);
    if(!$offer info){
        header("Location: index.php");
        die();
    list($role, $offer) = $offer_info;
    if(!in array($offer->offer id, $ SESSION["allowed chats"])){
        $_SESSION["allowed_chats"] []= $offer->offer_id;
    $ SESSION["chat role"][$offer->offer id] = $role;
?>
    <section id="chat-info" class="container mx-auto p-4 mt-4">
        <span class="h5 font-weight-light">Item:</span> <a class="h5 font-weight-</pre>
normal" href="index.php?page=product&id=<?=$offer->product id?>"><?=$offer-</pre>
>product title?></a><br/>>
        <span class="h5 font-weight-light">Buyer's offer:</span> <span id="chat-buyer-</pre>
offer" data-amount="<?=$offer->offer_price?>"></span><br/>
        <span class="h5 font-weight-light">Desired price:</span> <span id="chat-desired-</pre>
price" data-amount="<?=$offer->product price?>"></span>
    </section>
    <section class="border container rounded" id="chat-box" data-offer-id="<?=$offer-</pre>
>offer id?>">
    </section>
    <section class="container px-0 py-2 my-1 mx-auto d-flex" id="chat-box-send-wrapper">
        <div class="w-100">
            <input type="text" class="form-control" id="tb-send-</pre>
message" placeholder="Enter your message"/>
        </div>
        <div>
            <button type="button" id="btn-send-message" class="btn btn-primary ml-</pre>
2">Send</button>
        </div>
```

3.1.11 views/pages/contact.php

```
<?php
   $name = "";
    $email = "";
    if($user_obj){
        $name = $user obj->full name;
        $email = $user obj->email;
    }
?>
<form id="contact-form" class="slim mx-auto my-5" name="contact-</pre>
form" method="post" action="models/mail/send-mail.php">
        <?php
            if(isset($ GET["error"])){
                echo "<p class='alert alert-danger mt-3 mx-
auto'>".$_GET["error"]."";
            if(isset($_GET["message"])){
                echo "<p class='alert alert-info mt-3 mx-
auto'>".$_GET["message"]."";
        ?>
        <div class="form-group">
            <label for="name">Your name:</label>
            <input type="text" name="name" id="name" data-title="Name" class="form-</pre>
control" value="<?=$name?>"/>
        </div>
        <div class="form-group">
            <label for="username">E-mail:</label>
            <input type="text" name="email" id="email" data-title="E-mail" class="form-</pre>
control" value="<?=$email?>"/>
        </div>
        <div class="form-group">
            <label for="username">Your message:</label>
```

3.1.12 views/pages/home.php

```
<section id="home-hero" class="text-center py-5 my-4 mx-auto container">
    <h3 class="h4 font-weight-light" id="hero-</pre>
title">Whether you want to earn money, or buy stuff at reasonable prices - you won't fin
d any better place!</h3>
    With our offer system, eveyone profits.
</section>
<section id="home-promo" class="p-2 container mx-auto">
    <div id="home-promo-buy" class="py-5 m-0 row container-fluid justify-content-</pre>
center align-items-center">
        <img class="col-12 col-md-4" src="assets/img/buy-promo.png"/>
       <div class="col-12 col-md-4 p-3">
            <h4 class="h5 font-weight-light">Check out our wide assortment</h4>
            <a href="index.php?page=buy" class="btn btn-primary">Visit store</a>
        </div>
    </div>
    <div id="home-promo-sell" class="py-5 m-0 mt-5 row container-fluid justify-content-</pre>
center align-items-center">
       <img class="col-12 col-md-4" src="assets/img/sell-promo.png"/>
        <div class="col-12 col-md-4 p-3">
            <h4 class="h5 font-weight-light">Find buyers for your item</h4>
            <a href="index.php?page=sell" class="btn btn-primary">Start selling</a>
        </div>
    </div>
</section>
```

3.1.13 views/pages/login.php

```
<label for="username">Username:</label>
                <input type="text" name="username" id="username" data-</pre>
title="username" class="form-control"/>
            </div>
            <div class="form-group">
                <label for="username">Password:</label>
                <input type="password" name="password" id="password" data-</pre>
title="password" class="form-control"/>
            </div>
            <input type="submit" value="Login" name="btn-login" class="btn btn-</pre>
primary"/>
        </form>
        <?php
            if(isset($_GET["error"])){
                echo "<p class='alert alert-danger mt-3 mx-
auto'>".$_GET["error"]."";
            if(isset($_GET["message"])){
                echo "<p class='alert alert-info mt-3 mx-
auto'>".$_GET["message"]."";";
   </main>
```

3.1.14 views/pages/product.php

```
<img id="page-bg-image" class="w-100 h-100"</pre>
                src="assets/images/<?=$category info->image filename?>"
                alt="<?=$category_info->image_title?>" />
            <h1 class="d-inline">
                <?=$category_info->category_name?>
    </section>
    <section class="mt-5 container row mx-auto mb-5">
    <?php
            if(isset($_GET["message"])){
                echo "<p class='alert alert-info mt-3 col-12 mx-
auto'>".$ GET["message"]."";";
            if(isset($ GET["error"])){
                echo "<p class='alert alert-danger col-12 mt-3 mx-
auto'>".$_GET["error"]."";";
            if($user_obj && $user_obj->role_name == "Administrator"):
    ?>
                <div id="admin-tools" class="alert alert-secondary col-12 text-right p-</pre>
2"><span class="text-muted px-2 font-weight-light">Admin tools</span>
                    <?php
                         if($product_info[0]->active == "1"):
                    ?>
                         <a id="admin-make-inactive" href="models/admin/make-product-</pre>
inactive.php?id=<?=$product id?>" class="btn btn-danger">Make inactive</a>
                    <?php
                         endif;
                    ?>
                    <a href="index.php?page=admin-see-</pre>
offers&id=<?=$product_id?>" class="btn btn-primary">See offers</a>
                </div>
    <?php
            endif;
    <div class="p-4 col-12">
        <a href="index.php?page=products&category=<?=$category_info-</pre>
>category_id?>"><span class="fas fa-chevron-left"></span> Shop by this category</a>
        <?php
            if($user_obj):
            <a href="#!" id="wish-list-toggle" class="float-right" data-</pre>
id="<?=$product id?>">
            <span class="wish-list-toggle-</pre>
text">Add to wish list</span> <span class="h5"><span class="wish-list-toggle-
icon far fa-heart"></span></a>
        <?php
            endif;
```

```
?>
   </div>
   <div id="product-images" class="col-12 col-md-6">
       <img src="assets/images/<?=$product info[0]->image filename?>" id="product-
image" alt="<?=$product_info[0]->image_title?>" class="img-fluid rounded"/>
       <div id="product-all-images" class="row mx-0">
          <?php
              foreach($product_info as $image):
          ?>
              <div class="col-2 mr-2 mt-2 p-0">
                  <a href="#!" class="product-image-link" data-</pre>
href="assets/images/<?=$image->image filename?>">
                     <img src="assets/images/<?=$image-</pre>
>image_thumbnail_filename?>" alt="<?=$image->image_title?>" class="rounded img-
fluid"/></a>
              </div>
          <?php
              endforeach;
          ?>
       </div>
   </div>
   <div id="product-info" class="col-12 col-md-6">
       <h2 class="h4 font-weight-light"><?=$product info[0]->product title?></h2>
       <h3 class="h6 font-weight-light"><?=$category info-</pre>
>category_name." / ".$product_info[0]->category_name?></h3>
       <span class="far fa-calendar-alt"></span>
          <?=date("Y-m-d", strtotime($product_info[0]->product_date_created))?>
       <span class="fas fa-map-marker-alt"></span>
          <?=$product_info[0]->city.", ".$product_info[0]->country?>
       amount="<?=$product info[0]->product price?>">
       <span class="fas fa-</pre>
tag"></span> <?=$product info[0]->condition name?>
       <?=$product_info[0]-</pre>
>product description?>
   </div>
   <div id="product-stats" class="mt-4 col-12 container-fluid row">
       <div id="product-views" class="col-12 col-sm-4 d-flex flex-column justify-</pre>
content-center align-items-center font-weight-light border-right pt-4">
          <div class="h5 font-weight-light">Views</div>
          <div><span class="far fa-eye text-primary"></span> <?=$product_info[0]-</pre>
>product views?></div>
```

```
</div>
        <div id="product-offers" class="col-12 col-sm-4 d-flex flex-column justify-</pre>
content-center align-items-center font-weight-light border-right pt-4">
            <div class="h5 font-weight-light">Offers</div>
            <div><span class="fas fa-users text-primary"></span> <?=$product_info[0]-</pre>
>product offers?></div>
        </div>
        <div id="product-seller" class="col-12 col-sm-4 d-flex flex-column justify-</pre>
content-center align-items-center font-weight-light pt-4">
            <div class="h5 font-weight-light">Seller</div>
            <div class="text-primary"><?=$product info[0]->username?></div>
            <?php
                $rating = $product info[0]->rating;
                if($rating != "No ratings yet"){
                    $rating = number_format($rating, 1);
                }
            <div><span class="fas fa-star text-warning"></span><?=$rating?></div>
        </div>
    </div>
    <div id="product-buyer-offer" class="mt-5 p-4 col-12 rounded">
        if($product info[0]->active == "1"):
            if(!$user_obj || ($user_obj && $user_obj->user_id != $product_info[0]-
>seller_id)):
                require_once "models/offers/functions.php";
                $existing offer = false;
                if($user obj){
                    $existing_offer = get_existing_offer($product_id, $user_obj-
>user_id);
                $text = "Your offer ($):";
                $amount = "";
                if($existing offer){
                    $text = "Update offer ($):";
                    $amount = $existing_offer->offer_price;
                }
        ?>
            <form action="models/offers/user-submit-</pre>
offer.php" method="post" id="product-buyer-offer-form">
                <input type="hidden" name="product-id" value="<?=$product_info[0]-</pre>
>product id?>"/>
                <div class="row container-fluid p-0 m-0">
                    <span class="font-weight-light h5 col-12 col-sm-5 col-md-4 col-lg-</pre>
3 text-sm-right mt-3"><?=$text?></span>
```

```
<input type="number" id="amount" name="amount" min="0.1" value="<?=$</pre>
amount?>" placeholder="Enter your offer" step="0.1" class="form-control m-2 col-12 col-
sm-3"/>
                   <div class="d-md-inline">
                       <input type="submit" name="btn-submit" value="Submit" class="m-</pre>
2 py-1 px-2 btn btn-primary text-sm-left"/>
                       <?php
                           if($existing_offer):
                       ?>
                           <a href="models/offers/user-remove-offer.php?product-</pre>
id=<?=$product_id?>" class="m-2 px-2 btn btn-danger text-sm-left"> Remove</a>
                       <?php
                           endif;
                        ?>
                   </div>
               </div>
           </form>
        <?php
               else:
        ?>
               This item was created by you.
        <?php
               endif;
           else:
        ?>
            This item is no longer active.
        <?php
            endif;
        ?>
    </div>
</section>
</main>
```

3.1.15 views/pages/products.php

```
if(!isset($_GET["category"])){
    header("Location: index.php?page=buy");
    die();
}

require_once "models/products/functions.php";

$category_id = $_GET["category"];
$category = get_category_info($category_id);

if(!$category){
    header("Location: index.php?page=buy");
}
```

```
die();
?>
<!-- Prenos iz PHP-a u JS -->
<script>
    window.category info = JSON.parse(`<?=json encode($category)?>`);
</script>
<main id="products">
    <section class="page-image w-100 d-flex flex-column justify-content-center align-</pre>
items-center">
            <img id="page-bg-image" class="w-100 h-100"</pre>
                src="assets/images/<?=$category->image filename?>"
                alt="<?=$category->image_title?>" />
            <h1 class="d-inline">
                <?=$category->category name?>
            </h1>
            <h2 class="d-inline mt-1 h5">
                <a href="index.php?page=buy" class="text-white"><span class="fas fa-</pre>
chevron-left"></span> Choose another category</a>
            </h2>
    </section>
    <section id="products-wrapper" class="row mx-auto mt-5 py-4">
            <div id="products-filters" class="col-12 col-sm-5 col-md-4 col-lg-4 col-xl-</pre>
2 m-0">
                <div>
                    <a href="#!" id="clear-filters"><span class="fas fa-</pre>
times"></span> Clear all filters</a>&nbsp;
                </div>
                <?php
                    $admin class="d-none";
                    if($user obj && $user obj->role name == "Administrator"){
                        $admin class = "";
                    }
                ?>
                <div class="mt-3 mb-5 form-check <?=$admin class?>">
                    <input class="form-check-</pre>
input" type="checkbox" id="inactive" value="true"/>
                    <label class="form-check-label" for="inactive">
                    Inactive products
                    </label>
                </div>
                <div class="mt-3 mb-5">
                    <!-- <h3 class="h5 font-weight-light">Subcategories: </h3> -->
                    <?php
```

```
foreach(get_subcategories($category->category_id) as $cat):
                       ?>
                           <input class="form-check-</pre>
input" type="checkbox" id="subcategory-<?=$cat->category_id?>" value="<?=$cat-</pre>
>category_id?>"/>
                              <label class="form-check-label" for="subcategory-</pre>
<?=$cat->category_id?>">
                              <?=$cat->category_name?>
                              </label>
                          <?php
                          endforeach;
                       ?>
                   </div>
               <?php
                   if($category->genders_apply == "1"):
               ?>
               <div class="my-5">
                   <h3 class="h5 font-weight-light">Genders: </h3>
                   ul id="genders">
                       <?php
                           foreach(get_genders() as $gender):
                       ?>
                           <input class="form-check-</pre>
input" type="checkbox" id="gender-<?=$gender->gender_id?>" value="<?=$gender-</pre>
>gender_id?>"/>
                              <label class="form-check-label" for="gender-<?=$gender-</pre>
>gender_id?>">
                              <?=$gender->gender name?>
                              </label>
                          <?php
                           endforeach;
                       ?>
                   </div>
               <?php
                   endif;
               ?>
               <div class="my-5">
                   <h3 class="h5 font-weight-light">Conditions: </h3>
                   <?php
```

```
foreach(get_conditions() as $cond):
                         ?>
                             <input class="form-check-</pre>
input" type="checkbox" id="condition-<?=$cond->condition_id?>" value="<?=$cond-</pre>
>condition id?>"/>
                                 <label class="form-check-label" for="condition-<?=$cond-</pre>
>condition id?>">
                                 <?=$cond->condition_name?>
                                 </label>
                             <?php
                             endforeach;
                    </div>
                <div class="form-group">
                    <label for="min-price" class="font-weight-</pre>
light h5">Min price ($):</label>
                    <input type="text" id="min-price" class="form-</pre>
control" placeholder="For example: 15"/>
                </div>
                <div class="form-group">
                    <label for="max-price" class="font-weight-</pre>
light h5">Max price ($):</label>
                    <input type="text" id="max-price" class="form-</pre>
control" placeholder="For example: 45"/>
                </div>
                <div class="form-group pt-3">
                    <label for="min-price" class="font-weight-</pre>
light h5">Location:</label><br/>>
                    <?php
                        $d_class = $user_obj ? "" : "d-none";
                    <div class="form-check <?=$d class?>">
                        <input class="form-check-input" type="checkbox" id="user-</pre>
location" value="true"/>
                        <label class="form-check-label" for="user-location">
                        Only my location
                        </label>
                    </div>
                    <input type="text" id="location" class="form-</pre>
control" placeholder="Enter city and/or country"/>
                    <small class="text-muted">Example 1: Belgrade, Serbia</small><br/>><br/>
```

```
<small class="text-muted">Example 2: London</small>
                </div>
            </div>
            <div id="products-panel" class="col-12 col-sm-7 col-md-8 col-lg-8 col-xl-</pre>
10 m-0">
                <div id="products-grid-options" class="row justify-content-between">
                    <div class="col-12 col-sm-12 col-xl-5 my-2 m-md-none">
                        <span><span class="fas fa-</pre>
search"></span> Search products:</span>
                        <div class="row m-0">
                             <input type="text" class="form-control col-</pre>
12" value="" id="search-products" placeholder="Enter keywords here"/>
                            <!-- <a href="#!" id="search-products-btn" class="col-
2 btn btn-primary"><span class="fas fa-search"></span></a> -->
                        </div>
                    </div>
                    <div class="col-12 col-sm-6 col-xl-4 my-2 m-md-none">
                        <span><span class="fas fa-sort"></span> Sort by:</span>
                        <select class="form-control" id="sort-products">
                            <option value="product views desc">Popularity</option>
                            <option value="product_date_created desc">Most recently adde
d</option>
                            <option value="product price asc">Price ascending</option>
                            <option value="product price desc">Price descending</option>
                            <option value="product_title asc">Name ascending</option>
                            <option value="product title desc">Name descending</option>
                          </select>
                    </div>
                    <div class="col-12 col-sm-6 col-xl-3 my-2 m-md-none">
                        <span><span class="fas fa-layer-</pre>
group"></span> Pagination:</span>
                        <select class="form-control" id="paginate-products">
                            <option value="0">None</option>
                            <option value="8" selected="selected">8 products per page/o
ption>
                            <option value="16">16 products per page</option>
                          </select>
                    </div>
                </div>
                <div id="products-grid" class="row m-0 mt-4">
                    <!-- <div class="product-wrapper col-12 col-md-6 col-xl-3 p-4">
                        <a class="product" href="index.php?page=product&id=1">
                            <div class="border rounded shadow row">
                                <img class="col-12 p-</pre>
0 rounded" src="assets/images/test.jpg" alt="ddf"/>
```

```
<h5 class="col-12 h4 pt-3 font-weight-light text-
dark">Naslov proizvodaa Naslov proizvodaa Naslov proizvodaa Naslov pro
izvodaa </h5>
                                <div class="col-12 d-flex flex-column justify-content-</pre>
center text-right p-3 text-primary">
                                    <div class="h5 font-weight-light">$1.300,00</div>
                                    <div class="font-weight-light"><span class="far fa-</pre>
eye"></span> 451</div>
                                </div>
                            </div>
                        </a>
                    </div> -->
                </div>
                <div id="pagination" class="mt-5 text-center">
            </div>
        </section>
</main>
```

3.1.16 views/pages/profile.php

```
<section id="account-panel" class="slim row p-4 h6 font-weight-light">
    <div id="account-info" class="col-12 col-md-6">
        <h2 class="text-muted my-3 font-weight-light h4">Info</h2>
        <div class="my-2">
            <span class="fas fa-user color-primary"></span> <?=$user obj->username?>
        </div>
        <div class="my-2">
            <span class="fas fa-signature color-primary"></span> <?=$user obj-</pre>
>full name?>
        </div>
        <div class="my-2">
            <span class="fas fa-envelope color-primary"></span> <?=$user obj->email?>
        </div>
        <div class="my-2">
            <span class="fas fa-map-marker-alt color-primary"></span> <?=$user obj-</pre>
>city?>, <?=$user obj->country?>
        </div>
        <div class="my-2">
            <span class="fas fa-calendar-alt color-</pre>
primary"></span> Date created: <?=$user obj->user date created?>
        </div>
        <div class="my-2">
```

```
<span class="fas fa-laptop-house color-primary"></span> Role: <?=$user obj-</pre>
>role name?>
       </div>
   </div>
   <div id="change-pw-wrapper" class="col-12 col-md-6">
       <h2 class="text-muted my-3 font-weight-light h4">Change password</h2>
       <form name="change-pw" id="change-pw" action="models/users/user-change-</pre>
pw.php" method="post">
           <input type="password" name="old-pw" id="old-pw" class="form-control my-</pre>
2" placeholder="Old password" data-title="old password"/>
           <input type="password" name="new-pw" id="new-pw" class="form-control my-</pre>
2" placeholder="New password" data-title="new password"/>
           <input type="password" name="confirm-pw" id="confirm-pw" class="form-</pre>
control my-2" placeholder="Confirm new password" data-title="password confirmation"/>
           <button type="submit" id="btn-change-pw" name="btn-change-
pw" class="btn btn-primary">Change</button>
       </form>
       <?php
           if(isset($ GET["error"])){
               echo "".$_GET["error"]."";
           if(isset($ GET["message"])){
           echo "".$_GET["message"]."";
       ?>
   </div>
</section>
```

3.1.17 views/pages/register.php

```
<div class="form-group">
                <label for="full-name">Full Name:</label>
                <input type="text" name="full-name" id="full-name" data-</pre>
title="Full name" class="form-control"/>
            </div>
            <div class="form-group">
                <label for="email">E-mail:</label>
                 <input type="text" name="email" id="email" data-title="E-</pre>
mail" class="form-control"/>
            </div>
            <div class="form-group">
                <label for="username">Username:</label>
                <input type="text" name="username" id="username" data-</pre>
title="Username" class="form-control"/>
            </div>
            <div class="form-group">
                <label for="username">City/area:</label>
                 <input type="text" name="city" id="city" data-title="City" class="form-</pre>
control"/>
            </div>
            <div class="form-group">
                <label for="username">Country:</label>
                <input type="text" name="country" id="country" data-</pre>
title="Country" class="form-control"/>
            </div>
            <div class="form-group">
                <label for="password">Password:</label>
                 <input type="password" name="password" id="password" data-</pre>
title="Password" class="form-control"/>
            </div>
            <div class="form-group">
                <label for="password-repeat">Confirm password:</label>
                <input type="password" name="password-repeat" id="password-repeat" data-</pre>
title="Password repeat" class="form-control"/>
            </div>
            <input type="submit" value="Register" name="btn-register" class="btn btn-</pre>
primary"/>
        </form>
    </main>
```

3.1.18 views/pages/sell.php

```
<section id="sell-promo" class="p-2 container mx-auto">
    <?php</pre>
```

```
if(isset($_GET["message"])){
                echo "<p class='alert alert-info mt-3 mx-
auto'>".$_GET["message"]."";";
            if(isset($_GET["error"])){
                echo "<p class='alert alert-danger mt-3 mx-
auto'>".$ GET["error"]."";";
        ?>
    <div id="sell-promo-1" class="py-5 m-0 row container-fluid justify-content-</pre>
center align-items-center">
        <img class="col-7 col-md-3" src="assets/img/sell-step-1.png"/>
        <div class="col-7 col-md-4 p-3">
            <h4 class="h5 font-weight-
light">1. Put your item up for sale by using the form below and set desired price.</h4>
        </div>
    </div>
    <div id="sell-promo-2" class="py-5 m-0 row container-fluid justify-content-</pre>
center align-items-center">
        <div class="col-7 col-md-4 p-3">
            <h4 class="h5 font-weight-light text-
right">2. Wait for buyers to make offers. You can also chat with them after their price
proposal.</h4>
        </div>
        <img class="col-7 col-md-3" src="assets/img/sell-step-2.png"/>
    </div>
    <div id="sell-promo-3" class="py-5 m-0 row container-fluid justify-content-</pre>
center align-items-center">
        <img class="col-7 col-md-3" src="assets/img/sell-step-3.png"/>
        <div class="col-7 col-md-4 p-3">
            <h4 class="h5 font-weight-
light">3. Accept the best offer and contact the buyer about delivery or picking up terms
.</h4>
        </div>
    </div>
</section>
<?php
   if(!$user obj):
    center">To add new item, you must <a href="index.php?page=login" class="font-weight-
bold">log in</a> first.
<?php
```

```
else:
        require_once "models/products/functions.php";
        $categories = get categories();
        $arranged_categories = arrange_categories($categories);
        $conditions = get_conditions();
        $genders = get genders();
?>
<section id="add-product-wrapper" class="slim row mx-auto mt-5 py-4">
    <h3 class="h4 font-weight-light my-5">Add new item</h3>
    <form id="sell-item-form" action="models/products/user-submit-new-</pre>
product.php" method="post" enctype="multipart/form-data" class="w-100">
        <div class="form-group">
                <label for="product-title">Title:</label>
                <input type="text" name="product-title" id="product-title" data-</pre>
title="Title" class="form-control"/>
        </div>
        <div class="form-group">
                <label for="product-description">Description:</label>
                <textarea name="product-description" id="product-description" data-</pre>
title="Description" class="form-control"rows="10"></textarea>
        </div>
        <div class="form-group">
                <label for="product-category">Category:</label>
                <select name="product-category" id="product-category" data-</pre>
title="category" class="form-control">
                    <option value="0">Select...</option>
                    <?php
                        foreach($arranged categories as $cat):
                    ?>
                        <optgroup label="<?=$cat["name"]?>">
                        <?php
                             foreach($cat["subcategories"] as $subcat):
                                 <option value="<?=$subcat["id"]?>"><?=$subcat["name"]?>
option>
                        <?php
                             endforeach;
                        ?>
                        </optgroup>
                    <?php
                        endforeach;
                    ?>
                </select>
        </div>
        <div class="form-group">
                <label for="product-price">Price ($):</label>
```

```
<input type="number" name="product-price" id="product-price" data-</pre>
title="Price" min="0.1" value="10" step="0.1" class="form-control"/>
        <div class="form-group">
                <label for="product-condition">Condition:</label>
                <select name="product-condition" id="product-condition" data-</pre>
title="condition" class="form-control">
                    <option value="0" selected="selected">Select...</option>
                    <?php
                        foreach($conditions as $cond):
                    ?>
                        <option value="<?=$cond->condition id?>"><?=$cond-</pre>
>condition_name?></option>
                    <?php
                        endforeach;
                    ?>
                </select>
        </div>
        <div class="form-group mb-0 pt-3">
                <input type="checkbox" name="genders-apply" id="genders-apply"/>
                <label for="genders-apply">Gender applies to this item:</label>
        </div>
        <div class="form-group">
                <label for="gender" class="text-black-50">Select gender:</label>
                <select name="gender" disabled="disabled" id="gender" class="form-</pre>
control">
                    <option value="0" selected="selected">Select...</option>
                    <?php
                        foreach($genders as $gend):
                    ?>
                        <option value="<?=$gend->gender id?>"><?=$gend-</pre>
>gender_name?></option>
                    <?php
                        endforeach;
                    ?>
                </select>
        </div>
        Photos (min 1):
        <div id="product-photos" class="my-2">
            <div class="my-2">
                <input type="file" name="photo-1"/>
            </div>
        </div>
        <a href="#!" id="add-new-photo"><span class="fas fa-plus-circle text-</pre>
success"></span> Add another photo</a>
```

3.1.19 views/pages/user-offers.php

```
<section id="all-offers-wrapper" class="container py-3 mx-auto">
    <?php
            if(isset($_GET["message"])){
                echo "<p class='alert alert-info mt-3 mx-
auto'>".$_GET["message"]."";
           if(isset($_GET["error"])){
                echo "<p class='alert alert-danger mt-3 mx-
auto'>".$_GET["error"]."";";
            }
            require once "models/offers/functions.php";
            $offers = get_all_offers_by_user($user_obj->user_id);
            if($offers):
                foreach($offers as $offer):
                    switch($offer->offer_status){
                        case "0":
                            $class="warning";
                            $status = "pending";
                            break;
                        case "1":
                            $class="success";
                            $status = "accepted";
                            break;
                        case "2":
                            $class="danger";
                            $status="rejected";
                            break;
                        default:
                            $class="muted";
                            $status ="unknown";
                    }
    <div id="offer-wrapper" class="p-0 mx-0 my-3 container-fluid row border rounded">
```

```
<img class="offer-product-image col-12 col-sm-5 col-md-4 p-</pre>
0 rounded" src="assets/images/<?=$offer->product thumbnail?>" alt="<?=$offer-</pre>
>product title?>"/>
        <div class="offer-info col-12 col-sm-4 col-md-4 p-3">
              <h3 class="h5 font-weight-light mb-3"><?=$offer->product_title?></h3>
              <div class="mb-2">
                Status: <span class="text-<?=$class?>"><?=$status?></span>
              </div>
              <div>
                <a href="index.php?page=product&id=<?=$offer->product_id?>">View product
                <?php
                    if($offer->active == "1"):
                ?>
                / change offer
                <?php
                    endif;
                ?></a>
              </div>
              <?php
                if($status == "pending"):
              ?>
              <div>
                <a href="models/offers/user-remove-offer.php?product-id=<?=$offer-
>product_id?>&return=user-offers" class="text-danger">Remove offer</a>
              </div>
              <?php
                endif;
                if($status=="accepted" && $offer->buyer_rating == null):
              ?>
                    <form id="rate-seller" action="models/offers/rate-</pre>
seller.php" method="POST" class="pt-3 d-flex align-items-start">
                         <input type="hidden" name="offer-id" value="<?=$offer-</pre>
>offer id?>"/>
                        <input type="number" min="1" max="5" value="5" name="rating" cla</pre>
ss="form-control"/>
                        <input type="submit" value="Rate seller" class="btn btn-</pre>
primary m1-2" name="btn-rate"/>
                    </form>
            <?php
                endif;
            ?>
        </div>
        <div class="offer-amount-chat col-12 col-sm-3 col-md-4 text-sm-center p-3">
            <h4 class="h5 font-weight-light">Your offer:</h4>
            <div class="text-primary mb-3">$<?=$offer->offer price?></div>
            <?php
                if($offer->offer status != "2"):
```

```
?>
              <div><a href="index.php?page=c-h-a-t&offer-id=<?=$offer-</pre>
>offer_id?>" class="btn btn-primary">Chat with the seller
              <?php
                  if($offer->buyer_new_messages > 0):
                     <div class="badge badge-danger"><?=$offer-</pre>
>buyer_new_messages?></div>
              <?php
                  endif;
              ?>
              </a>
              </div>
              1">When the seller approves your offer, they will contact you for delivery agreement.</p
           <?php
              endif;
           ?>
       </div>
   </div>
   <?php
          endforeach;
       else:
   ?>
       auto">You haven't made any offers yet.
   <?php
       endif;
</section>
```

3.1.20 views/pages/user-products.php

```
<section id="all-product-offers-grid" class="container py-3 mx-auto">

<?php

require_once "models/offers/functions.php";
    $arranged_products = (arrange_products_with_offers(get_all_products_with_offers_by_s
eller()));

if(isset($_GET["message"])){
    echo "<p class='alert alert-info container mt-3 mx-
auto'>".$_GET["message"]."";
```

```
if(isset($ GET["error"])){
       echo "<p class='alert alert-danger container mt-3 mx-
auto'>".$ GET["error"]."";";
   if(count($arranged products) <= 0){</pre>
        echo "<p class='alert alert-secondary container py-3 my-5 mx-
auto'>You haven't created any items yet.";
       die();
   foreach($arranged_products as $product):
       if($product["status"]=="0"){
           $status = "Inactive";
           $class = "danger";
       }
       else {
           $status = "Active";
           $class ="success";
       }
?>
   <div id="product-wrapper" class="p-0 mx-0 my-3 container-fluid row border rounded">
        <img class="product-image col-12 col-sm-5 col-md-4 p-</pre>
0 rounded" src="assets/images/<?=$product["thumbnail"]?>" alt="<?=$product["title"]?>"/
       <div class="product-info col-12 col-sm-4 col-md-4 p-3">
             <h3 class="h5 font-weight-light mb-3"><?=$product["title"]?></h3>
             <div class="mb-2">
               Status: <span class="text-<?=$class?>"><?=$status?></span>
             </div>
             <div>
               <a href="index.php?page=product&id=<?=$product["id"]?>">View product</a>
             </div>
       </div>
       <div class="product-price col-12 col-sm-3 col-md-4 text-sm-center p-3">
           <h4 class="h5 font-weight-light">Desired price:</h4>
           <div class="text-primary mb-3">$<?=$product["price"]?></div>
           1">When you approve a buyer's offer, contact them for delivery agreement.
       </div>
```

```
<div class="product-offers-wrapper mt-3 col-12">
            <div class="product-offer p-2 row h5 font-weight-light border-bottom">
                <div class="col-6 col-md-3">Offer</div>
                <div class="col-6 col-md-3">Buyer</div>
                <div class="d-none d-md-block col-sm-6"></div>
            </div>
            <?php
                if(count($product["offers"])<=0):</pre>
                    echo "No offers.";
               elseif($status == "Active"):
                    foreach($product["offers"] as $offer):
            ?>
            <div class="product-offer p-2 row ">
                <div class="col-6 col-md-3 py-2">$<?=$offer->offer_price?></div>
                <div class="col-6 col-md-3 py-2"><?=$offer->username?></div>
                <div class="col-12 col-md-6 py-2">
                    <a href="models/offers/seller-accept.php?id=<?=$offer-</pre>
>offer id?>" class="btn btn-success m-1">Accept this offer</a>
                    <a href="index.php?page=c-h-a-t&offer-id=<?=$offer-</pre>
>offer_id?>" class="btn btn-primary m-1">Chat with buyer
                    <?php
                        if($offer->seller new messages > 0):
                    ?>
                            <div class="badge badge-danger"><?=$offer-</pre>
>seller_new_messages?></div>
                    <?php
                        endif;
                    ?>
                    </a>
                </div>
            </div>
            <?php
                    endforeach;
                else:
                    $accepted_offer = (object)["offer_price"=>"Unknown", "username"=>"un
known", "offer id"=>"-1"];
                    foreach($product["offers"] as $offer){
                        if($offer->offer_status == "1"){
                            $accepted offer = $offer;
                            break;
```

```
}
                     }
            ?>
            <div class="product-offer p-2 row ">
                 <div class="col-6 col-md-3 py-2">$<?=$accepted_offer-</pre>
>offer price?></div>
                <div class="col-6 col-md-3 py-2"><?=$accepted_offer->username?></div>
                <div class="col-12 col-md-6 py-2">
                     <span class="px-2 text-success">Accepted offer</span>
                     <a href="index.php?page=c-h-a-t&offer-id=<?=$accepted_offer-</pre>
>offer_id?>" class="btn btn-primary m-1">Chat with buyer
                     <?php
                         if($offer->seller new messages > 0):
                     ?>
                             <div class="badge badge-danger"><?=$offer-</pre>
>seller new messages?></div>
                     <?php
                         endif;
                     ?>
                     </a>
                 </div>
            </div>
            <?php
                endif;
            ?>
        </div>
    </div>
    <?php
        endforeach;
    ?>
</section>
```

3.1.21 views/pages/wish-list.php

```
?>
            <div id="wish-list-product" class="p-0 mx-0 my-3 container-</pre>
fluid row border rounded">
                 <img class="wish-list-product-image col-12 col-sm-5 col-md-4 p-</pre>
0 rounded" src="assets/images/<?=$product->product_thumbnail?>" alt="<?=$product-</pre>
>product title?>"/>
                <div class="wish-list-product-info col-12 col-sm-4 col-md-4 p-3">
                     <h3 class="h5 font-weight-light mb-3"><?=$product-
>product_title?></h3>
                    <div class="mb-2">
                         Status: <?=$product->active == "1" ? "<span class='text-
success'>active" : "<span class='text-danger'>inactive"?></span>
                    </div>
                     <a href="index.php?page=product&id=<?=$product-</pre>
>product_id?>">View product</a>
                </div>
                <div class="wish-list-product-price col-12 col-sm-3 col-md-4 text-sm-</pre>
center p-3">
                     <h4 class="h5 font-weight-light">Price:</h4>
                     <div class="text-primary mb-3">$<?=$product->product_price?></div>
                 </div>
            </div>
    <?php
            endforeach;
        else:
    ?>
        <div class="alert alert-secondary my-5">Your wish list is empty.</div>
    <?php
        endif;
    ?>
    </section>
```

```
<?php
require_once "../../config/connection.php";
if(!($user_obj && $user_obj->role_name == "Administrator")){
    header("Location: ../../index.php");
    die();
if(!isset($_POST["btn-add"])){
    header("Location: ../../index.php");
    die();
$params = [];
$main_cat = "";
$q_mark = "";
$image_id = 0;
$is_main = isset($_POST["is-main"]);
if(!$is_main){
    $main_cat = "parent_category_id, ";
    $q_mark = "?,";
    $image id = "NULL";
    $params []= $_POST["main"];
$params []= $_POST["name"];
$params []= isset($_POST["gender-applies"]) ? "1" : "0";
try {
    $insert= $conn-
>prepare("INSERT INTO categories($main_cat category_name, category_image_id, genders_app
ly) VALUES($q_mark?,$image_id,?)");
    $operation result = $insert->execute($params);
    if($operation result){
        $message = "You have successfully added the category. Change the cover image by
visiting Cover images in Admin panel.";
        header("Location: ../../index.php?page=admin&panel=products&message=$message");
        die();
```

```
$error = "Failed to add the category.";

} catch(PDOException $ex){
    $error = "Failed to add the category, database error.";
    create_log(ERROR_LOG_FILE, $ex->getMessage());
}

header("Location: ../../index.php?page=admin&panel=products&error=$error");
```

3.1.23 models/admin/change-cover-image.php

```
<?php
require_once "../../config/connection.php";
if(!($user_obj && $user_obj->role_name == "Administrator")){
    header("Location: ../../index.php");
    die();
if(!isset($ POST["btn-change"])){
    header("Location: ../../index.php");
    die();
$tmp name = $ FILES["cover-image"]["tmp name"];
$filename = $_FILES["cover-image"]["name"];
$size = $_FILES["cover-image"]["size"];
if($filename == ""){
    header("Location: ../../index.php?page=admin&panel=covers&error=No file provided.");
    die();
if($size > 3 * 1024 * 1024){
    header("Location: ../../index.php?page=admin&panel=covers&error=Max. size is 3MB");
    die();
$ext = pathinfo($filename, PATHINFO_EXTENSION);
$allowed_ext = ["jpg", "jpeg", "png", "gif"];
if(!in array($ext, $allowed ext)){
```

```
header("Location: ../../index.php?page=admin&panel=covers&error=Allowed extenstions
jpg, jpeg, png, gif");
   die();
$new_filename = create_image($tmp_name, $ext);
$new thumbnail filename = create thumbnail($tmp name, $ext);
if($new filename && $new thumbnail filename){
   try {
        $insert = $conn-
>prepare("INSERT INTO images(image_filename, image_thumbnail_filename, image_title) VALU
ES(?,?,?)");
        $result = $insert-
>execute([$new_filename, $new_thumbnail_filename, "Cover image"]);
        if($_POST["type"]=="category"){
            $query_string = "UPDATE categories SET category_image_id = ? WHERE category_
id = ?";
            $query params = [$conn->lastInsertId(), $_POST["category-id"]];
        elseif($ POST["type"]=="page") {
            $query string = "UPDATE page info SET page image id = ? WHERE page id = ?";
            $query_params = [$conn->lastInsertId(), $_POST["page-id"]];
        }
        $update= $conn->prepare($query string);
        $operation result = $update->execute($query params);
        if($operation result){
            $message = "You have successfully changed the cover image.";
            header("Location: ../../index.php?page=admin&panel=covers&message=$message")
            die();
        }
        $error = "Failed to change the cover.";
    catch(PDOException $ex){
        $error = "Failed to change the cover.";
        create log(ERROR LOG FILE, $ex->getMessage());
    }
else {
    $error = "Failed to create image.";
```

```
header("Location: ../../index.php?page=admin&panel=covers&error=$error");
```

3.1.24 models/admin/change-user-ban-status.php

```
<?php
require_once "../../config/connection.php";
if(!($user_obj && $user_obj->role_name == "Administrator")){
    header("Location: ../../index.php");
    die();
if(!isset($_GET["id"])){
    header("Location: ../../index.php");
    die();
$user_id = $_GET["id"];
$description = isset($_GET["description"]) ? $_GET["description"] : false;
if($description){
    try {
        $insert_query = $conn-
>prepare("INSERT INTO bans(user id, ban description) VALUES(?,?)");
        $operation result = $insert query->execute([$user id, $description]);
        if($operation result){
            $message = "You have successfully banned the user.";
            header("Location: ../../index.php?page=admin&panel=users&message=$message");
            die();
        }
        $error = "Failed to ban the user.";
    catch(PDOException $ex){
        $error = "Failed to ban the user, database error.";
        create_log(ERROR_LOG_FILE, $ex->getMessage());
```

```
}
else {
    try {
        $insert query = $conn->prepare("DELETE FROM bans WHERE user id = ?");
        $operation_result = $insert_query->execute([$user_id]);
        if($operation result){
            $message = "You have successfully unbanned the user.";
            header("Location: ../../index.php?page=admin&panel=users&message=$message");
            die();
        }
        $error = "Failed to unban the user.";
    catch(PDOException $ex){
        $error = "Failed to unban the user, database error.";
        create_log(ERROR_LOG_FILE, $ex->getMessage());
header("Location: ../../index.php?page=admin&panel=users&error=$error");
```

3.1.25 models/admin/change-user-password.php

```
<?php
require_once "../../config/connection.php";
if(!($user_obj && $user_obj->role_name == "Administrator")){
    header("Location: ../../index.php");
    die();
}
if(!isset($_POST["id"])){
    header("Location: ../../index.php");
    die();
}
$user_id = $_POST["id"];
$pw = md5($_POST["password"]);
```

```
try {
    $update= $conn->prepare("UPDATE users SET password = ? WHERE user_id = ?");
    $operation_result = $update->execute([$pw, $user_id]);

    if($operation_result){
        $message = "You have successfully changed the user's password.";
        header("Location: ../../index.php?page=admin&panel=users&message=$message");
        die();
}

$error = "Failed to change the user's password.";
}
catch(PDOException $ex){
        $error = "Failed to change the user's password, database error.";
        create_log(ERROR_LOG_FILE, $ex->getMessage());
}
header("Location: ../../index.php?page=admin&panel=users&error=$error");
```

3.1.26 models/admin/export-offers-to-excel.php

```
<?php
    require_once "../../config/connection.php";
    require_once "functions.php";

if(!($user_obj && $user_obj->role_name == "Administrator")){
        header("Location: ../../index.php");
        die();
    }

if(!isset($_GET["id"])){
        header("Location: ../../index.php");
        die();
}

$id = $_GET["id"];
$offers = get_offers_by_product($id);
```

```
header("Content-Disposition: attachment; filename=offers for product $id.xls");
   header("Content-Type: application/vnd.ms-excel");
   $excel string = "";
   if($offers[0]->offer_id != null){
       add_offer_line("ID", "Buyer", "Price", "Status", "Message count");
       foreach($offers as $offer){
          switch($offer->offer_status){
              case 0: $status = "pending"; break;
              case 1: $status = "accepted"; break;
              case 2: $status = "rejected"; break;
              default: $status = "unknown";
          add_offer_line($offer->offer_id, $offer->buyer_username, "$".$offer-
>offer price, $status, $offer->message count);
   }
   else {
       $excel_string .= "No offers.";
   echo $excel_string."";
   function add_offer_line($id, $buyer, $status, $price, $chat_count){
       global $excel string;
       $excel string.="
          $id
          $buyer
          $status
          $price
          $chat count
       ";
```

3.1.27 models/admin/functions.php

```
<?php
function get_stats($today=false){

    $page_stats = [];
    $users = [];
    $count = 0;

$log_file = fopen(LOG_FILE, "r");
    if($log_file) {</pre>
```

```
$size = filesize(LOG FILE);
            while (!feof($log_file)) {
                $line = stream_get_line($log_file, $size, "\n\n");
                if(!trim($line)){
                    continue;
                }
                list($timestamp, $username, $ip, $url, $target) = explode("\n", $line);
                if($target == "(no target page)"){
                    continue;
                if($today){
                    $min = strtotime("today 00:00:01");
                    if(strtotime($timestamp) < $min){</pre>
                        continue;
                    }
                    if($username != "(guest)" && !in_array($username, $users)){
                        $users []= $username;
                    }
                $count++;
                if(isset($page_stats[$target])){
                    $page_stats[$target]++;
                }
                else {
                    $page_stats[$target] = 1;
                }
            fclose($log_file);
            arsort($page_stats);
        }
        return ["page_percentages"=>get_page_view_percentages($page_stats, $count), "use
rs"=>$users];
    }
    function get_page_view_percentages($page_stats, $total){
        if($total == 0){
            return $page_stats;
        foreach($page_stats as $i=>$value){
            $page stats[$i] = number format($value / $total * 100, 1);
74
```

```
}
        return $page_stats;
    function pending_offers(){
        try {
            $result = select_query("SELECT COUNT(*) AS offer_count FROM offers WHERE off
er_status = 0", true);
            if(!$result){
                return 0;
            }
            else {
                return $result[0]->offer count;
        catch(PDOException $ex){
            create_log(ERROR_LOG_FILE, $ex->getMessage());
            return 0;
        }
    }
    function products_created_today(){
        try {
            $result = select_query("SELECT COUNT(*) AS product_count FROM products WHERE
 product_date_created > CURDATE()", true);
            if(!$result){
                return 0;
            }
            else {
                return $result[0]->product count;
        catch(PDOException $ex){
            create_log(ERROR_LOG_FILE, $ex->getMessage());
            return 0;
        }
    function get_offers_by_product($product_id){
        global $conn;
        try {
            $select = $conn-
>prepare("SELECT o.*, p.product_title, p.active, p.product_price, u.username AS buyer_us
ername, (SELECT COUNT(*) FROM messages WHERE offer id = o.offer id) AS message count FRO
M products p LEFT JOIN offers o ON o.product_id = p.product_id LEFT JOIN users u ON u.u
ser id = o.buyer id WHERE p.product id = ?");
```

```
$select->execute([$product_id]);
            $result = $select->fetchAll();
            if(!$result){
                $result = [];
        catch(PDOException $ex){
            create_log(ERROR_LOG_FILE, $ex->getMessage());
            $result = [];
        }
        return $result;
    }
    function get_chat_by_offer($offer_id){
        global $conn;
        try {
            $select = $conn-
>prepare("SELECT *, (SELECT username FROM users WHERE user_id = o.buyer_id) AS buyer FRO
M offers o JOIN products p ON o.product id = p.product id LEFT JOIN messages m ON m.off
er_id = o.offer_id LEFT JOIN users u ON u.user_id = m.sender_id WHERE o.offer_id = ? ORD
ER BY m.message timestamp ASC");
            $select->execute([$offer_id]);
            $result = $select->fetchAll();
            if(!$result){
                $result = [];
            }
        catch(PDOException $ex){
            create_log(ERROR_LOG_FILE, $ex->getMessage());
            $result = [];
        }
        return $result;
```

3.1.28 models/admin/get-users.php

```
if(!isset($_POST["search"])){
    header("Location: ../../index.php");
    die();
}

require_once "../../config/connection.php";
```

```
header("Content-Type: application/json");
    if(!($user_obj && $user_obj->role_name == "Administrator")){
        echo json encode([]);
       http_response_code(406);
        die();
    }
   $search = $_POST["search"];
   try {
        $select = $conn-
>prepare("SELECT u.*, b.ban_description FROM users u LEFT JOIN bans b ON u.user_id = b.u
ser_id WHERE u.role_id <> 2 AND (username LIKE ? OR email LIKE ?) ORDER BY u.user_id");
        $select->execute(["%$search%","%$search%"]);
        $users = $select->fetchAll();
        if($users){
            $response code = 200;
        else {
            $users = [];
            $response_code = 204;
        }
    catch(PDOException $ex){
        $users = [];
        create_log(ERROR_LOG_FILE, $ex->getMessage());
        $response_code = 500;
   echo json_encode($users);
   http_response_code($response_code);
```

3.1.29 models/admin/make-product-inactive.php

```
<?php
require_once "../../config/connection.php";
if(!($user_obj && $user_obj->role_name == "Administrator")){
```

```
header("Location: ../../index.php");
    die();
if(!isset($_GET["id"])){
    header("Location: ../../index.php");
    die();
$product_id = $_GET["id"];
try {
    $update= $conn->prepare("UPDATE products SET active = 0 WHERE product id = ?;
        UPDATE offers SET offer status = 2 WHERE product id = ?");
    $operation_result = $update->execute([$product_id, $product_id]);
    if($operation_result){
        $message = "You have successfully made the product inactive.";
        header("Location: ../../index.php?page=product&id=$product_id&message=$message")
        die();
    $error = "Failed to make the product inactive.";
catch(PDOException $ex){
    $error = "Failed to make the product inactive, database error.";
    create_log(ERROR_LOG_FILE, $ex->getMessage());
header("Location: ../../index.php?page=product&id=$product_id&error=$error");
```

3.1.30 models/admin/remove-category.php

```
<?php
require_once "../../config/connection.php";
if(!($user_obj && $user_obj->role_name == "Administrator")){
   header("Location: ../../index.php");
   die();
```

```
if(!isset($_POST["btn-remove"])){
    header("Location: ../../index.php");
    die();
$id = $_POST["remove-category-id"];
try {
    $test= $conn-
>prepare("SELECT * FROM categories c WHERE c.category_id = ? AND (EXISTS(SELECT * FROM p
roducts WHERE category_id = c.category_id) OR EXISTS (SELECT * FROM categories WHERE par
ent_category_id = c.category_id))");
    $test->execute([$id]);
    $exists = $test->fetch();
    if(!$exists){
        $delete= $conn->prepare("DELETE FROM categories WHERE category_id = ?");
        $operation_result = $delete->execute([$id]);
        if($operation result){
            $message = "You have successfully removed the category.";
            header("Location: ../../index.php?page=admin&panel=products&message=$message
');
            die();
        }
    }
    $error = "Failed to remove the category. Maybe it contains items or subcategories?";
catch(PDOException $ex){
    $error = "Failed to remove the category, database error.";
    create_log(ERROR_LOG_FILE, $ex->getMessage());
header("Location: ../../index.php?page=admin&panel=products&error=$error");
```

3.1.31 models/admin/unlock-user.php

```
<?php
```

```
require_once "../../config/connection.php";
if(!($user_obj && $user_obj->role_name == "Administrator")){
    header("Location: ../../index.php");
    die();
if(!isset($_GET["id"])){
    header("Location: ../../index.php");
    die();
$user_id = $_GET["id"];
try {
    $update= $conn->prepare("UPDATE users SET unlock_code = NULL WHERE user_id = ?");
    $operation_result = $update->execute([$user_id]);
    if($operation result){
        $message = "You have successfully unlocked the user.";
        header("Location: ../../index.php?page=admin&panel=users&message=$message");
        die();
    }
    $error = "Failed to unlock the user.";
catch(PDOException $ex){
    $error = "Failed to unlock the user, database error.";
    create_log(ERROR_LOG_FILE, $ex->getMessage());
header("Location: ../../index.php?page=admin&panel=users&error=$error");
```

3.1.32 models/mail/functions.php

```
<?php

function send_mail($email, $subject, $html, $reply_info = false){

    $mail = new PHPMailer\PHPMailer\PHPMailer();
    $mail->isSMTP();
    $mail->Host = env("PHPMAILER_SMTP");
```

```
$mail->SMTPAuth = true;
$mail->SMTPSecure = "tls";
$mail->Port = "587";
$mail->Username = env("PHPMAILER_MAIL");
$mail->Password = env("PHPMAILER_PASSWORD");

$mail->Subject = $subject;
$mail->setFrom(env("PHPMAILER_MAIL"));
$mail->isHTML(true);
$mail->isHTML(true);
$mail->addAddress($email);

if($reply_info){
    $mail->AddReplyTo($reply_info["email"], "Reply to ".$reply_info["name"]);
}

$result = $mail->send();
$mail->smtpClose();

return [$result, $mail];
}
```

3.1.33 models/mail/send-mail.php

```
<?php
   if(!isset($_POST["btn-send"])){
       header("Location: ../../index.php?page=home");
       die();
   require_once "../../config/connection.php";
   require_once "functions.php";
   require_once "../../PHPMailer/includes/PHPMailer.php";
   require once "../../PHPMailer/includes/SMTP.php";
   require_once "../../PHPMailer/includes/Exception.php";
   $name = $_POST["name"];
   $email = $ POST["email"];
   $message = $_POST["message"];
   float = "
       <h1>Message by $name</h1>
       <h2>Email address: $email</h2>
       <br/>
       $message";
```

```
$response = send_mail("swiftmarket.infinityapp@gmail.com", "New message from $name",
$html, ["email"=>$email, "name"=>$name]);

if ($response[0]) {
    header("Location: ../../index.php?page=contact&message=Message successfully sent
. We will reply to you.");
  }
  else{
    header("Location: ../../index.php?page=contact&error=Error sending message. Try
again later.");
    create_log(ERROR_LOG_FILE, "Mailer Error: ".$response[1]->ErrorInfo);
}
```

3.1.34 models/offers/functions.php

```
<?php
   function get_existing_offer($product_id, $buyer_id){
       try{
           global $conn;
            $select_query = $conn-
>prepare("SELECT * FROM offers WHERE product_id = ? AND buyer_id = ?");
            $select_query->execute([$product_id, $buyer_id]);
            return $select_query->fetch();
       catch(PDOException $ex){
            create_log(ERROR_LOG_FILE, $ex->getMessage());
            return false;
        }
   }
   function get_all_offers_by_user($id){
       try {
            global $conn;
           $select query = $conn-
>prepare("SELECT *, (SELECT image_thumbnail_filename FROM images WHERE product_id = p.pr
oduct_id LIMIT 1) AS product_thumbnail FROM offers o JOIN products p ON o.product_id = p
product_id WHERE buyer_id = ?");
           $select query->execute([$id]);
           return $select_query->fetchAll();
       catch(PDOException $ex){
           create_log(ERROR_LOG_FILE, $ex->getMessage());
```

```
return false;
   }
   function get_offer_info_for_chat($offer_id){
       global $conn, $user_obj;
       $user_id = $user_obj->user_id;
       try{
           $select_query = $conn-
>prepare("SELECT * FROM offers o JOIN products p ON p.product id = o.product id WHERE o
offer_id = ? AND (p.seller_id = ? OR o.buyer_id = ?) AND o.offer_status <> 2");
           $select_query->execute([$offer_id, $user_id, $user_id]);
           $result = $select query->fetch();
           if(!$result){
                return false;
           }
            if($result->seller id == $user id){
                $role = "seller";
           elseif($result->buyer_id == $user_id){
                $role = "buyer";
           else {
                return false;
           return [$role, $result];
       catch(PDOException $ex){
            create_log(ERROR_LOG_FILE, $ex->getMessage());
            return false;
   }
   function get_chat_rules_html(){
        $lines = file(ABSOLUTE PATH."/data/chat-rules.txt");
       $html = "";
        foreach($lines as $i=>$rule){
           $html .= "<div>".($i+1).". ".trim($rule)."</div>";
```

```
return $html;
    }
    function increment_new_messages($offer_id, $column){
        global $conn;
        try{
            $update = $conn-
>prepare("UPDATE offers SET `$column` = `$column` + 1 WHERE offer_id = ?");
            $update->execute([$offer id]);
        catch(PDOException $ex){
            create_log(ERROR_LOG_FILE, $ex->getMessage());
        }
    }
    function reset_new_messages($offer_id, $column){
        global $conn;
        try{
            $update = $conn-
>prepare("UPDATE offers SET $column = 0 WHERE offer_id = ?");
            $update->execute([$offer_id]);
        catch(PDOException $ex){
            create_log(ERROR_LOG_FILE, $ex->getMessage());
        }
    function get all products with offers by seller(){
        global $conn, $user_obj;
        try {
            $select query = $conn-
>prepare("SELECT *, (SELECT image_thumbnail_filename FROM images WHERE product_id = p.pro
duct id LIMIT 1) AS product thumbnail FROM offers o JOIN users u ON u.user id = o.buyer
id RIGHT JOIN products p ON p.product_id = o.product_id WHERE p.seller_id = ? ORDER BY p
.active DESC");
            $select query->execute([$user obj->user id]);
            return $select_query->fetchAll();
        catch(PDOException $ex){
```

```
create_log(ERROR_LOG_FILE, $ex->getMessage());
            return false;
        }
    function arrange_products_with_offers($array){
        $arranged products = [];
        $existing_products = [];
        foreach($array as $offer){
            if(in_array($offer->product_id, $existing_products)){
                continue;
            $arranged_products []= [
                "id"=>$offer->product id,
                "title"=>$offer->product title,
                "status"=>$offer->active,
                "price"=>$offer->product price,
                "thumbnail"=>$offer->product thumbnail,
                "offers"=>[]
            ];
            $existing products []= $offer->product id;
        foreach($array as $offer){
            if($offer->offer_id == null){
                continue;
            $index = array_search($offer-
>product_id, array_column($arranged_products, "id"));
            $arranged_products[$index]["offers"] []= $offer;
        }
        return $arranged_products;
```

3.1.35 models/offers/rate-seller.php

```
<?php
    require_once "../../config/connection.php";

if(!isset($_POST["offer-id"])){
    header("Location: ../../index.php");
    die();
}

if(!$user_obj){</pre>
```

```
header("Location: ../../index.php?page=login&messsage=You must log in first.");
       die();
   }
   $offer_id = $_POST["offer-id"];
   $buyer_id = $user_obj->user_id;
   $rating = $_POST["rating"];
   try {
       $update = $conn-
>prepare("UPDATE offers SET buyer rating = ? WHERE offer id = ? AND buyer id = ?");
       $operation_result = $update->execute([$rating, $offer_id, $buyer_id]);
       if($operation_result){
           $message = "You have successfully rated the seller.";
           header("Location: ../../index.php?page=user-offers&message=$message");
           die();
       }
       $error = "Failed to rate the seller, try again later.";
   catch(PDOException $ex){
       $error = "Failed to rate the seller, database error.";
       create_log(ERROR_LOG_FILE, $ex->getMessage());
   }
   header("Location: ../../index.php?page=user-offers&error=$error");
```

3.1.36 models/offers/seller-accept.php

```
<?php
    require_once "../../config/connection.php";

if(!isset($_GET["id"])){
    header("Location: ../../index.php");
    die();
}

if(!$user_obj){
    header("Location: ../../index.php?page=login&messsage=You must log in first.");
    die();
}
</pre>
```

```
$offer id = $ GET["id"];
   $user_id = $user_obj->user_id;
   try {
       $update = $conn-
>prepare("UPDATE offers o JOIN products p ON p.product_id = o.product_id
           SET o.offer status = 2
           WHERE o.product_id = (SELECT product_id FROM offers WHERE offer_id = ?)
               AND p.seller id = ?;
           UPDATE offers o JOIN products p ON p.product_id = o.product_id
               SET o.offer status = 1
               WHERE o.offer_id = ? AND p.seller_id = ?;
           UPDATE products
               SET active = 0
               WHERE product id = (SELECT product id FROM offers WHERE offer id = ?);
       ");
       $operation result = $update-
>execute([$offer_id, $user_id, $offer_id]);
       if($operation_result){
           $message = "You have successfully accepted the offer.";
           header("Location: ../../index.php?page=user-products&message=$message");
           die();
       }
       $error = "Failed to accept the offer, try again later.";
   catch(PDOException $ex){
       $error = "Failed to accept the offer, database error.";
       create_log(ERROR_LOG_FILE, $ex->getMessage());
   }
   header("Location: ../../index.php?page=user-products&error=$error");
```

3.1.37 models/offers/send-m-e-s-s-a-g-e.php

```
<?php
header("Content-type: application/json");</pre>
```

```
if(!isset($_POST["offer-id"])){
       header("Location: ../../index.php");
       die();
   require_once "../../config/connection.php";
   require once "../functions.php";
   require_once "functions.php";
   $offer_id = $_POST["offer-id"];
   $text = $_POST["text"];
   if(!($user_obj && in_array($offer_id, $_SESSION["allowed_chats"]))){
        echo json_encode(["success"=>false]);
       http_response_code(406);
       die();
   $user_id = $user_obj->user_id;
   try {
        $insert = $conn-
>prepare("INSERT INTO messages(sender_id, message_text, offer_id) VALUES(?,?,?)");
       $success = $insert->execute([$user_id, $text, $offer_id]);
       if($success){
            $response_code = 201;
            $isSeller = $_SESSION["chat_role"][$offer_id] == "seller";
            $isBuyer = $_SESSION["chat_role"][$offer_id] == "buyer";
            if($isSeller){
                increment_new_messages($offer_id, "buyer_new_messages");
            elseif($isBuyer) {
                increment_new_messages($offer_id, "seller_new_messages");
        }
       else {
            $response_code = 406;
   catch(PDOException $ex){
        create_log(ERROR_LOG_FILE, $ex->getMessage());
       $success = false;
        $response_code = 500;
```

```
echo json_encode(["success"=>$success]);
http_response_code($response_code);
```

3.1.38 models/offers/show-m-e-s-s-a-g-e-s.php

```
<?php
    header("Content-type: application/json");
    if(!isset($ GET["offer-id"])){
        header("Location: ../../index.php");
        die();
    require_once "../../config/connection.php";
   require_once "../functions.php";
    require once "functions.php";
   $offer id = $ GET["offer-id"];
    if(!($user_obj && in_array($offer_id, $_SESSION["allowed_chats"]))){
        echo json_encode(["messages"=>[]]);
        http_response_code(406);
        die();
   $user id = $user obj->user id;
   try {
        $select_query = $conn-
>prepare("SELECT *, (SELECT username FROM users WHERE user id = m.sender id) AS sender u
sername FROM messages m JOIN offers o ON o.offer id = m.offer id JOIN products p ON p.pr
oduct_id = o.product_id WHERE o.offer_id = ? ORDER BY message_timestamp ASC");
        $select query->execute([$offer id]);
        $messages = $select_query->fetchAll();
        if($messages){
            $response code = 200;
            $isSeller = $messages[0]->seller id == $user id;
            $isBuyer = $messages[0]->buyer id == $user id;
            if($isSeller && $messages[0]->seller new messages != 0){
                reset_new_messages($offer_id, "seller_new_messages");
            elseif ($isBuyer && $messages[0]->buyer_new_messages != 0){
                reset_new_messages($offer_id, "buyer_new_messages");
```

3.1.39 models/offers/user-remove-offer.php

```
<?php
   require_once "../../config/connection.php";
   require_once "functions.php";
   if(!isset($_GET["product-id"])){
        header("Location: ../../index.php");
       die();
   if(!$user_obj){
       header("Location: ../../index.php?page=login&messsage=You must log in first.");
       die();
   $buyer id = $user obj->user id;
   $product id = $ GET["product-id"];
   try {
        $delete = $conn-
>prepare("DELETE FROM offers WHERE product id = ? AND buyer id = ? AND offer status = 0"
);
       $operation result = $delete->execute([$product id, $buyer id]);
        if($operation result){
            $return_page = "product&id=$product_id";
            if(isset($ GET["return"])){
                $return_page = $_GET["return"];
            }
            $message = "You have successfully removed your offer.";
```

```
header("Location: ../../index.php?page=$return_page&message=$message");
    die();
}

$error = "Failed to remove your offer, try again later.";
}

catch(PDOException $ex){
    $error = "Failed to remove your offer, database error.";
    create_log(ERROR_LOG_FILE, $ex->getMessage());
}

header("Location: ../../index.php?page=product&id=$product_id&error=$error");
```

3.1.40 models/offers/user-submit-offer.php

```
<?php
    require once "../../config/connection.php";
   require_once "functions.php";
   if(!isset($_POST["btn-submit"])){
        header("Location: ../../index.php");
        die();
    }
    if(!$user_obj){
        header("Location: ../../index.php?page=login&message=You must log in first.");
        die();
   $buyer_id = $user_obj->user_id;
   $product id = $ POST["product-id"];
   $amount = $_POST["amount"];
   try {
        $already = get_existing_offer($product_id, $buyer_id);
        if($already){
            $update query = $conn-
>prepare("UPDATE offers SET offer_price = ? WHERE product_id = ? AND buyer_id = ?");
            $operation result = $update query-
>execute([$amount, $product_id, $buyer_id]);
        else {
```

```
$insert_query = $conn-
>prepare("INSERT INTO offers(product id, buyer id, offer price) VALUES(?,?,?)");
            $operation_result = $insert_query-
>execute([$product_id, $buyer_id, $amount]);
        if($operation result){
            $message = "You have successfully submitted your offer, see more details by
visiting My offers page.";
            header("Location: ../../index.php?page=product&id=$product_id&message=$messa
ge");
            die();
        }
        $error = "Failed to submit your offer, try again later.";
    }
    catch(PDOException $ex){
        $error = "Failed to submit your offer, database error.";
        create_log(ERROR_LOG_FILE, $ex->getMessage());
    }
    header("Location: ../../index.php?page=product&id=$product id&error=$error");
```

3.1.41 models/products/functions.php

```
function get_category_info($id){
    global $conn;
    try {
        $select_query = $conn-
>prepare("SELECT * FROM categories c JOIN images i ON i.image_id = c.category_image_id W
HERE c.category_id = ?");
        $select_query->execute([$id]);
        return $select_query->fetch();

    }
    catch(PDOException $ex){
        create_log(ERROR_LOG_FILE, $ex->getMessage());
        return false;
    }
}

function get_subcategories($id){
```

```
global $conn;
        try {
            $select_query = $conn-
>prepare("SELECT * FROM categories c WHERE parent_category_id = ?");
            $select_query->execute([$id]);
            $result = $select_query->fetchAll();
            if(!$result){
                $result = [];
            }
            return $result;
        catch(PDOException $ex){
            create_log(ERROR_LOG_FILE, $ex->getMessage());
            return [];
        }
    function get_categories($main = false){
        $where = "";
        if($main){
            $where = " WHERE parent_category_id IS NULL";
        try {
            $result = select_query("categories$where");
            if(!$result){
                $result = [];
            return $result;
        catch(PDOException $ex){
            create_log(ERROR_LOG_FILE, $ex->getMessage());
            return [];
        }
    }
    function arrange_categories($categories){
        $arranged = [];
        foreach($categories as $cat){
            if($cat->parent_category_id == null){
                $arranged []= ["id"=>$cat->category_id, "name" => $cat-
>category_name, "subcategories"=>[]];
        foreach($categories as $cat){
```

```
if($cat->parent_category_id != null){
                $index = array search($cat-
>parent_category_id, array_column($arranged, "id"));
                if($index !== false){
                    $arranged[$index]["subcategories"] []= ["id"=>$cat-
>category_id, "name" => $cat->category_name];
            }
        }
        return $arranged;
    function get_genders(){
        try {
            $result = select_query("genders");
            if(!$result){
                $result = [];
            return $result;
        catch(PDOException $ex){
            create_log(ERROR_LOG_FILE, $ex->getMessage());
            return [];
        }
    }
    function get_conditions(){
        try {
            $result = select_query("conditions");
            if(!$result){
                $result = [];
            return $result;
        catch(PDOException $ex){
            create_log(ERROR_LOG_FILE, $ex->getMessage());
            return [];
    }
    function get_product_info($id){
        global $conn;
```

```
try {
            $select query = $conn-
>prepare("SELECT *, (SELECT COUNT(*) FROM offers WHERE product id = p.product id) AS pro
duct offers, IFNULL((SELECT AVG(buyer rating) FROM offers WHERE product id IN (SELECT pr
oduct_id FROM products p2 WHERE p2.seller_id = p.seller_id)), 'No ratings yet') AS ratin
g FROM products p JOIN images i ON i.product_id = p.product_id JOIN categories c ON c.ca
tegory id = p.category id JOIN conditions cond ON cond.condition id = p.condition id JOI
N users u ON u.user id = p.seller id WHERE p.product id = ?");
            $select query->execute([$id]);
            return $select_query->fetchAll();
        catch(PDOException $ex){
            create_log(ERROR_LOG_FILE, $ex->getMessage());
            return false;
    }
    function increment_product_views($id){
        global $conn;
        try {
            $update_query = $conn-
>prepare("UPDATE products SET product views = product views + 1 WHERE product id = ?");
            return $update query->execute([$id]);
        catch(PDOException $ex){
            create_log(ERROR_LOG_FILE, $ex->getMessage());
            return false;
        }
    function get_products_from_wish_list(){
        global $conn, $user_obj;
        try {
            $select query = $conn-
>prepare("SELECT *, (SELECT image thumbnail filename FROM images WHERE product id = p.pr
oduct_id LIMIT 1) AS product_thumbnail FROM wish_list wl JOIN products p ON p.product_id
 = wl.product id WHERE wl.user id = ?");
            $select query->execute([$user obj->user id]);
            return $select query->fetchAll();
        catch(PDOException $ex){
```

```
create_log(ERROR_LOG_FILE, $ex->getMessage());
    return false;
}
```

3.1.42 models/products/get-categories.php

```
<?php
   header("Content-type: application/json");
   if(!isset($_GET["ajax"])){
       header("Location: ../../index.php");
       die();
   require_once "../../config/connection.php";
   require_once "../functions.php";
   try {
        $select_query = $conn-
>query("SELECT * FROM categories c JOIN images i ON i.image_id = c.category_image_id");
       $categories = $select_query->fetchAll();
       if(!$categories){
           $categories = [];
        }
       $response_code = 200;
   catch(PDOException $ex){
       create log(ERROR LOG FILE, $ex->getMessage());
       $categories = [];
       $response_code = 500;
   echo json encode($categories);
   http response code($response code);
```

3.1.43 models/products/get-products.php

```
<?php
header("Content-type: application/json");</pre>
```

```
if(!isset($ GET["cat id"])){
        header("Location: ../../index.php");
        die();
    }
    require once "../../config/connection.php";
    require_once "../functions.php";
   $status = 1;
    if($user_obj && $user_obj-
>role name == "Administrator" && isset($ GET["inactive"]) && $ GET["inactive"]=="true"){
        $status =
                   0;
   $cat id = $ GET["cat id"];
   $subcats = isset($ GET["subcategories"]) ? $ GET["subcategories"] : false;
   $genders = isset($_GET["genders"]) ? $_GET["genders"] : false;
   $conditions = isset($ GET["conditions"]) ? $ GET["conditions"] : false;
   $min_price = isset($_GET["min_price"]) ? trim($_GET["min_price"]) : false;
   $max_price = isset($_GET["max_price"]) ? trim($_GET["max_price"]) : false;
   $user location = isset($ GET["user location"]) ? $ GET["user location"] : false;
   $location = isset($_GET["location"]) ? trim($_GET["location"]) : false;
   $search = isset($_GET["search"]) ? trim($_GET["search"]) : false;
   $sort = isset($_GET["sort"]) ? $_GET["sort"] : "product_views desc";
   $pagination = isset($_GET["pagination"]) ? $_GET["pagination"] : 8;
   $page = isset($_GET["page_no"]) ? $_GET["page_no"] : 1;
   $filter string = "";
   $params_array = [$cat_id];
    prepare_multi_value_filter($subcats, "category_id");
    prepare_multi_value_filter($genders, "gender_id");
    prepare_multi_value_filter($conditions, "condition_id");
    function convert_to_int($el){
        return (int)$el;
    function prepare multi value filter($input, $column){
        global $filter_string, $params_array;
        if($input){
            $array = array_map("convert_to_int", explode(",",$input));
            $q_marks = implode(",", array_fill(0, count($array), "?"));
            $filter_string .= " AND $column IN (".$q_marks.")";
            $params_array = array_merge($params_array, $array);
```

```
if($min price){
        $filter_string .= " AND product_price > ?";
        $params_array []= $min_price;
    if($max price){
        $filter_string .= " AND product_price < ?";</pre>
        $params_array []= $max_price;
   if($user_location == "true" && $user_obj){
        $filter string .= " AND seller id IN (SELECT user id FROM users WHERE ? = LOWER(
CONCAT(city, ', ', country)))";
        $params_array []= $user_obj->city.", ".$user_obj->country;
   elseif($location){
        $filter_string .= " AND seller_id IN (SELECT user_id FROM users WHERE LOWER(CON
CAT(city, ', ', country)) LIKE ?)";
        $params_array []= "%$location%";
   if($search){
        $filter_string .= " AND LOWER(product_title) LIKE ?";
        $params_array []= "%$search%";
    if($sort){
        $col = explode(" ", $sort)[0];
        $dir = explode(" ", $sort)[1];
        if(in_array($col, ["product_views", "product_title", "product_price", "product_d
ate_created"]) && in_array($dir, ["asc", "desc"])){
            $filter_string .= " ORDER BY $col $dir";
        }
    if($pagination != 0){
        $limit_start = ((int)$page - 1) * (int)$pagination;
        $filter_string .= " LIMIT $limit_start, $pagination";
   count = 0;
   trv {
```

```
$select_query = $conn-
>prepare("SELECT *, (SELECT image thumbnail filename FROM images i WHERE i.product id =
p.product_id LIMIT 1) AS thumbnail
            FROM products p
            WHERE p.category_id IN
                    (SELECT category_id FROM categories WHERE parent_category_id = ?)
            AND p.active = $status $filter string");
        $select_query->execute($params_array);
        $products = $select query->fetchAll();
        if(isset($_GET["count_products"])){
            $count query = $conn->prepare("SELECT COUNT(*) AS p count
            FROM products p
            WHERE p.category_id IN
                    (SELECT category_id FROM categories WHERE parent_category_id = ?)
            AND p.active = $status $filter string");
            $count query->execute($params array);
            $result = $count_query->fetch();
            if($result){
                $count = $result->p_count;
        }
        if(!$products){
            $products = [];
        }
        $response code = 200;
    catch(PDOException $ex){
        create_log(ERROR_LOG_FILE, $ex->getMessage());
        $products = [];
        $response_code = 500;
    echo json_encode(["product_count"=>$count, "products"=>$products]);
    http response code($response code);
```

3.1.44 models/products/get-wish-list-status.php

```
<?php
    require_once "../../config/connection.php";

header("Content-Type: application/json");

if(!isset($_GET["product_id"]) || !$user_obj){</pre>
```

```
echo json_encode(["message"=>"Bad request"]);
       http_response_code(400);
       die();
   $user_id = $user_obj->user_id;
   $product_id = $_GET["product_id"];
   try {
        $select = $conn-
>prepare("SELECT * FROM wish list WHERE user id = ? AND product id = ?");
       $select->execute([$user_id, $product_id]);
       $result = $select->fetch();
       $response code = 200;
       if(!$result){
            $response = "false";
       else {
            $response = "true";
        }
   catch(PDOException $ex){
        create_log(ERROR_LOG_FILE, $ex->getMessage());
       $response = "unknown";
       $response code = 500;
   echo json_encode($response);
   http_response_code($response_code);
```

3.1.45 models/products/set-wish-list-status.php

```
<?php
    require_once "../../config/connection.php";

header("Content-Type: application/json");

if(!isset($_GET["product_id"]) || !$user_obj){
    echo json_encode(["message"=>"Bad request"]);
    http_response_code(400);
    die();
}
```

```
$user id = $user obj->user id;
   $product_id = $_GET["product_id"];
   $current_status = $_GET["current_status"];
   try {
       if($current_status == "true"){
            $delete = $conn-
>prepare("DELETE FROM wish_list WHERE user_id = ? AND product_id = ?");
            $result = $delete->execute([$user_id, $product_id]);
        }
       else {
            $insert = $conn-
>prepare("INSERT INTO wish_list(user_id, product_id) VALUES(?,?)");
            $result = $insert->execute([$user id, $product id]);
        }
       $response_code = 201;
       if(!$result){
            $response = $current_status;
       else {
            $response = $current_status == "true" ? "false" : "true";
        }
   catch(PDOException $ex){
       create_log(ERROR_LOG_FILE, $ex->getMessage());
       $response = $current_status;
       $response_code = 500;
   echo json_encode($response);
   http_response_code($response_code);
```

3.1.46 models/products/user-submit-new-product.php

```
<?php
require_once "../../config/connection.php";</pre>
```

```
require_once "functions.php";
if(!isset($_POST["btn-add-product"])){
    header("Location: ../../index.php?page=home");
    die();
if(!$user_obj){
    header("Location: ../../index.php?page=login&error=Session%20expired.");
}
$title = $ POST["product-title"];
$reg title = \frac{10,70}{1};
if(!preg_match($reg_title, $title)){
    header("Location: ../../index.php?page=sell&error=Invalid title.");
    die();
$desc = $_POST["product-description"];
reg desc = "/^.{20,1000}$/s";
if(!preg_match($reg_desc, $desc)){
    header("Location: ../../index.php?page=sell&error=Invalid description.");
    die();
$cat_id = $_POST["product-category"];
if($cat id == "0"){
    header("Location: ../../index.php?page=sell&error=Invalid category.");
    die();
$price = $_POST["product-price"];
$reg_price = "/^\d+(\.\d+)?$/";
if(!preg match($reg price, $price)){
    header("Location: ../../index.php?page=sell&error=Invalid price.");
    die();
$condition id = $ POST["product-condition"];
if($condition_id == "0"){
    header("Location: ../../index.php?page=sell&error=Invalid condition.");
    die();
if(isset($_POST["genders-apply"])){
    $gender id = $ POST["gender"];
```

```
if($gender id == "0"){
            header("Location: ../../index.php?page=sell&error=Invalid gender.");
            die();
        }
    }
   else {
        $gender id = null;
    }
   $seller_id = $user_obj->user_id;
   $insert_parameters = [$title, $desc, $price, $condition_id, $gender_id, $seller_id,
$cat_id];
   $conn->beginTransaction();
   try{
        $insert query = $conn-
>prepare("INSERT INTO products(product title, product description, product price, condit
ion id, gender_id, seller_id, category_id) VALUES (?,?,?,?,?,?)");
        $insert_query->execute($insert_parameters);
        $product_id = $conn->lastInsertId();
        $insert_images_string = "INSERT INTO images(image_filename, image_thumbnail_file
name, image title, product id) VALUES";
        $insert_images_params = [];
        foreach($_FILES as $photo){
            if($photo["name"] == ""){
                $conn->rollBack();
                header("Location: ../../index.php?page=sell&error=You must provide image
s in all fields");
                die();
            }
            if($photo["size"] > 3 * 1024 * 1024){
                $conn->rollBack();
```

```
header("Location: ../../index.php?page=sell&error=Max. filesize for one
image is 3MB");
                die();
            }
            $ext = pathinfo($photo["name"], PATHINFO_EXTENSION);
            $allowed_ext = ["jpg", "jpeg", "png", "gif"];
            if(!in_array($ext, $allowed_ext)){
                $conn->rollBack();
                header("Location: ../../index.php?page=sell&error=Allowed extenstions jp
g, jpeg, png, gif");
                die();
            }
            $image_filename = create_image($photo["tmp_name"], $ext);
            $thumbnail filename = create thumbnail($photo["tmp name"], $ext);
            $insert_images_string .= "(?,?,?,?),";
            array_push($insert_images_params, $image_filename, $thumbnail_filename, $tit
le, $product_id);
        }
        $insert_images_string = substr($insert_images_string, 0, -1);
        $insert query = $conn->prepare($insert images string);
        $insert_query->execute($insert_images_params);
        $conn->commit();
    catch(PDOException $ex){
        create_log(ERROR_LOG_FILE, $ex->getMessage());
        $conn->rollBack();
        header("Location: ../../index.php?page=sell&error=Database error.Try again later
 ");
       die();
    }
   header("Location: ../../index.php?page=product&id=$product_id&message=Product succes
sfully created.");
```

3.1.47 models/users/functions.php

```
<?php
    function failed_attempt($user_obj){
        $time_now = time();
        $username = $user_obj->username;
        if(isset($_SESSION["failed_attempts"])){
            if(isset($_SESSION["failed_attempts"][$username])){
                $_SESSION["failed_attempts"][$username] []= $time_now;
                $last_3_failed = array_slice($_SESSION["failed_attempts"][$username], -
3);
                if(count($last 3 failed) >= 3){
                    $before 5 mins = false;
                    foreach($last_3_failed as $attempt){
                        if($time_now - $attempt > 300){
                            $before_5_mins = true;
                        }
                    }
                    if(!$before_5_mins){
                        return lock_account($user_obj);
                    }
                }
            }
            else {
                $_SESSION["failed_attempts"][$username] = [$time_now];
        else {
            $_SESSION["failed_attempts"] = [$username=>[$time_now]];
        }
        return false;
    }
    function lock_account($user_obj){
        global $conn;
```

```
require once "../mail/functions.php";
        $unlock code = md5(rand());
        try{
            $update = $conn-
>prepare("UPDATE users SET unlock_code = ? WHERE user_id = ?");
            $result = $update->execute([$unlock code, $user obj->user id]);
            if($result){
                $email = $user obj->email;
                $name = $user obj->full name;
                $id = $user_obj->user_id;
                $link href = ABSOLUTE PATH."/models/users/user-unlock-
account.php?user id=$id&unlock code=$unlock code";
                html = "
                <h2>Dear $name,</h2>
                <h3>Your account has been locked due to security measured, sorry for the
 inconvenience.</h3>
                <a href=\"$link href\">Click here</a> to unlock your account.<br/>If the
 link doesn't work you can copy it here: <br/><small>$link href</small>";
                $response = send_mail($email, "Your acccount has been locked", $html);
                if (!$response[0]) {
                    create log(ERROR LOG FILE, "Mailer Error: ".$response[1]-
>ErrorInfo);
                }
                return true;
            }
        catch(PDOException $ex){
            create log(ERROR LOG FILE, $ex->getMessage());
        }
        return false;
```

3.1.48 models/users/login.php

```
<?php
require_once "../../config/connection.php";</pre>
```

```
require once "../../PHPMailer/includes/PHPMailer.php";
   require once "../../PHPMailer/includes/SMTP.php";
   require_once "../../PHPMailer/includes/Exception.php";
   if(!isset($ POST["btn-login"])){
       header("Location: ../../index.php");
       die();
   }
   reg_user = "/^w{3,30}$/";
   if(!preg match($reg user, $ POST["username"])){
       header("Location: ../../index.php?page=login&error=Invalid%20username.");
       die();
    }
   pw = "/^.{3,50},";
   if(!preg_match($reg_pw, $_POST["password"])){
       header("Location: ../../index.php?page=login&error=Invalid%20password.");
       die();
   $user = $ POST["username"];
   $pw = md5($_POST["password"]);
   try{
       $login_query = $conn-
>prepare("SELECT u.*, r.*, b.ban id, b.ban description FROM users u JOIN roles r ON u.ro
le_id = r.role_id LEFT JOIN bans b ON b.user_id = u.user_id WHERE username = ?");
       $login_query->execute([$user]);
       $user_obj = $login_query->fetch();
   catch(PDOException $ex){
       create log(ERROR LOG FILE, $ex->getMessage());
       $error = "Database error. Please try again later.";
       header("Location: ../../index.php?page=login&error=".$error);
   if($user obj && $user obj->password == $pw){
       if($user_obj->ban_id != null){
            $error = "You have been banned. Reason: ".$user obj->ban description;
           header("Location: ../../index.php?page=login&error=$error");
           die();
       }
```

```
if($user obj->unlock code != null){
            $error = "Your account has been locked due to security measures. Please chec
k your inbox for further instructions.";
            header("Location: ../../index.php?page=login&error=$error");
            die();
        }
       $ SESSION["allowed chats"]=[];
       $_SESSION["user"] = $user_obj;
       unset($_SESSION["failed_attempts"][$user]);
       header("Location: ../../index.php");
   else {
       $error = "Invalid username and/or password.";
       if($user obj && $user obj->unlock code != null){
            $error = "Account $user has been locked due to security measures. Please che
ck your e-mail.";
       elseif($user obj){
            require_once "functions.php";
           $is_locked = failed_attempt($user_obj);
           if($is_locked){
                $error = "Account $user has been locked due to security measures. Please
check your e-mail.";
       header("Location: ../../index.php?page=login&error=$error");
```

3.1.49 models/users/logout.php

```
<?php
    session_start();
    unset($_SESSION["user"]);
    unset($_SESSION["allowed_chats"]);
    header("Location: ../../index.php");
?>
```

```
<?php
         if(!isset($ POST["btn-register"])){
                   header("Location: ../../index.php");
                  die();
         session start();
         require_once "../../config/connection.php";
         reg_user = "/^w{3,30}$/";
         if(!preg match($reg user, $ POST["username"])){
                  header("Location: ../../index.php?page=register&error=Invalid%20username.");
                  die();
         }
         pu = "/^(?=.*p\{Lu\})(?=.*p\{L1\})(?=.*d)(?=.\{6,\})/u";
         if(!preg_match($reg_pw, $_POST["password"])){
                  header("Location: ../../index.php?page=register&error=Invalid%20password.");
                  die();
         preg_email = "/^[a-z]((\.|-|_)?[a-z0-9]){2,}@[a-z]((\.|-)?[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+){2,}\.[a-z0-9]+]+(-1)*[a-z0-9]+]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1)*[a-z0-9]+(-1
z]{2,6}$/i";
         if(!preg match($reg email, $ POST["email"])){
                  header("Location: ../../index.php?page=register&error=Invalid%20e-mail.");
                  die();
         p\{L\}{1,14}(\s\p\{Lu\}\p\{L\}{1,14}){1,3}\
         if(!preg match($reg full name, $ POST["full-name"])){
                  header("Location: ../../index.php?page=register&error=Invalid%20full%20name.");
                  die();
         $reg city = "/^[\p{L}\w\.\-\s]{2,50}$/u";
         if(!preg_match($reg_city, $_POST["city"])){
                  header("Location: ../../index.php?page=register&error=Invalid%20city.");
                  die();
         reg_country = "/^[\p{L}\w\.\-\s]{2,50}$/u";
         if(!preg_match($reg_country, $_POST["country"])){
                  header("Location: ../../index.php?page=register&error=Invalid%20country.");
                  die();
         $user = addslashes($_POST["username"]);
         $pw = md5(addslashes($ POST["password"]));
         $email = addslashes($ POST["email"]);
```

```
$full_name = addslashes($_POST["full-name"]);
   $city = addslashes($ POST["city"]);
   $country = addslashes($_POST["country"]);
   try{
       $user query = $conn-
>prepare("SELECT username, email FROM users WHERE username = ? OR email= ?");
        $user query->execute([$user, $email]);
       $user_obj = $user_query->fetch();
   catch(PDOException $ex){
        create log(ERROR LOG FILE, $ex->getMessage());
        $error = "Database error, registration has failed. Please try again later.";
       header("Location: ../../index.php?page=register&error=".$error);
       die();
   }
   if($user_obj){
       if($user obj->email == $email){
            $error = "This e-mail address has already been used by another person.";
       else {
            $error = "This username has already been taken.";
       header("Location: ../../index.php?page=register&error=".$error);
   }
   else {
       try {
           $register_query = $conn-
>prepare("INSERT INTO users(username, password, email, full_name, city, country) VALUES(
?,?,?,?,?)");
            $rez = $register query-
>execute([$user, $pw, $email, $full_name, $city, $country]);
           if($rez){
                $message = "Registration successful. You can login now.";
                header("Location: ../../index.php?page=login&message=".$message);
           else {
               $error = "Database error, registration has failed. Please try again late
```

```
header("Location: ../../index.php?page=register&error=".$error);
}

catch(PDOException $ex){
    create_log(ERROR_LOG_FILE, $ex->getMessage());
    $error = "Database error, registration has failed. Please try again later.";
    header("Location: ../../index.php?page=register&error=".$error);
}
}
```

3.1.51 models/users/user-change-pw.php

```
<?php
   require_once "../../config/connection.php";
   if($user_obj && isset($_POST["btn-change-pw"])){
       p_{pw} = "/^(?=.*p_{Lu})(?=.*p_{Ll})(?=.*d)(?=.\{6,50\})/";
       if(!preg_match($reg_pw, $_POST["new-pw"])){
            $error = "Password too weak, or invalid password format.";
            header("Location: ../../index.php?page=profile&error=$error");
            die();
       }
       $old_pw = md5(addslashes($_POST["old-pw"]));
       $new_pw = md5(addslashes($_POST["new-pw"]));
       $confirm_pw = md5(addslashes($_POST["confirm-pw"]));
       $id = $user_obj->user_id;
       if($old_pw != $user_obj->password){
            $error = "Incorrect old password.";
            header("Location: ../../index.php?page=profile&error=$error");
            die();
       if($new_pw != $confirm_pw){
            $error = "Passwords do not match.";
            header("Location: ../../index.php?page=profile&error=$error");
            die();
        }
       try {
```

```
$update_query = $conn-
>prepare("UPDATE users SET password = ? WHERE user id = ?");
            $rez = $update_query->execute([$new_pw, $id]);
            if($rez){
                $message = "Password successfully changed.";
                header("Location: ../../index.php?page=profile&message=$message");
           else {
               $error = "Error changing password. Try again later.";
               header("Location: ../../index.php?page=profile&error=$error");
       catch(PDOException $ex){
            create_log(ERROR_LOG_FILE, $ex->getMessage());
            $error = "Error changing password. Try again later.";
            header("Location: ../../index.php?page=profile&error=$error");
   else {
       header("Location: ../../index.php");
    }
```

3.1.52 models/users/user-unlock-account.php

```
<?php
    if(!isset($_GET["user_id"])){
        header("Location: ../../index.php?page=home");
        die();
    }

    require_once "../../config/connection.php";

$id = $_GET["user_id"];
    $code = $_GET["unlock_code"];

try {
        $update = $conn-
>prepare("UPDATE users SET unlock_code = NULL WHERE unlock_code = ? AND user_id = ? ");
        $result = $update->execute([$code, $id]);

        if($result){
            header("Location: ../../index.php?page=login&message=Unlock attempt successful, please log in now.");
            die();
        }
}
```

```
}
catch(PDOException $ex){

    create_log(ERROR_LOG_FILE, $ex->getMessage());
}

header("Location: ../../index.php?page=login&error=Error unlocking your account. Contact the administrators for help.");
```

3.1.53 models/export-author-to-word.php

```
<?php
   header("Content-type: application/vnd.ms-word");
   header("Content-Disposition: attachment; Filename=Mihailo Ilic INFO.doc");
   $word_string = "
       <thead>
          <b>Mihailo Ilic</b> 41/19
          </thead>
       Hi. I'm a web developer from Serbia. I've recently started studying
IT/Web programming at <a href=\"https://ict.edu.rs/\">ICT College</a> because I've alway
s been interested in computers and technology.
          Although my skills are limited at this moment, I will continuously t
ry to improve them through my studies, projects etc. You can check my recent projects an
d learn more about me by visiting my <a href=\"https://mihailoilic.github.io/portfolio/\</pre>
"> portfolio website</a>.
          ";
   echo $word_string;
```

3.1.54 models/functions.php

```
<?php
function check_session(){</pre>
```

```
session start();
        global $user_obj;
        if(isset($_SESSION["user"])){
            $user_obj = $_SESSION["user"];
        }
    }
    function create log($filename, $message){
        global $user_obj;
        $user = "(guest)";
        if($user_obj){
            $user = $user_obj->username;
        }
        $ip_address = $_SERVER["REMOTE_ADDR"];
       $timestamp = date("Y-m-d H:i:s");
        $url = $ SERVER["PHP SELF"];
        $target_page = isset($_GET["page"]) ? $_GET["page"] : "(no target page)";
        $new_log_line = "$timestamp\n$user\n$ip_address\n$url\n$target_page\n$message\n-
 ----\n\n";
        file_put_contents($filename, $new_log_line, FILE_APPEND);
    function get_pages(){
        global $conn;
        try {
            return select_query("page_info p LEFT JOIN images i ON p.page_image_id = i.i
mage_id");
        catch(PDOException $ex){
            create log(ERROR LOG FILE, $ex->getMessage());
            return false;
        }
    }
    function get_page_info($this_page){
        global $pages;
```

```
foreach($pages as $page){
        if($page->page_name == $this_page){
            return $page;
    }
    return false;
}
function get image resource($path, $ext){
    switch($ext){
        case "jpg":
        case "jpeg":
            $image = imagecreatefromjpeg($path);
            break;
        case "png":
            $image = imagecreatefrompng($path);
            break;
        case "gif":
            $image = imagecreatefromgif($path);
            break;
        default:
            $image = false;
    }
    return $image;
}
function create_image_from_resource($image, $new_filename, $ext){
    $new_path = ABSOLUTE_PATH."/assets/images/$new_filename";
    switch($ext){
        case "jpg":
        case "jpeg":
            return imagejpeg($image, $new_path);
        case "png":
            return imagepng($image, $new_path);
        case "gif":
            return imagegif($image, $new_path);
   }
}
function create_image($tmp_filename, $ext){
```

```
$image = get_image_resource($tmp_filename, $ext);
        $width = imagesx($image);
        $height = imagesy($image);
        if($width > 1920){
            $new height = 1920 * $height / $width;
            $new_image = imagecreatetruecolor(1920, $new_height);
            imagecopyresampled($new_image, $image, 0,0,0,0, 1920, $new_height, $width, $
height);
            imagedestroy($image);
            $image = $new image;
        elseif($height > 1080){
            $new_width = 1080 * $width / $height;
            $new_image = imagecreatetruecolor($new_width, 1080);
            imagecopyresampled($new image, $image, 0,0,0,0, $new width, 1080, $width, $h
eight);
            imagedestroy($image);
            $image = $new_image;
        $new_filename = str_replace(" ","", microtime()).".$ext";
        create_image_from_resource($image, $new_filename, $ext);
        imagedestroy($image);
        return $new filename;
    }
    function create_thumbnail($tmp_filename, $ext){
        $image = get_image_resource($tmp_filename, $ext);
        $width = imagesx($image);
        $height = imagesy($image);
        if($width > 400){
            $new height = 400 * $height / $width;
            $new image = imagecreatetruecolor(400, $new height);
            imagecopyresampled($new_image, $image, 0,0,0,0, 400, $new_height, $width, $h
eight);
            imagedestroy($image);
```

```
$image = $new_image;
}

$new_filename = str_replace(" ","", microtime())."-thumbnail.$ext";
create_image_from_resource($image, $new_filename, $ext);
imagedestroy($image);

return $new_filename;
}
```

3.1.55 config/config.php

```
<?php
define("ABSOLUTE PATH", $ SERVER["DOCUMENT ROOT"]."/PraktPHP/swiftmarket");
define("ENV FILE", ABSOLUTE_PATH."/config/.env");
define("LOG_FILE", ABSOLUTE_PATH."/data/log.txt");
define("ERROR_LOG_FILE", ABSOLUTE_PATH."/data/errors.txt");
define("SERVER", env("SERVER"));
define("DATABASE", env("DBNAME"));
define("USERNAME", env("USERNAME"));
define("PASSWORD", env("PASSWORD"));
function env($flag){
   $lines = file(ENV FILE);
    $result = "";
    foreach($lines as $line){
        list($name, $value) = explode("=", trim($line));
        if($name == $flag){
            $result = $value;
    return $result;
```

3.1.56 config/connection.php

```
<?php

require_once "config.php";

require_once ABSOLUTE_PATH."/models/functions.php";

$user_obj = false;
check_session();
create_log(LOG_FILE, "A user has accessed this page.");
</pre>
```

3.2.1 assets/js/main.js

```
$(document).ready(function(){
    loadMobileMenu();
    loadRegularExpressions();
    pageRelatedFeatures();
});
function loadMobileMenu(){
    $("#menu-button").click(function(){
        $("#responsive-menu-wrapper")
        .toggle(300);
    });
    if($("#user-menu-wrapper").length){
        $("#responsive-menu-wrapper").css("top", "120px");
    }
function ajaxData(url, method, data = {}){
    return new Promise((resolve, reject) => {
        $.ajax({
            url: url,
            method: method,
            dataType: "json",
            data: data,
            success: function(data){
                resolve(data);
            },
            error: function(xhr){
                reject("Error communicating with " + url + ", status: " + xhr.status);
                console.log(xhr);
        });
    });
function loadRegularExpressions(){
    window.forms = {};
    window.forms.name = {
        "regex" : /^\p{Uppercase_Letter}\p{Letter}{1,14}(\s\p{Uppercase_Letter}\p{Letter}
}{1,14}){0,3}$/u,
        "length": 30,
        "message": "All words must begin with a capital letter."
    };
    window.forms.fullName = {
        "regex" : /^\p{Uppercase_Letter}\p{Letter}{1,14}(\s\p{Uppercase_Letter}\p{Letter
\{1,14\}\}\{1,3\}$/u,
        "length": 30,
```

```
"message": "All words must begin with a capital letter."
          };
          window.forms.title = {
                     "regex": /^{10,70},
                     "length": 70,
                     "message": "Title must have at least 10 characters."
          };
          window.forms.description = {
                     "regex" : /^{\{20,1000\}},
                     "length": 1000,
                     "message": "Description must have at least 20 characters."
          window.forms.price = {
                     "regex" : /^d+(\.\d+)?$/,
                     "length": 10,
                     "message": "Use digits, you can separate with dot."
          };
          window.forms.email = {
                     "regex" : /^[a-z]((\.|-|_)?[a-z0-9])\{2,\}@[a-z]((\.|-)?[a-z0-9]+)\{2,\}\.[a-x0-9]+)[a-z0-9]+)[a-z0-9]+)[a-z0-9]+)[a-z0-9]+)[a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+][a-z0-9]+[a-z0-9]+][a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a-z0-9]+[a
z]{2,6}$/i,
                     "length": 50,
                     "message": "Use only letters, numbers and symbols @.- "
          };
          window.forms.city = {
                     "regex" : /^[\p{L}\w\.\-\s]{2,50}$/u,
                     "length": 50,
                     "message": "Enter your city/area correctly."
          };
          window.forms.country = {
                     "regex" : /^[\p\{L\}\w\.\-\s]{2,50}$/u,
                     "length": 50,
                     "message": "Enter your country correctly."
          };
          window.forms.subject = {
                     "regex": /^{\left[ p\{L\} \setminus ., \cdot ?! \cdot - ]\{2,30\} \right]}/u,
                     "length": 30,
                     "message": "You can use letters, numbers and symbols .,-/?!"
          };
          window.forms.message = {
                     "regex": /.{20,}/,
                     "length": 200,
                     "message": "Message must be at least 20 characters long."
          };
          window.forms.password = {
                     "regex": /^(?=.*\p{Uppercase_Letter})(?=.*\p{Lowercase_Letter})(?=.*\d)(?=.{6,50
})/u,
                     "length": 50,
```

```
"message": "Password must be between 6 and 50 characters and contain 1 uppercase
 1 lowercase letter and 1 number."
   window.forms.username = {
        "regex": /^{w{3,30}},
        "length": 30,
       "message": "Username should be at least 3 characters long and contain only lette
rs, numbers and symbol _"
    };
function validateString(string, validation){
   if(string == ""){
       return "empty";
   if(string.length > validation.length){
       return "long";
   }
   if(!validation.regex.test(string)){
       return "incorrect";
   }
   return "valid";
function validateElement(element, validation){
   let fieldName = $(element).data("title");
   let fieldValidation = validateString($(element).val(), validation);
   if(fieldValidation == "empty"){
       formError(element, `Please input ${fieldName.toLowerCase()}.`);
   if(fieldValidation == "long"){
       formError(element, `${fieldName} is too long. Maximum characters: ${validation.l
ength}.`);
   else if(fieldValidation == "incorrect"){
       formError(element, `${fieldName} is invalid. ${validation.message}`);
function formError(element, message){
   $(`${message}`).insertAfter($(element));
   window.forms.error = true;
function resetFormMessages(){
   $(".form-error").remove();
   $(".form-success").remove();
function pageRelatedFeatures(){
   if($("main#buy").length){
```

```
loadBuyPage();
    if($("main#products").length){
        loadProductsPage();
    if($("main#sell").length){
        loadSellPage();
    if($("main#product-view").length){
        loadProductViewPage();
    if($("main#c-h-a-t").length){
        loadChatPage();
    if($("main#admin").length){
        loadAdminPage();
    if($("main#contact").length){
        loadContactPage();
    if($("main#register").length){
        loadRegisterPage();
    if($("main#login").length){
        loadLoginPage();
    }
async function loadBuyPage(){
    try {
        let categories = await ajaxData("models/products/get-
categories.php", "get", {"ajax":"true"});
        let html = "";
        for(let cat of categories){
            html += `<div class="col-12 col-sm-6 col-md-4 col-lg-3 p-3">
            <a class="category text-</pre>
dark" href="index.php?page=products&category=${cat.category id}">
                <div class="card category border rounded shadow">
                    <img class="card-</pre>
img" src="assets/images/${cat.image_thumbnail_filename}" alt="${cat.image_title}" />
                    <div class="card-body py-4 px-1">
                        <h3 class="card-title h5 font-weight-
light">${cat.category_name}</h3>
                    </div>
                </div>
            </a>
        </div>`;
        $("#categories").html(html);
```

```
catch(ex){
    }
async function loadProductsPage(){
    let catId = category_info.category_id;
        let response = await ajaxData("models/products/get-
products.php", "get", {"cat_id":catId, "count_products":"true"});
        filterChangeDetector();
        window.productCount = response.product count;
        showPaginationLinks(8, 1);
        showProducts(response.products);
        $("#products-filters input, #search-products, #sort-products, #paginate-
products").change(function(){
            refreshProducts();
        });
        $("#clear-filters").click(clearFilters);
    catch(ex){
    }
function showProducts(array){
    let html="";
    if(array && array.length == 0){
        $("#products-grid").html("
light'>No products to show :(");
        return;
    for(let p of array){
        html += 
        <div class="product-wrapper col-12 col-md-6 col-xl-3 p-4">
            <a class="product" href="index.php?page=product&id=${p.product id}">
                <div class="border rounded shadow row">
                    <img class="col-12 p-</pre>
0 rounded" src="assets/images/${p.thumbnail}" alt="${p.product_title}"/>
                    <h5 class="col-12 h4 pt-3 font-weight-light text-
dark">${p.product title}</h5>
                    <div class="col-12 d-flex flex-column justify-content-center text-</pre>
right p-3 text-primary">
                        <div class="h5 font-weight-</pre>
light">${formatPrice(Number(p.product price))}</div>
```

```
<div class="font-weight-light"><span class="far fa-</pre>
eye"></span> ${p.product views}</div>
                    </div>
                </div>
            </a>
        </div>`;
    $("#products-grid").html(html);
function formatPrice(price){
    return price.toLocaleString("en-US",{style: 'currency', currency: 'USD'});
function filterChangeDetector(){
   let change = false;
    if($("#products-filters").find("input:checked").length){
        change = true;
    }
    else if ($("#search-products").val() + $("#max-price").val() + $("#min-
price").val() + $("#location").val() != ""){
        change = true;
    if(change){
        $("#clear-filters").show();
   else {
        $("#clear-filters").hide();
    }
function clearFilters(){
   $("#products-filters input:checkbox").prop("checked", false);
   $("#products-filters input:text, #search-products").val("");
   $(this).hide();
    refreshProducts(1);
async function refreshProducts(pageNo = 1, countProducts = true){
   filterChangeDetector();
    let pagination = $("#paginate-products").val();
   let filterObj = {
        "inactive": String($("#inactive")[0].checked),
        "cat_id": category_info.category_id,
        "subcategories": $("#subcategories input:checked").get().map(x=>x.value).join(),
        "genders": $("#genders input:checked").get().map(x=>x.value).join(),
        "conditions": $("#conditions input:checked").get().map(x=>x.value).join(),
        "min_price": $("#min-price").val(),
        "max_price": $("#max-price").val(),
        "user location": String($("#user-location")[0].checked),
```

```
"location": $("#location").val(),
        "search": $("#search-products").val(),
        "sort": $("#sort-products").val(),
        "pagination": pagination,
        "page_no": pageNo
    };
    if(countProducts){
        filterObj["count_products"] = "true";
    try {
        let response = await ajaxData("models/products/get-
products.php", "get", filterObj);
        showProducts(response.products);
        if(countProducts){
            window.productCount = response.product_count;
            showPaginationLinks(pagination, pageNo);
    catch(ex){
function showPaginationLinks(pagination, pageNo){
    $("#pagination").html("");
    if(pagination == 0){
        return;
    pageCount = Math.floor(productCount / pagination);
    if(productCount % pagination){
        pageCount++;
    if(pageNo > 1){
        createPageLink(pagination, pageNo-1,false, "product-prev-
page", "<span class='fas fa-chevron-left px-2'></span>");
    else if(productCount > 0) {
        $("#pagination").append(`<span class="text-black-25 fas fa-chevron-left px-</pre>
3"></a>`);
    }
    for(let i=0; i<pageCount; i++){</pre>
        createPageLink(pagination, i+1, i+1 == pageNo);
    }
```

```
if(pageNo < pageCount){</pre>
        createPageLink(pagination, pageNo+1, false, "product-next-
page", "<span class='fas fa-chevron-right px-2'></span>");
    else if(productCount > 0) {
        $("#pagination").append(`<span class="text-black-25 fas fa-chevron-right px-</pre>
3"></a>`);
    }
function createPageLink(pagination, pageNo, active = false, linkClass = "border ", linkT
ext = false){
    $("#pagination").append(`<a href="#!" class="${linkClass} product-page-link p-</pre>
2 ${active ? " active" : ""}">${linkText ? linkText : pageNo}</a>`);
        $(".product-page-link:last").click(function(){
            $(".product-page-link").removeClass("active");
            $(this).addClass("active");
            refreshProducts(pageNo, false);
            showPaginationLinks(pagination, pageNo);
            $("html").scrollTop($("#products-wrapper").offset().top - 200);
        });
function loadSellPage(){
    $("#genders-apply").change(function(){
        if($(this).prop("checked")){
            $("#gender").prop("disabled", false);
            $("label[for=gender]").removeClass("text-black-50");
        }
        else {
            $("#gender").prop("disabled", true);
            $("label[for=gender]").addClass("text-black-50");
    });
    let photosCount = 1;
    $("#add-new-photo").click(function(){
        photosCount++;
        $("#product-photos").append(`
        <div class="product-photo my-2" data-photo-id="${photosCount}">
            <input type="file" name="photo-${photosCount}"/>
            <a href="#!" class="remove-photo" data-photo-
id="${photosCount}"><span class="fas fa-minus-circle text-danger"></span> Remove</a>
        </div>`);
    });
```

```
$(document).on("click", ".remove-photo", function(){
        let photoId = $(this).data("photo-id");
        $(`.product-photo[data-photo-id=${photoId}]`).remove();
   });
   $("#sell-item-form").submit(validateSellItemForm);
function validateSellItemForm(e){
   resetFormMessages();
   window.forms.error = false;
   let title = $("#product-title");
   let description = $("#product-description");
   let price = $("#product-price");
   let category = $("#product-category");
   let condition = $("#product-condition");
   let gender = $("#gender");
   let photos = $("#product-photos input");
   validateElement(title, forms.title);
   validateElement(description, forms.description);
   validateElement(price, forms.price);
   if($(category).val() == "0"){
        formError(category, "Please select category");
   if($(condition).val() == "0"){
        formError(condition, "Please select condition");
   if($("#genders-apply")[0].checked && $(gender).val() == "0"){
        formError(gender, "Please select gender");
   }
   let allowedExt = ["jpg", "jpeg", "png", "gif"];
   $(photos).each(function(){
        if(this.files.length == 0){
            formError($(this).parent(), "Choose a file.");
       else if(!allowedExt.includes(this.files[0].name.split(".").slice(-1)[0])){
            formError($(this).parent(), "Allowed extensions are: jpg, jpeg, gif, png");
        else if(this.files[0].size > 3 * 1024 * 1024){
            formError($(this).parent(), "Max. size per image: 3MB");
```

```
});
   if(forms.error){
        e.preventDefault();
function loadProductViewPage(){
    resizeProductImageLinks();
   $(window).resize(resizeProductImageLinks);
   $(".product-image-link").click(changeProductViewImage);
   $("#product-price").html(formatPrice(Number($("#product-price").data("amount"))));
   $("#admin-make-inactive").click(adminMakeInactiveConfirmation);
   if($("#wish-list-toggle").length){
        loadProductViewWishListToggle();
   $("#product-buyer-offer-form").submit(function(e){
        let value = $("#amount").val();
        if(value == "" || Number(value)<0.1){</pre>
            e.preventDefault();
            $("#amount").css("border-color", "red");
        }
   });
function resizeProductImageLinks(){
   $(".product-image-link img").each(function(){
            $(this).css("height", $(this).width()+"px");
    });
function changeProductViewImage(){
    let href = $(this).data("href");
   $("#product-image")
        .stop()
        .animate({"opacity":".3"}, 200, "swing", function(){
            $(this).attr("src", href);
        .animate({"opacity":"1"}, 200);
function adminMakeInactiveConfirmation(e){
    let confirmation = confirm("Are you sure? You won't be able to revert.");
    if(!confirmation){
        e.preventDefault();
```

```
}
async function loadProductViewWishListToggle(){
    try {
        let id = $("#wish-list-toggle").data("id");
        window.wishListStatus = await ajaxData("models/products/get-wish-list-
status.php", "get", {"product_id": id});
        refreshWishListIcon();
        $("#wish-list-toggle").click(changeWishListStatus);
    catch(ex){
        $("#wish-list-toggle").remove();
    }
function refreshWishListIcon(){
    if(wishListStatus == "true"){
        $(".wish-list-toggle-icon").removeClass("far")
            .addClass("fas");
        $(".wish-list-toggle-text").text("Remove from wish list");
    else if(wishListStatus == "false") {
        $(".wish-list-toggle-icon").removeClass("fas")
            .addClass("far");
        $(".wish-list-toggle-text").text("Add to wish list");
   else {
        $("#wish-list-toggle").remove();
    }
async function changeWishListStatus(){
   try{
        let id = $("#wish-list-toggle").data("id");
        window.wishListStatus = await ajaxData("models/products/set-wish-list-
status.php", "get", {"product_id": id, "current_status": wishListStatus});
        refreshWishListIcon();
    catch(ex){
        $("#wish-list-toggle").remove();
function loadChatPage(){
    window.messageCount = 0;
   window.loadingChatFirstTime = true;
```

```
setTimeout(refreshChatBoxTimeout, 1);
    $("#chat-buyer-offer, #chat-desired-price").each(function(){
        $(this).text(formatPrice(Number($(this).data("amount"))));
    });
    $("#btn-send-message").click(sendMessage);
    $("#tb-send-message").keyup(function(event) {
        if (event.keyCode === 13) {
            sendMessage();
    });
function refreshChatBoxTimeout(){
    refreshChatBox();
    let delay = 3000 + Math.floor(Math.random() * 2000);
    setTimeout(refreshChatBoxTimeout, delay);
async function refreshChatBox(){
    let offerId = $("#chat-box").data("offer-id");
    try {
        let response = await ajaxData("models/offers/show-m-e-s-s-a-g-e-
s.php", "GET", {"offer-id":offerId});
        if(response && response.messages.length){
            if(!(response.messages.length > messageCount)){
                return;
            let newMessages = response.messages.slice(messageCount);
            messageCount = response.messages.length;
            let html = "";
            for(let message of newMessages){
                if(message.sender_id == response.user_id){
                    if(loadingChatFirstTime){
                        html += `<div class="message clearfix p-2">
                        <div class="message-sender w-75 w-md-50 text-muted text-</pre>
right float-right">you:</div>
                        <div class="message-content w-75 w-md-50 text-right float-</pre>
right">${message.message_text}</div>
                    </div>`;
                }
                    html += `<div class="message clearfix p-2">
                    <div class="message-sender w-75 w-md-50 text-primary text-</pre>
left">${message.sender_username}:</div>
                    <div class="message-content w-75 w-md-50 text-</pre>
left">${message.message text}</div>
```

```
</div>`;
               }
           $("#chat-box").append(html);
           $("#chat-box")[0].scrollTop = $("#chat-box")[0].scrollHeight;
       }
       else {
           $("#chat-box").html("
light'>No messages yet.");
       loadingChatFirstTime = false;
   catch(ex){
       $("#chat-box").html("
light'>Error displaying messages.");
   }
async function sendMessage(){
   let text = $("#tb-send-message").val();
   let offerId = $("#chat-box").data("offer-id");
   $("#tb-send-message").val("");
   try {
       let response = await ajaxData("models/offers/send-m-e-s-s-a-g-
e.php", "POST", {"offer-id": offerId, "text": text});
       if(response.success){
           $(".no-messages").remove();
           $("#chat-box").append(`<div class="message clearfix p-2">
               <div class="message-sender w-75 w-md-50 text-muted text-right float-</pre>
right">you:</div>
               <div class="message-content w-75 w-md-50 text-right float-</pre>
right">${text}</div>
           </div>`);
           $("#chat-box")[0].scrollTop = $("#chat-box")[0].scrollHeight;
           return;
   catch(ex){
       console.log(ex);
   $(".error-sending-message").remove();
   $("<p class='text-danger error-sending-message container mx-
auto'>Error sending message. Refresh the page and try again later.").insertAfter($("
#btn-send-message").parent().parent());
```

```
function loadAdminPage(){
    $(".progress-bar").each(function(){
        $(this).width($(this).attr("aria-valuenow")+"%");
    });
   $(".admin-panel-link").click(function(){
        let target = $(this).data("target");
       $(".admin-panel-link").removeClass("active");
       $(this).addClass("active");
       $(".admin-panel").addClass("d-none");
        $(target).removeClass("d-none");
    });
    showAdminUserPanel();
   $("#search-users").on("change", showAdminUserPanel);
async function showAdminUserPanel(){
    let search = $("#search-users").val();
   try {
        window.users = await ajaxData("models/admin/get-
users.php", "post", {"search": search});
       insertUserData();
       $(".show-change-pw").click(function(){
            let id = $(this).data("id");
            $(`.change-pw-container[data-id=${id}]`).stop().toggle(200);
            $(this).toggleClass("active");
        });
       $(".show-ban-user").click(function(){
            let id = $(this).data("id");
            $(`.ban-user-container[data-id=${id}]`).stop().toggle(200);
            $(this).toggleClass("active");
       });
       $(".show-unlock-user").click(function(){
            let id = $(this).data("id");
            $(`.unlock-user-container[data-id=${id}]`).stop().toggle(200);
            $(this).toggleClass("active");
        });
    }
    catch(ex){
       $("#admin-users").html(`
error">Can't fetch users. Try again later.`);
       console.log(ex);
    }
```

```
function insertUserData(){
    let html="";
    if(users && users.length){
        for(let user of users){
            html += `
                 <div class="user-info row m-0 py-3 align-items-center">
                    <div class="col-1 user-id">${user.user id}</div>
                    <div class="col-2 username">${user.username}</div>
                    <div class="col-3 user-email">${user.email}</div>
                    <div class="col-2 user-full-name">${user.full name}</div>
                    <div class="col-2 user-date-created">${user.user date created}</div>
                    <div class="col-2 text-right">
                         <a href="#!" class="show-change-pw btn btn-primary" data-</pre>
id="${user.user_id}" class="btn btn-primary"><span class="fas fa-key"></span></a>
                         <a href="#!" data-id="${user.user id}" class="btn btn-</pre>
${user.ban_description !== null ?"danger" : "success"} show-ban-
user"><span class="fas fa-ban"></span></a>
                         <a href="#!" data-id="${user.user id}" class="btn btn-</pre>
${user.unlock code !== null ?"danger" : "success"} show-unlock-
user"><span class="fas fa-lock"></span></a>
                    </div>
                     <div class="change-pw-container col-12 m-2 text-right" data-</pre>
id="${user.user id}">
                         <form action="models/admin/change-user-</pre>
password.php" method="post">
                             <input type="hidden" name="id" value="${user.user_id}"/>
                             <input type="password" placeholder="New password" class="for</pre>
m-control d-inline w-25" name="password" data-title="password"/>
                             <button type ="submit" href="#!" class="btn btn-
primary align-baseline">Change</button>
                         </form>
                    </div>
                     <div class="ban-user-container col-12 m-2 text-right" data-</pre>
id="${user.user id}">`;
                    if(user.ban_description === null){
                         html+=`<form action="models/admin/change-user-ban-</pre>
status.php" method="get">
                             <input type="hidden" name="id" value="${user.user id}"/>
                             <input type="text" name="description" placeholder="Ban reaso</pre>
n" class="form-control d-inline w-25" data-title="reason"/>
                             <button type ="submit" href="#!" class="btn btn-</pre>
primary align-baseline">Ban</button>
                         </form>`;
                    }
                    else {
```

```
html += `This user is banned. <a href="models/admin/change-user-</pre>
ban-status.php?id=${user.user_id}" class="btn btn-primary">Unban</a>`;
                   html+=`</div>
                    <div class="unlock-user-container col-12 m-2 text-right" data-</pre>
id="${user.user_id}">
                       ${user.unlock code !== null ? "This account is locked by securit
y measures. <a href='models/admin/unlock-user.php?id="+ user.user_id +"' class='unlock-</pre>
user btn btn-primary' data-
id='" + user.user_id +"'>Unlock</a>" : "This account is not locked by security measures.
                   </div>
               </div>`;
        }
   else {
       html+= `No users found.`;
   $("#users").html(html);
function loadContactPage(){
   $("#contact-form").submit(function(e){
       resetFormMessages();
       window.forms.error = false;
       let name = $("#name");
       let email = $("#email");
       let message = $("#message");
       validateElement(name, forms.name);
       validateElement(email, forms.email);
       validateElement(message, forms.message);
       if(forms.error){
            e.preventDefault();
    });
function loadRegisterPage(){
   $("#register-form").submit(function(e){
        resetFormMessages();
       window.forms.error = false;
```

```
let fname = $("#full-name");
        let email = $("#email");
        let username = $("#username");
        let city = $("#city");
        let country = $("#country");
        let pw = $("#password");
        validateElement(fname, forms.fullName);
        validateElement(email, forms.email);
        validateElement(username, forms.username);
        validateElement(city, forms.city);
        validateElement(country, forms.country);
        validateElement(pw, forms.password);
        if($("#password-repeat").val() != $("#password").val()){
            formError($("#password-repeat"), "Passwords do not match.");
        }
        if(forms.error){
            e.preventDefault();
    });
function loadLoginPage(){
    $("#login-form").submit(function(e){
        resetFormMessages();
        window.forms.error = false;
        if($("#username").val().length < 3){</pre>
            formError($("#username"), "Please enter a valid username.");
        if($("#password").val().length < 3){</pre>
            formError($("#password"), "Please enter a valid password.");
        }
        if(forms.error){
            e.preventDefault();
    });
```

3.3.1 assets/css/style.scss

```
$primary: #007bff;
* {
    margin: 0;
    padding: 0;
html {
    scroll-behavior: smooth;
ul {
    list-style-type: none;
a:hover {
    text-decoration: none;
.text-black-25 {
    color: rgba(#000, .25)
.blur-filter {
    filter: blur(3px);
//NAV
header {
    padding: 20px 5px;
    background-color: rgba(#fff, .95);
    z-index: 10;
    height: 80px;
    #logo-img {
        width: 40px;
    #logo-title {
        font-size: 18px;
    #menu {
        a{
            padding: 2px 1px;
            &.active {
            border-bottom: 1px solid $primary;
```

```
}
    #responsive-menu-wrapper{
        display: none;
        z-index: 10;
        background: rgba(#fff, .95);
        margin: 0;
        top: 80px;
        left: 0px;
        a.active {
            border-bottom: 1px solid $primary;
    }
    #user-menu-wrapper {
        z-index: 10;
        background:rgba(#fff, .86);
        top: 80px;
        left: 0px;
        height: 40px;
//MAIN
main {
    padding: 0;
    .page-image {
        padding: 200px 50px;
        position: relative;
        h1, h2 {
            color: #fff;
            background: rgba(0,0,0,.5);
            padding: 5px;
        #page-bg-image{
            object-fit: cover;
            position: absolute;
            z-index: -10;
            top: 0;
            left: 0;
    }
```

```
.custom {
    padding: 150px 0;
.slim {
    max-width: 700px;
    margin: 0px auto;
//FOOTER
#footer-img {
    width: 30px;
//BUY
#buy {
    .category {
        .card-img {
            border-bottom-left-radius: 0;
            border-bottom-right-radius: 0;
//PRODUCTS
 product-wrapper {
    img {
        border-bottom-left-radius: 0 !important;
        border-bottom-right-radius: 0 !important;
        object-fit: cover;
        max-height: 250px;
    }
.product-page-link.active{
    background: $primary;
    color: #fff;
    border: 1px solid $primary !important;
//PRODUCT
#product-view {
    #product-buyer-offer {
        background: rgba(0,0,0,.07);
    #product-stats > div {
        @media only screen and (max-width: 575px) {
            border-color: transparent !important;
```

```
#product-image {
        max-height: 500px;
        width: 100%;
        object-fit: cover;
    .product-image-link img{
        width: 100%;
        object-fit: cover;
    #product-buyer-offer-form{
        a, input {
            height: calc(1.5em + .75rem + 2px);
        a {
            padding-top: .35rem!important;
    }
    #product-description {
        white-space: pre-wrap;
    }
#admin-tools {
    // background: rgba(#000, .09);
//USER-OFFERS
#user-offers{
    .offer-product-image {
        object-fit: cover;
        height: 230px;
        border-bottom-right-radius: 0 !important;
        border-top-right-radius: 0 !important;
    #rate-seller {
        input[type=number] {
            width: 60px;
        input {
            height: 40px;
    }
//CHAT
#c-h-a-t {
    #chat-box {
```

```
height: 400px;
        overflow-y: scroll;
    }
//USER-PRODUCTS
#user-products {
    .product-image {
        object-fit: cover;
        height: 230px;
    .product-offer:nth-child(even){
        background: rgba(0,0,0,.07);
//ADMIN
#admin {
    #admin-nav{
        .admin-panel-link.active {
            background: rgba(0,0,0,.1);
            // border-bottom: 1px solid $primary;
        }
    .progress {
        max-width: 400px;
    #admin-panel-users {
        overflow-x: scroll;
        #search-users {
            max-width: 400px;
        #users-wrapper {
            min-width: 1110px;
            .user-info:nth-child(even){
                background: rgba(0,0,0,.07);
            }
        .show-change-pw, .show-ban-user, .show-unlock-user{
            &.active{
                background: #005cbe;
```

```
.ban-user-container, .change-pw-container, .unlock-user-container {
            display: none;
        }
    }
    #admin-panel-covers {
        .admin-panel-covers-select{
            max-width: 400px;
        input[type=file]{
            max-width: 90%;
        }
    #admin-panel-products {
        .alert{
            img {
                max-width: 90%;
            }
    }
#admin-offers-wrapper {
    overflow-x: scroll;
    #admin-offers, .admin-offers-info{
        min-width: 800px;
        .admin-offer-row:nth-child(even){
            background: rgba(0,0,0,.07);
    }
#admin-see-chat-box {
            height: 400px;
            overflow-y: scroll;
//WISH-LIST
#wish-list {
    .wish-list-product-image {
        max-height: 200px;
        object-fit: cover;
```