

2 practical of angular

In cmd

ng new registration-form

cd registration-form

ng serve

open <http://localhost:4200>

File:

src/app/app.component.ts

Replace the code with:

```
import { Component } from '@angular/core';
```

```
import { CommonModule } from '@angular/common';
```

```
import { FormBuilder, FormGroup, Validators, ReactiveFormsModule } from '@angular/forms';
```

```
@Component({
  selector: 'app-root',
  standalone: true,
  imports: [
    CommonModule,
    ReactiveFormsModule
  ],
  templateUrl: './app.component.html',
  styleUrls: ['./app.component.css']
})
export class AppComponent {

  registerForm: FormGroup;

  constructor(private fb: FormBuilder) {

    this.registerForm = this.fb.group({

      name: ['', Validators.required],

      email: ['', [
        Validators.required,
        Validators.email
      ]],

      mobile: ['', [
        Validators.required,
        Validators.pattern('^[0-9]{10}$')
      ]],

      password: ['', [
        Validators.required,
        Validators.minLength(6)
      ]],
      confirmPassword: ['', Validators.required]

    });
  }
}
```

```
onSubmit() {
```

```
  // Make all fields touched
```

```
  this.registerForm.markAllAsTouched();
```

```

// Check if form is invalid
if (this.registerForm.invalid) {
  return;
}

// Check password
if (
  this.registerForm.value.password !==
  this.registerForm.value.confirmPassword
) {
  alert('Password and Confirm Password do not match');
  return;
}
console.log(this.registerForm.value);
alert('Registration Successful!');
}
}

```

File:

src/app/app.component.html

Replace the HTML with:

```

<div class="container">
  <h2>Registration Form</h2>

  <form [formGroup]="registerForm" (ngSubmit)="onSubmit()">

    <!-- Name -->
    <label>Name</label>
    <input type="text" formControlName="name">
    <small *ngIf="registerForm.get('name')?.touched &&
      registerForm.get('name')?.invalid">
      Name is required
    </small>

    <!-- Email -->
    <label>Email</label>
    <input type="email" formControlName="email">
    <small *ngIf="registerForm.get('email')?.touched &&
      registerForm.get('email')?.invalid">
      Enter a valid email
    </small>

    <!-- Mobile -->
    <label>Mobile Number</label>
    <input type="text" formControlName="mobile">
    <small *ngIf="registerForm.get('mobile')?.touched &&
      registerForm.get('mobile')?.invalid">
      Mobile number must be 10 digits
    </small>

    <!-- Password -->
    <label>Password</label>
    <input type="password" formControlName="password">
    <small *ngIf="registerForm.get('password')?.touched &&
      registerForm.get('password')?.invalid">

```

```
        Password must be at least 6 characters
    </small>

    <!-- Confirm Password -->
    <label>Confirm Password</label>
    <input type="password" formControlName="confirmPassword">
    <small *ngIf="registerForm.get('confirmPassword')?.touched &&
        registerForm.get('confirmPassword')?.invalid">
        Confirm Password is required
    </small>

    <button type="submit">
        Register
    </button>
</form>
</div>
```

File:

src/app/app.component.css

Add simple CSS:

```
.container {
  width: 350px;
  margin: 50px auto;
  padding: 25px;
  border: 1px solid #ccc;
  border-radius: 10px;
}
h2 {
  text-align: center;
}
label {
  display: block;
  margin-top: 15px;
  margin-bottom: 5px;
}
input {
  width: 100%;
  padding: 8px;
  box-sizing: border-box;
}
small {
  color: red;
  display: block;
  margin-top: 5px;
}
button {
  width: 100%;
  margin-top: 20px;
  padding: 10px;
  background-color: blue;
  color: white;
  border: none;
  cursor: pointer;
}
```