

Here is a simple Angular app with **Home, About, and Dashboard** pages. Each page has navigation links so you can redirect between all three.

This assumes a modern Angular project using standalone components.

---

## 1. Create the project

```
ng new angular-routing-demo
cd angular-routing-demo
ng serve
```

---

Create the three components:

```
ng generate component home
ng generate component about
ng generate component dashboard
```

---

Your structure will look like:

```
src/
├── app/
│   ├── about/
│   │   ├── about.component.ts
│   │   ├── about.component.html
│   │   └── about.component.css
│   ├── dashboard/
│   │   ├── dashboard.component.ts
│   │   ├── dashboard.component.html
│   │   └── dashboard.component.css
│   ├── home/
│   │   ├── home.component.ts
│   │   ├── home.component.html
│   │   └── home.component.css
│   ├── app.component.ts
│   ├── app.component.html
│   └── app.routes.ts
```

---

## 2. app.routes.ts

Configure the three routes:

```
import { Routes } from '@angular/router';
import { HomeComponent } from './home/home.component';
import { AboutComponent } from './about/about.component';
import { DashboardComponent } from './dashboard/dashboard.component';

export const routes: Routes = [
  {
    path: '',
    redirectTo: 'home',
    pathMatch: 'full'
  },
  {
    path: 'home',
    component: HomeComponent
  },
  {
    path: 'about',
    component: AboutComponent
  },
  {
    path: 'dashboard',
    component: DashboardComponent
  },
  {
```

```
    path: '**',
    redirectTo: 'home'
  }
];
```

---

### 3. app.component.html

Put the navigation here:

```
<nav>
  <a routerLink="/home">Home</a>
  <a routerLink="/about">About</a>
  <a routerLink="/dashboard">Dashboard</a>
</nav>
```

```
<hr>
```

```
<router-outlet></router-outlet>
```

router-outlet is where Angular displays the current page.

---

### 4. app.component.ts

Make sure RouterLink and RouterOutlet are imported:

```
import { Component } from '@angular/core';
import { RouterLink, RouterOutlet } from '@angular/router';

@Component({
  selector: 'app-root',
  standalone: true,
  imports: [RouterLink, RouterOutlet],
  templateUrl: './app.component.html'
})
export class AppComponent {
}
```

---

## 5. Home page

### home.component.ts

```
import { Component } from '@angular/core';
import { RouterLink } from '@angular/router';
```

```
@Component({
  selector: 'app-home',
  standalone: true,
  imports: [RouterLink],
  templateUrl: './home.component.html'
})
export class HomeComponent {
}
```

---

### home.component.html

```
<h1>Home Page</h1>
```

```
<p>Welcome to the Home page.</p>
```

```
<button routerLink="/about">
  Go to About
</button>
```

```
<button routerLink="/dashboard">
  Go to Dashboard
</button>
```

---

## 6. About page

### **about.component.ts**

```
import { Component } from '@angular/core';
import { RouterLink } from '@angular/router';

@Component({
  selector: 'app-about',
  standalone: true,
  imports: [RouterLink],
  templateUrl: './about.component.html'
})
export class AboutComponent {
}
```

---

### **about.component.html**

```
<h1>About Page</h1>

<p>This is the About page.</p>

<button routerLink="/home">
  Go to Home
</button>

<button routerLink="/dashboard">
  Go to Dashboard
</button>
```

---

## 7. Dashboard page

### **dashboard.component.ts**

```
import { Component } from '@angular/core';
import { RouterLink } from '@angular/router';

@Component({
  selector: 'app-dashboard',
  standalone: true,
  imports: [RouterLink],
  templateUrl: './dashboard.component.html'
})
export class DashboardComponent {
}
```

---

### **dashboard.component.html**

```
<h1>Dashboard Page</h1>

<p>This is the Dashboard page.</p>

<button routerLink="/home">
  Go to Home
</button>

<button routerLink="/about">
  Go to About
</button>
```

---

## 8. Optional styling

Put this in app.component.css:

```
nav {
  background-color: #333;
  padding: 15px;
}
```

```
nav a {  
  color: white;  
  text-decoration: none;  
  margin-right: 20px;  
  font-size: 18px;  
}
```


```
nav a:hover {  
  color: yellow;  
}
```

```
button {  
  margin: 10px;  
  padding: 10px 20px;  
  cursor: pointer;  
}
```

---

## How it works

You now have:



You can directly visit:

<http://localhost:4200/home>

<http://localhost:4200/about>

<http://localhost:4200/dashboard>

And the buttons/links can navigate between **any of the three pages** without reloading the browser.

The key Angular syntax is simply:

```
<a routerLink="/home">Home</a>
```

```
<a routerLink="/about">About</a>
```

```
<a routerLink="/dashboard">Dashboard</a>
```

For this basic example, you don't need any login, authentication, services, or complicated functions.