```
<div class="clock">
 <div class="hour"></div>
 <div class="minute"></div>
 <div class="second"></div>
</div>
.clock {
display: flex;
justify-content: center;
 align-items: center;
 height: 100vh;
}
.hour, .minute, .second {
width: 10px;
 height: 80px;
 background: black;
 position: absolute;
transform-origin: bottom center;
}
.hour {
width: 20px;
height: 60px;
 background: #333;
```

```
transform: rotate(30deg);
}
.minute {
transform: rotate(6deg);
}
.second {
transform: rotate(6deg);
 background: red;
}
function setDate() {
 const now = new Date();
 const hour = now.getHours();
 const minute = now.getMinutes();
 const second = now.getSeconds();
 const hourDegrees = ((hour / 12) * 360) + 90;
 const minuteDegrees = ((minute / 60) * 360) + 90;
 const secondDegrees = ((second / 60) * 360) + 90;
 const hourHand = document.querySelector('.hour');
 const minuteHand = document.querySelector('.minute');
 const secondHand = document.querySelector('.second');
```

```
hourHand.style.transform = `rotate(${hourDegrees}deg)`;
minuteHand.style.transform = `rotate(${minuteDegrees}deg)`;
secondHand.style.transform = `rotate(${secondDegrees}deg)`;
}
setInterval(setDate, 1000);
```