






MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
order_id customer_id order_date total_amount status
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16
Output
Action Output
Time Action Message Duration / Fetch
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned 0.000 sec / 0.000 sec
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned 0.016 sec / 0.000 sec
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned 0.000 sec / 0.000 sec
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned 0.000 sec / 0.000 sec
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned 0.015 sec / 0.000 sec
34°C Mostly cloudy
Search
ENG IN
06:40 PM 21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
product_id name category_id price stock_quantity added_date
2 laptop 1 75000.00 50 2022-05-15
1 smartphone 1 45000.00 149 2023-01-10
3 t-shirt 2 1200.00 600 2024-02-01
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:40 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
customer_id total_orders
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:40 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
order_id customer_id order_date total_amount status
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:40 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
product_id name category_id price stock_quantity added_date
1 smartphone 1 45000.00 149 2023-01-10
2 laptop 1 75000.00 50 2022-05-15
3 t-shirt 2 1200.00 600 2024-02-01
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:40 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
customer_id name email phone_number address registration_date
1 Rahul Sharma rahul@example.com 9876543210 Delhi 2022-11-20
2 Priya Patel 9123456789 Mumbai 2023-03-10
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:40 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
product_id name category_id price stock_quantity added_date
2 laptop 1 75000.00 50 2022-05-15
1 smartphone 1 45000.00 149 2023-01-10
3 t-shirt 2 1200.00 600 2024-02-01
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:40 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
customer_id order_count
1 1
2 1
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:41 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
category_name total_revenue
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:41 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
store_revenue
46200.00
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:41 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
product_id total_sold
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:41 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
product_id total_sold
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
average_order_value
23100.000000
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:41 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
product_name category_name price
smartphone Electronics 45000.00
laptop Electronics 75000.00
t-shirt Clothing 1200.00
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:41 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
order_id order_date name email
1 2026-03-01 Rahul Sharma rahul@example.com
2 2025-10-12 Priya Patel NULL
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:41 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
order_id shipping_status
1 NULL
2 NULL
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:41 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
customer_id name order_id
Orders 2 Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:41 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
order_id customer_id order_date total_amount status
2 2 2025-10-12 1200.00 Shipped
Products 3 Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:41 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
customer_id name
1 Rahul Sharma
Result 4 Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:41 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
product_id name category_id price stock_quantity added_date
1 smartphone 1 45000.00 149 2023-01-10
2 laptop 1 75000.00 50 2022-05-15
3 t-shirt 2 1200.00 600 2024-02-01
Result 5 Products 6 Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:42 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
order_month total_orders
3 1
10 1
Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16 Result 17
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:42 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
shipping_id delivery_days
Result 7 Products 8 Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16 Result 17 Orders 18
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:42 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
order_id formatted_date
1 01-03-2026
2 12-10-2025
Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16 Result 17 Orders 18 Customers 19 Products 20 Result 21 Result 22 Read Only
Output
Action Output
Time Action Message Duration / Fetch
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned 0.000 sec / 0.000 sec
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned 0.016 sec / 0.000 sec
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned 0.000 sec / 0.000 sec
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned 0.000 sec / 0.000 sec
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned 0.015 sec / 0.000 sec
34°C
Mostly cloudy
Search
ENG
IN
06:42 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
uppercase_product_name
SMARTPHONE
LAPTOP
T-SHIRT
Result 9 Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16 Result 17 Orders 18 Customers 19 Products 20
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:42 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
trimmed_customer_name
Rahul Sharma
Priya Patel
Result 10 Result 11 Result 12 Result 13 Result 14 Result 15 Result 16 Result 17 Orders 18 Customers 19 Products 20 Result 21
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:42 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
customer_email
rahul@example.com
Not Provided
Result 11 Result 12 Result 13 Result 14 Result 15 Result 16 Result 17 Orders 18 Customers 19 Products 20 Result 21 Result 22
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:42 PM
21-10-2026



MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
customer_id total_spent customer_rank
1 45000.00 1
2 1200.00 2
Result 12 Result 13 Result 14 Result 15 Result 16 Result 17 Orders 18 Customers 19 Products 20 Result 21 Result 22 Result 23
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:42 PM
21-10-2026


MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
order_month monthly_revenue cumulative_revenue
2025-10 1200.00 1200.00
2026-03 45000.00 46200.00
Result 13 Result 14 Result 15 Result 16 Result 17 Orders 18 Customers 19 Products 20 Result 21 Result 22 Result 23 Result 24
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:42 PM
21-10-2026


MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
order_id order_date running_total_orders
2 2025-10-12 1
1 2026-03-01 2
Result 14 Result 15 Result 16 Result 17 Orders 18 Customers 19 Products 20 Result 21 Result 22 Result 23 Result 24 Result 25
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:42 PM
21-10-2026


MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
customer_id total_spent Loyalty_Status
1 45000.00 Silver
2 1200.00 Bronze
Result 15 Result 16 Result 17 Orders 18 Customers 19 Products 20 Result 21 Result 22 Result 23 Result 24 Result 25 Result 26
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:42 PM
21-10-2026


MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
product_id name total_sold Product_Category
1 smartphone 0 Regular
2 laptop 0 Regular
3 t-shirt 0 Regular
Result 16 Result 17 Orders 18 Customers 19 Products 20 Result 21 Result 22 Result 23 Result 24 Result 25 Result 26 Result 27
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:43 PM
21-10-2026


MySQL Workbench
vaidik
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bank
datadigger
final_project
new
new1
new2
new_schema
project
project1
sakila
startersql
student_performance_db
sys
vaidik
vaidik2
world
Administration Schemas
Information
No object selected
Object Info Session
Practical_exam final_project SQL File 4*
Limit to 5000 rows
FROM Orders
GROUP BY customer_id;
SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold,
CASE
WHEN COALESCE(SUM(oi.quantity), 0) > 500 THEN 'Best Seller'
WHEN COALESCE(SUM(oi.quantity), 0) BETWEEN 200 AND 500 THEN 'Popular'
ELSE 'Regular'
END AS Product_Category
FROM Products p
LEFT JOIN Order_Items oi ON p.product_id = oi.product_id
GROUP BY p.product_id, p.name;
Result Grid Filter Rows: Export: Wrap Cell Content:
product_id name total_sold Product_Category
1 smartphone 0 Regular
2 laptop 0 Regular
3 t-shirt 0 Regular
Result 16 Result 17 Orders 18 Customers 19 Products 20 Result 21 Result 22 Result 23 Result 24 Result 25 Result 26 Result 27
Output
Action Output
Time Action Message
42 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, RANK() OVER (ORDER BY SUM(total_amou... 2 row(s) returned
43 18:40:09 SELECT DATE_FORMAT(order_date, '%Y-%m') AS order_month, SUM(total_amount) AS monthly_reven... 2 row(s) returned
44 18:40:09 SELECT order_id, order_date, COUNT(order_id) OVER (ORDER BY order_date, order_id) AS running_to... 2 row(s) returned
45 18:40:09 SELECT customer_id, SUM(total_amount) AS total_spent, CASE WHEN SUM(total_amount) > 5... 2 row(s) returned
46 18:40:09 SELECT p.product_id, p.name, COALESCE(SUM(oi.quantity), 0) AS total_sold, CASE WHEN CO... 3 row(s) returned
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
34°C
Mostly cloudy
Search
ENG
IN
06:43 PM
21-10-2026