

MySQL View Update - cad_franklin

Requested change: add an Altium-derived column that extracts the value after the last comma in the Altium **Footprint Ref** field.

Insert this expression in the SELECT list (using the existing Altium alias **alt**):

```
MAX(
  IF(
    LOCATE(',', alt.`Footprint Ref`) > 0,
    TRIM(SUBSTRING_INDEX(alt.`Footprint Ref`, ',', -1)),
    NULL
  )
) AS `altium_FootprintRef_2`,
```

Recommended placement (immediately after the existing **alt.`Footprint Ref`** projection):

```
alt.`Library Ref` AS `Library Ref`,
alt.`Footprint Ref` AS `Footprint Ref`,
MAX(
  IF(
    LOCATE(',', alt.`Footprint Ref`) > 0,
    TRIM(SUBSTRING_INDEX(alt.`Footprint Ref`, ',', -1)),
    NULL
  )
) AS `altium_FootprintRef_2`,
alt.`LibraryPath` AS `LibraryPath`,
alt.`FootprintPath` AS `FootprintPath`,
```

How to regenerate the view

- 1) Retrieve the current definition:
`SHOW CREATE VIEW cad_franklin\G`
- 2) In the SELECT list, add the ``altium_FootprintRef_2`` expression exactly as shown above.
- 3) Recreate the view (choose one):
 - `CREATE OR REPLACE VIEW cad_franklin AS <full SELECT ...>;`
 - `DROP VIEW cad_franklin; then CREATE VIEW cad_franklin AS <full SELECT ...>;`

Note: MySQL requires the full SELECT when using CREATE OR REPLACE or ALTER VIEW; there is no partial/p

Operational notes

- This view uses CTEs and ROW_NUMBER(), so it requires MySQL 8.0+.
- Because your current view already includes alt.`Footprint Ref` in the GROUP BY, this derived column w
- If `Footprint Ref` can contain multiple commas, SUBSTRING_INDEX(..., ',', -1) returns the segment af