0719

【見通しの良い場合の 1m】

[通常時]

[水中投下]

[デスク下]

[前回の水中投下結果(デスク下)]

```
| Serial port opened successfully. | 2024-07-08 13:56:15 | Sensor I | count: 1 | 20.01°C | LQI: 79 | short addr: 00:13 | 2024-07-08 13:56:25 | Sensor I | count: 2 | 20.01°C | LQI: 64 | short addr: 00:13 | 2024-07-08 13:56:25 | Sensor I | count: 3 | 20.01°C | LQI: 64 | short addr: 00:13 | 2024-07-08 13:56:25 | Sensor I | count: 3 | 20.01°C | LQI: 91 | short addr: 00:13 | 2024-07-08 13:56:35 | Sensor I | count: 5 | 20.01°C | LQI: 91 | short addr: 00:13 | 2024-07-08 13:56:40 | Sensor I | count: 6 | 20.01°C | LQI: 94 | short addr: 00:13 | 2024-07-08 13:56:40 | Sensor I | count: 6 | 20.01°C | LQI: 70 | short addr: 00:13 | 2024-07-08 13:56:55 | Sensor I | count: 8 | 20.01°C | LQI: 70 | short addr: 00:13 | 2024-07-08 13:56:55 | Sensor I | count: 9 | 20.01°C | LQI: 70 | short addr: 00:13 | 2024-07-08 13:56:55 | Sensor I | count: 9 | 20.01°C | LQI: 70 | short addr: 00:13 | 2024-07-08 13:57:06 | Sensor I | count: 10 | 20.01°C | LQI: 67 | short addr: 00:13 | 2024-07-08 13:57:11 | Sensor I | count: 12 | 20.01°C | LQI: 67 | short addr: 00:13 | 2024-07-08 13:57:15 | Sensor I | count: 12 | 20.01°C | LQI: 67 | short addr: 00:13 | 2024-07-08 13:57:16 | Sensor I | count: 12 | 20.01°C | LQI: 67 | short addr: 00:13 | 2024-07-08 13:57:15 | Sensor I | count: 14 | 20.01°C | LQI: 67 | short addr: 00:13 | 2024-07-08 13:57:25 | Sensor I | count: 15 | 20.01°C | LQI: 67 | short addr: 00:13 | 2024-07-08 13:57:31 | Sensor I | count: 15 | 20.01°C | LQI: 70 | short addr: 00:13 | 2024-07-08 13:57:36 | Sensor I | count: 16 | 20.01°C | LQI: 67 | short addr: 00:13 | 2024-07-08 13:57:46 | Sensor I | count: 18 | 20.01°C | LQI: 67 | short addr: 00:13 | 2024-07-08 13:57:46 | Sensor I | count: 18 | 20.01°C | LQI: 67 | short addr: 00:13 | 2024-07-08 13:57:46 | Sensor I | count: 18 | 20.01°C | LQI: 67 | short addr: 00:13 | 2024-07-08 13:57:46 | Sensor I | count: 19 | 20.01°C | LQI: 67 | short addr: 00:13 | 2024-07-08 13:57:46 | Sensor I | count: 20 | 20.01°C | LQI: 67 | short addr: 00:13 | 2024-07-08 13:57:46 | Sensor I | count: 20 | 20.01°C | LQI: 67
```

【見通しの良い場合の 4m】

[通常時]

```
C:YUsersY紙平YDesktop>python test1.py
Serial port opened successfully.
2024-07-15 08:22:00 | Sensor 1 | count: 1 | 20.01°C | LQI: 112 | short addr: 00:3e
2024-07-15 08:22:05 | Sensor 1 | count: 2 | 20.01°C | LQI: 115 | short addr: 00:3e
2024-07-15 08:22:10 | Sensor 1 | count: 3 | 20.01°C | LQI: 115 | short addr: 00:3e
2024-07-15 08:22:15 | Sensor 1 | count: 3 | 20.01°C | LQI: 115 | short addr: 00:3e
2024-07-15 08:22:20 | Sensor 1 | count: 4 | 20.01°C | LQI: 115 | short addr: 00:3e
2024-07-15 08:22:20 | Sensor 1 | count: 5 | 20.01°C | LQI: 115 | short addr: 00:3e
2024-07-15 08:22:25 | Sensor 1 | count: 6 | 20.01°C | LQI: 100 | short addr: 00:3e
2024-07-15 08:22:35 | Sensor 1 | count: 7 | 20.01°C | LQI: 100 | short addr: 00:3e
2024-07-15 08:22:35 | Sensor 1 | count: 9 | 20.01°C | LQI: 103 | short addr: 00:3e
2024-07-15 08:22:40 | Sensor 1 | count: 9 | 20.01°C | LQI: 103 | short addr: 00:3e
2024-07-15 08:22:46 | Sensor 1 | count: 10 | 20.01°C | LQI: 112 | short addr: 00:3e
2024-07-15 08:22:56 | Sensor 1 | count: 12 | 20.01°C | LQI: 115 | short addr: 00:3e
2024-07-15 08:23:01 | Sensor 1 | count: 13 | 20.01°C | LQI: 115 | short addr: 00:3e
2024-07-15 08:23:01 | Sensor 1 | count: 14 | 20.01°C | LQI: 112 | short addr: 00:3e
2024-07-15 08:23:11 | Sensor 1 | count: 14 | 20.01°C | LQI: 112 | short addr: 00:3e
2024-07-15 08:23:11 | Sensor 1 | count: 14 | 20.01°C | LQI: 112 | short addr: 00:3e
2024-07-15 08:23:11 | Sensor 1 | count: 14 | 20.01°C | LQI: 118 | short addr: 00:3e
2024-07-15 08:23:11 | Sensor 1 | count: 15 | 20.01°C | LQI: 118 | short addr: 00:3e
2024-07-15 08:23:16 | Sensor 1 | count: 16 | 20.01°C | LQI: 115 | short addr: 00:3e
```

[水中投下]

[前回の通常時結果(デスクと院生部屋の入口付近)]

[前回の水中投下結果(デスクと院生部屋の入口付近)]

```
C:\Users\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\unders\under\under\unders\unders\unders\under\unders\unders\unders\unders\unders\unders\unders\unders\un
```

【見通しの良い場合の8m】

[通常時]

```
C:YUsersY郷平YDesktop>python test1.py
Serial port opened successfully.
2024-07-15 08:26:09 | Sensor 1 | count: 1 | 20.01°C | LQI: 46 | short addr: 00:d3
2024-07-15 08:26:14 | Sensor 1 | count: 2 | 20.01°C | LQI: 82 | short addr: 00:d3
2024-07-15 08:26:19 | Sensor 1 | count: 3 | 20.01°C | LQI: 58 | short addr: 00:d3
2024-07-15 08:26:24 | Sensor 1 | count: 4 | 20.01°C | LQI: 76 | short addr: 00:d3
2024-07-15 08:26:29 | Sensor 1 | count: 5 | 20.01°C | LQI: 76 | short addr: 00:d3
2024-07-15 08:26:34 | Sensor 1 | count: 6 | 20.01°C | LQI: 97 | short addr: 00:d3
2024-07-15 08:26:39 | Sensor 1 | count: 6 | 20.01°C | LQI: 100 | short addr: 00:d3
2024-07-15 08:26:39 | Sensor 1 | count: 7 | 20.01°C | LQI: 103 | short addr: 00:d3
2024-07-15 08:26:44 | Sensor 1 | count: 8 | 20.01°C | LQI: 103 | short addr: 00:d3
2024-07-15 08:26:49 | Sensor 1 | count: 9 | 20.01°C | LQI: 103 | short addr: 00:d3
2024-07-15 08:26:59 | Sensor 1 | count: 10 | 20.01°C | LQI: 100 | short addr: 00:d3
2024-07-15 08:26:59 | Sensor 1 | count: 11 | 20.01°C | LQI: 100 | short addr: 00:d3
2024-07-15 08:27:04 | Sensor 1 | count: 12 | 20.01°C | LQI: 100 | short addr: 00:d3
2024-07-15 08:27:04 | Sensor 1 | count: 12 | 20.01°C | LQI: 85 | short addr: 00:d3
2024-07-15 08:27:04 | Sensor 1 | count: 14 | 20.01°C | LQI: 85 | short addr: 00:d3
2024-07-15 08:27:14 | Sensor 1 | count: 15 | 20.01°C | LQI: 85 | short addr: 00:d3
2024-07-15 08:27:19 | Sensor 1 | count: 15 | 20.01°C | LQI: 85 | short addr: 00:d3
2024-07-15 08:27:19 | Sensor 1 | count: 16 | 20.01°C | LQI: 97 | short addr: 00:d3
2024-07-15 08:27:24 | Sensor 1 | count: 16 | 20.01°C | LQI: 97 | short addr: 00:d3
```

[水中投下]

[前回の通常時結果(デスクと4年部屋)]


```
| C:YUsers+珠平PDesktop>python testl.py | Serial port opened successfully. | 2024-07-10 10:41:58 | Sensor 1 | count: 1 | 20.01°C | LQI: 64 | short addr: 00:05 | 2024-07-10 10:42:03 | Sensor 1 | count: 2 | 20.01°C | LQI: 49 | short addr: 00:05 | 2024-07-10 10:42:08 | Sensor 1 | count: 3 | 20.01°C | LQI: 55 | short addr: 00:05 | 2024-07-10 10:42:13 | Sensor 1 | count: 4 | 20.01°C | LQI: 55 | short addr: 00:05 | 2024-07-10 10:42:13 | Sensor 1 | count: 5 | 20.01°C | LQI: 58 | short addr: 00:05 | 2024-07-10 10:42:23 | Sensor 1 | count: 6 | 20.01°C | LQI: 61 | short addr: 00:05 | 2024-07-10 10:42:23 | Sensor 1 | count: 7 | 20.01°C | LQI: 61 | short addr: 00:05 | 2024-07-10 10:42:33 | Sensor 1 | count: 7 | 20.01°C | LQI: 61 | short addr: 00:05 | 2024-07-10 10:42:38 | Sensor 1 | count: 9 | 20.01°C | LQI: 61 | short addr: 00:05 | 2024-07-10 10:42:38 | Sensor 1 | count: 10 | 20.01°C | LQI: 43 | short addr: 00:05 | 2024-07-10 10:42:48 | Sensor 1 | count: 11 | 20.01°C | LQI: 52 | short addr: 00:05 | 2024-07-10 10:42:48 | Sensor 1 | count: 11 | 20.01°C | LQI: 49 | short addr: 00:05 | 2024-07-10 10:42:53 | Sensor 1 | count: 12 | 20.01°C | LQI: 49 | short addr: 00:05 | 2024-07-10 10:42:58 | Sensor 1 | count: 13 | 20.01°C | LQI: 58 | short addr: 00:05 | 2024-07-10 10:43:03 | Sensor 1 | count: 14 | 20.01°C | LQI: 55 | short addr: 00:05 | 2024-07-10 10:43:13 | Sensor 1 | count: 15 | 20.01°C | LQI: 52 | short addr: 00:05 | 2024-07-10 10:43:13 | Sensor 1 | count: 16 | 20.01°C | LQI: 52 | short addr: 00:05 | 2024-07-10 10:43:18 | Sensor 1 | count: 17 | 20.01°C | LQI: 52 | short addr: 00:05 | 2024-07-10 10:43:18 | Sensor 1 | count: 18 | 20.01°C | LQI: 52 | short addr: 00:05 | 2024-07-10 10:43:24 | Sensor 1 | count: 18 | 20.01°C | LQI: 49 | short addr: 00:05 | 2024-07-10 10:43:24 | Sensor 1 | count: 18 | 20.01°C | LQI: 49 | short addr: 00:05 | 2024-07-10 10:43:29 | Sensor 1 | count: 18 | 20.01°C | LQI: 40 | short addr: 00:05 | 2024-07-10 10:43:29 | Sensor 1 | count: 19 | 20.01°C | LQI: 40 | short addr: 00:05 | 2024-07-10 10:43:29 | Se
```

[前回の水中投下結果(デスクと4年部屋)]

C:\Users\Us

【表示方法】

- 1. LQI 値ではなく, dbm 表記にする.
- 2. 1m, 2m, 4m, 8m …の実験の際,グラフを下記の 2 つのどれかを採用する.



LQI と距離の関係 义 2

