

Insert new Annex 175A corresponding to Clause 175 as follows:

Annex 175A

(informative)

1.6TBASE-R PCS FEC codeword examples

This annex provides an example of the PCS transmit function including the 64B/66B to 256B/257B transcoding, scrambling, pre-FEC distribution, Reed-Solomon encoding, and PCSL formation defined in 175.2.4. This annex presents data in a tabular form. The contents of the tables are hexadecimal representations of the data and are transmitted from left to right within each row starting from the top row and ending at the bottom row. The most significant bit of each hex symbol is transmitted first.

A constant transmission of idle control characters is sent to the 256B/257B transcoder resulting in a continuous stream of 257-bit blocks, $tx_xcoded<0:256>$, shown in hex:

$tx_xcoded<0:256> = 007000000000000000780000000000000078000000000000007800000000000000$

In this example, an alignment marker group is due for insertion. The scrambler seeds, see Equation (49–1), for each of the two flows, just before the first 257-bit blocks to be scrambled are as follows:

For flow 0, the scrambler seed is $S<0:57> = 24E6959D0FA5DBD$

For flow 1, the scrambler seed is $S<0:57> = 1FB58857D816246$

After scrambling transcoded data and then inserting the alignment marker group, the variables $tx_scrambled_am_f0$ and $tx_am_scrambled_f1$ are produced as shown in Table 175A–1 and Table 175A–2. In these tables, italicized characters are alignment markers and bold characters are padding for the alignment markers. In each flow, just prior to insertion, the seed of the PRBS9 generator used for padding is $P<0:8> = 0x100$. The PRBS9 padding data is produced from the output of $P<8>$ as shown in Figure 175A–1, and $tx_am_sf<2:0> = \{1,0,0\}$.




Figure 175A–1—PRBS9 Padding Generation

After distributing data into message blocks and PCS FEC encoding, codewords c_A and c_B are produced in flow 0, and codewords c_C and c_D are produced in flow 1. The codewords are illustrated as four 5440-bit representations cx_A , cx_B , cx_C , and cx_D as follows:

For all $i=0$ to 543:

$$cx_A <(10i+9):(10i)> = c_A <i><0:9>$$

$$cx_B <(10i+9):(10i)> = c_B <i><0:9>$$

$$cx_C <(10i+9):(10i)> = c_C <i><0:9>$$

$$cx_D <(10i+9):(10i)> = c_D <i><0:9>$$

The expanded codewords are shown in Table 175A–3, Table 175A–4, Table 175A–5 and Table 175A–6 (bold characters are parity).

The codeword data is distributed as 10-bit RS-FEC symbols to form 16 PCS lanes. The PCSLs are shown in Table 175A–7.

NOTE—A text file containing the patterns in the following tables is available at <https://standards.ieee.org/downloads/802.3/>.

Editor’s note (to be removed prior to publication): The following file will be placed in the 802.3 downloads folder referenced above when this amendment is published:
https://www.ieee802.org/3/dj/public/24_05/opsasnick_3dj_03_2405.txt

**Table 175A–1—Example tx_scrambled with alignment marker group
for 1.6TBASE-R PCS flow 0**

Index <i:j>	tx_scrambled_am_f0<i:j>
<0:256>	0B2A4CB2A4CB2A4CB2A4CB2A4CB2A4CB2A4CB2A4CB2A4CB2A4CB2A4CB2A4
<257:513>	1965499654996549AB66E6B66FAB66DEB66CAB66E6B66DEB66DEB66D2B66FEB66
<514:770>	1A56CD956CDC56CDED6CD9D6CDC56CDB18324408CACAC03FA6F35833ABA46A3D4
<771:1027>	08425B3651068C3BA8E4DFAE3714562543CCC89A72561956 00846139561BD3722
<1028:1284>	08CCD177010357E8DAB65B6F9160968075341AC958CFC828D8372DC66242646D8
<1285:1541>	026FEAA09736E915DD54C5F7E600ECFCBD7D7C207941C5D7182D8B95FE412ED12
<1542:1798>	014CCE446415F10CDC7BBAFB1CC4B442EF5737AFB4F3BED48D240C9095F5FD3A6
<1799:2055>	10219FBE135EDE0B73C15238C150007886562E30A50CB27DF341954DB8CA1C564
<2056:2312>	16598EAD3C229838CB9BEE7F793139EE1F89FDAD9071687CBEDF89B4E527A03CD
<2313:2569>	1C2044F260A85EE6EB506C25E7C1196298548B4B3576F1B084C83F2E3CB5FC5F6
<2570:2826>	1C9D40EF27471536FE9EB5E3BC3870D46755080EA6D29F09CF8FA697A738DD3EC
<2827:3083>	193FA8A7675CE03706A49019B93544E19DD66CE78E6A94BEBD07ECCAE7DF2076D
<3084:3340>	081919F234C00959E5AFFC9F83C909805378B5F3F2E4917F3E48B5DE4758CEA42
<3341:3597>	1D378C193CDD3D0F781ABC3529BF76A66B7C73A7230B517D96DAFF6A39F9EA9B6
<3598:3854>	05E852B6917E9D1410B6509E778629A516FB2BCEABA79F12241DBC94CAFFFF02
<3855:4111>	1D98F5991744C9FC5393EFD6299558CB4F28DF3BF3C8636DBA505E3A296C7BD2E
<4112:4368>	00FAACFBFDBC1C29CED046C73C9AAAFE3DE8849ADAD16E864814846BB8CB889AD
<4369:4625>	04D11BFE0E8DEF5ECFDBE45D1EE4607B4B44DF874F8E976DD828FCFD38158A8FF
<4626:4882>	00EE28B635049BA9506024BA13862A1D6BAE22D0DB5DDB1F4DBE0F80E9EDBBCC6
<4883:5139>	1CD0769BC76446DA04136E7C6D19905DFB81AC3BFD931426901028D729E529F5A
<5140:5396>	14C3FF33243D7D2B5137B63359FD25B82CDE769D0F10D2E60A0386E60820BE8F4

**Table 175A–1—Example tx_scrambled with alignment marker group
for 1.6TBASE-R PCS flow 0 (continued)**

Index <i:j>	tx_scrambled_am_f0<i:j>
<5397:5653>	1993F1FE2D6C60459F26A74BD0265C2959899E4C5B24196AFD51DB241CFCF9091
<5654:5910>	18EE61EA5A0D584DE8AC602618874BBA60A907115513BC960F6BE32C68F1F2458
<5911:6167>	042251FD6EF16662F5C99D9779B20B865B1401C96034C99550401BCB2792E5638
<6168:6424>	0CE3AE06476B769F33E5577CE4BA6D62071CABE3EA9561D6077FD23909568A25A
<6425:6681>	1BBC46AC3DF26A5BB0EA4FDBCBBF42738A84007619C594E24AB396AFB5F05FBFF
<6682:6938>	076C96A407E106D494AA6B0C5168E1F335B812D7BC530CE8C6FC13F6C54EC2165
<6939:7195>	056CC06AFE2BD2A9894C4D1AD9E632F861208AD3894EFF0DE8B0291C486EA3281
<7196:7452>	094534A897031E6307E32C1906C85E99CD4696FC818D2B5EAF26A576DE149AE12
<7453:7709>	085AE9048EDDC5401827FAA937411FF35C10287236FFDC87E7E7E334B038EE3F9
<7710:7966>	014179E0E2359D3B961A1302FA4B7AC384F0564B15D7504DADBE3C65EE8F6F13A
<7967:8223>	08D40F4B092621CCA4919E81D0C15014204622D41814894DBE389C149E5E2257A
<8224:8480>	0E4772C6718DA5361ABFAAD60F5C32D304740DE671045CDAD6617125F4BBF457D
<8481:8737>	071A7D2B02B41F13971A22FE8A29F0A03C1CEC43CA0411D7872F18D12E0A2BD06
<8738:8994>	1344403844B360B4A61968D045941FF821511C2E95455C300EED811D314AD7018
<8995:9251>	0275A5C4A36F6B8B13AFAFFCFDDBD9B13F00488494886CDEB13B31FC9F7941CF
<9252:9508>	168E51B4882712DECD042307B45EBFF549E07C92FD3C3DAB5A655CC419BBA06F1
<9509:9765>	02B88C8D61954691B36009D54637647F750E1B99733303EA76E0805B182D3B9D0
<9766:10022>	1C50996262A56FB5D7631247C2F52B5150C17BA61FEB56A37BE13F2ABC226AA0A
<10023:10279>	1A1F1CF493816E6F69603FF83E895BA5AFF2ECB8E9090CB28AE93C232756FEDAF

**Table 175A–2—Example tx_scrambled with alignment marker group
for 1.6TBASE-R PCS flow 1**

Index <i:j>	tx_scrambled_am_f1<i:j>
<0:256>	08DB4C8414C8C54C8B54C90F4C89F4C9794C8894C80D4C9AD4C8BF4C86D4C8314
<257:513>	190A29902E990B69ADFDC5A9613E0CC067BFA2ADD4ADC35EF71B252465E0C55C7
<514:770>	0E02B1475DCCD5D481B98B6D61054D5104767D3DBF667B508085A4527C794591C
<771:1027>	185B6EDA7CEAE233C9D71B4661C56FA9CE9C33DF6555D9E00846139561BD3721
<1028:1284>	0D86712D0BB857113C0B3BECCC6DD238DCD620976ACD22761CDDBF9E5F7126F80
<1285:1541>	17D20BB458BCD8129BB394A60A01638FA7712B459F1601BF50F4FD64BB21862EF
<1542:1798>	08E234452B12D312B55B34ECE1DE72C4888E87DDFE8DAC2D9FDCEC27F854B2BFB

**Table 175A–2—Example tx_scrambled with alignment marker group
for 1.6TBASE-R PCS flow 1 (continued)**

Index <i:j>	tx_scrambled_am_f1<i:j>
<1799:2055>	11E74136D4BA915E13F938979283A5F5D6EB22AF4B44AB30E3DE2284B0ED707DF
<2056:2312>	1DA2F79981437B105C3F60967066BAD624B8E8E9B5E7C458FAD1F5E5C804B5D57
<2313:2569>	1FAAE03357A5BF7F8B9747AB1678F16DB47D1B274554A15B564C6093E384CE14B
<2570:2826>	09CE5AC990B496EFE737DB49F2EBD44F599305D4244635DDCB09F962AA1B64800
<2827:3083>	0E24DCC70DAE09BA00AC6DD01F83365B8CA4726B57D4DE07F8333369FAC7E798D
<3084:3340>	1E02AB63008FC939412BC752517019DEE9D334A7E1D5D1D33C8E825BD30D69CB9
<3341:3597>	087D184EA8E41FFA8597DB95CC0CD11649EEFCD12FA7986BDE607B7B3E5ADA016
<3598:3854>	1CB4D6F728D4691AC4E4151800938E9B0E84611D12FEAE019CBDBA18BC92FB131
<3855:4111>	1C5F47B205053700745BE6EF41A577D0CFFAF13FC8C201D186ADCBF1938D2FF64
<4112:4368>	10DBCC761FB64CBCDD4C711E9429B7D569B414CAA0BE9D73FFC44F92C858D460D
<4369:4625>	0976AA35AF38DD3E3174FCD1B255A675F9DB9F207E9A2A40319AFC4B26E9A5F4F
<4626:4882>	01958304A711D17E6BAEE28B38A3025FFA49E4CA9734043700D75AADA300A3756
<4883:5139>	1D51545C55EB181FEB7EC1254510FA7892BA68A5B51BEAF5E2701EB8AD3E5D45E
<5140:5396>	1ACBA523889B35BCF2787E895F299FC18B21F1684971B3801F6EB9755C523D753
<5397:5653>	025DF25BFDDA017C270722FD8ECE514C3D5523C12BEEF948D09F2DB86A1F6C6F5
<5654:5910>	0E4EA184B2EAAAE89D4DB4796B90214FA63A3E187B442795B9F90E51FA7A1772D
<5911:6167>	1B1EC0A0F67D84EF81DCD33440628246183408149490F99623AB24D6087933C14
<6168:6424>	0DC38FCB398267BCE110F601195BCED4418F37DBFE70AB7FD3B117A9638DBDDBB
<6425:6681>	1D75E246A824061BD7A8D9A63EAD746A1CB342126F647C03700E4C63DFFF1C44
<6682:6938>	18F59CD9EEC9091F893AA4698D5032AA9A33BA060138CDD2876CF01BEB3DAD41E
<6939:7195>	19A4FB409965E900EF8C1BF458A5580C0C37B7A6314E6C6C460F75548B1705FB2
<7196:7452>	15E6F65267293079DAF3C6F939F9FB49024DBD88EC7A493C02B796A96697202
<7453:7709>	1B8E510833FC8CB4F473BB1596BCA4B304352F124921469F51D9861F76F214D8
<7710: 7966>	09618C7E818265DAA2E01B6BD5DCB69E682D63984BFDFD5D3C4F1DE84507C974C
<7967:8223>	06EAE0750E96FB7B39B130B553CDBCAF7EEBB62DAD92FCB399B6AE92038C41BB
<8224:8480>	0945978072B086F556008111468DBC57A52D5F290C254F571ECF80DDA76E4AC60
<8481:8737>	112DD7F8AF0738ABBDABF05A96B57D0FD8517C5FB2EFE10EACBAC82EA6A1363B7
<8738:8994>	078E938BBD54009EF35E4AEE68E69B290CC376AC6BBF4CAE6F8AD583B30C3E30E

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45
- 46
- 47
- 48
- 49
- 50
- 51
- 52
- 53
- 54

Index <i:j>	tx_scrambled_am_fl<i:j>
<8995:9251>	0BD6F1214588B590B0B7593A434C0A9E5ED0D685EFBF063AB86ADF779AB15B10F
<9252:9508>	0B757EA11B7B628798E95E83D1E9735B3A747212CC283E2ABF04D4CF5F7183065
<9509:9765>	1F67A1A3A1BF4C6C992B1670B6E14D0AAC285EB7AD0B121662CDBBCF6E011EEF2
<9766:10022>	1B15E3CCBC395C515B808197ACE01555C8F9A5C19394A639BACE5928965C12DCE
<10023:10279>	0505E4005D8365B9464206DC1255EA5C2F251CD02D24DD326E9D7DB12DEA7660C

18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54

[illegible]

[illegible]

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45
- 46
- 47
- 48
- 49
- 50
- 51
- 52
- 53
- 54

32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54

32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54

Table 175A–5—RS(544,514) codeword C (continued)

Index <i:j>	$cx_C<i:j>$
<1599:1280>	F6C6C630C0B7403578B66810C7F51E2F5F0864D75C1ED234AA4F5776D3F4664978C52D0F61A55502
<1279:960>	8B3D4D586157BE62DEA44887FCE2F7A0EB5BF0FA74DC235D95C6F8FBA00159FBA2CD84ADFEECE95A
<959:640>	19863DAE286B6D097103DEA163F5D5BECDD5C23D56C4284B978675CBA43827EA65C774C85F6136235
<639:320>	6D02C1417B48CD1F3E20B4DE3385450239A556CF93232E688A904A300AC18A760A903AE28B432EB9
<319:0>	D226E110C8E288A0F40ED4DEBF74E711C8F1551B28FC86C94FB7CB3438B1661F7C5664234FEB0550

Table 175A–6—RS(544,514) codeword D

Index <i:j>	$cx_D<i:j>$
<5439:5120>	659946559565D97651946559565D956519465D968EC860CDFDAEEC363A248C0EE14667095A304115
<5119:4800>	F35FB56F42F2745A196D754F3D8CE195F0EA6DE6621AAECB0D16B50079BE76DD82099A0DFEDDF4FB
<4799:4480>	12DA206CDD19468B962D1A0AFAFC4DD1886A5196D4E6A7222DDEB6FCC86953BF82F4A7AB2749FE9
<4479:4160>	D74BDD52F1217AD7F8F7851040DF07D6B8E5B111169D35AFF301A547DE2799B662EA26A2321F073
<4159:3840>	9CB26495CF96FAED7B4111377FC8AA090910E2415002ECC0C764CAFFE33335C67A8006926A4494C0
<3839:3520>	72F29755E6481863A58BC55FFFA73A22F7922D9E9EDED6B68B5962AC5048032E109173ABA78C3E9
<3519:3200>	3C778A0B8067D600BFD713EE0B5663F4984DC5367644728755506829D51126B15BA5ACEC68C2CDAA
<3199:2880>	7E8F965C02FD764BEB5329117AE9A2060BF99059076B50615DA8AA8819FB2A57CD4A947D91ED79F2
<2879:2560>	7A12E221EDC3FD47F02642E6CDF1748946593DBB0F84EDC7282A948A7F908776F3A830ABB2216D3A
<2559:2240>	F978B6F13C4FFF1742370506F81F32462181024A69935104F387669CC84300DED045F61CDFFD10E3
<2239:1920>	B77AE5586057865ADF8510A6FB0327FEE23CD6EFC4AB98CA9862CC098DC2C0779BC37C6980283068
<1919:1600>	01BB0C64D9060AA0E9534DCA773F1EF3AFC4808D4BE01AD34B769084FEF237536348AC491626E2F8
<1599:1280>	A10D2BF0C8A2ADB9DECCE37FA5D71E511D2576B8F6A73D0ECFEF5B79B73456F01D80D19C3B000D44
<1279:960>	7B65229D52F1D80EDC31AECF5547D5A54BE285FA1FD35D04853B79255EF293E2CA6D86B1A658FB83
<959:640>	E1B4E48C46D0A6B2C1E5B0BDEC61589EF6ADAC2BDBCCF2F4BC9B671866A3643D71826F7172F264E6
<639:320>	A1F555E90B9A1DB1DB77D47A61D43BF4D0089C7494FB34D34D9D9E8BA3694260E5793D0B2C97676F
<319:0>	578C1EBA0E5B385A08212F7A22D5BF061C6A3D3B3E3BFA869291D6A79AB9ED18FB84A228B61EB096

Table 175A-7—Example PCS Lanes for 1.6TBASE-R PCS

PCSL	Index <i:j>	pcsl_x<i:j>
0	<0:271>	5952646DA6AD9B9B7F713064808ECF0084600846C09BF05F489B8F756AB6886565D6
	<272:543>	EBE5F6FC7D687DB9352D393706ABA00AC029BEF74E5F65B1AF79FE05D6263CE14E76
	<544:815>	5E6E81ED299D7EB63E9086E029F5A5D45E18116805F0E97740429F4C9950F996B451
	<816:1087>	26DEEDC20DA92123E632FA5580C695A763D20E3B8DBC85926210E96F7AE19346DE28
	<1088:1359>	104CBBF86295A66187441388DBDB518DD2DB85C3FD6327293275612DEA83A3BC507C
1	<0:271>	59526420A6AD9BE6A58481195A7B7E1395613956AA8252ED1675F6369D9C2E30A22A
	<272:543>	F4C4DA7FAF2EA81DECB59349019C6DD0C5AF999A536BFDA81EDE98F595F47B68236A
	<544:815>	6388D137E76E7CB7C1F1AEB5A61FFD65D27C9A99C1C8C15204C7475040123AB2D6EF
	<816:1087>	1DF5D792954F127586120C0C37F579349E01FE4283612CCCA49B7B39698232BD2975
	<1088:1359>	E1C43AB2E0302C61CB96F66143CC91FDD342ABAD46F4C737FEDAF7660CBB58F13FF7
2	<0:271>	59526462A6AD9B7F833095807CCF6A1BD371BD37CDBA42F360989683BCE550CB2B44
	<272:543>	AB293D04025A4E8E221692B93541F833F9724F0EAE8E7E7CF96B917442050539E4DF
	<544:815>	4A141D3E381FA601D3D5B4609992191C44D2F40BF63BE22AAC30F6BCB274D6081AB0
	<816:1087>	F891AAD618A48D318AD38B7A6352BB65BCB52F3C1318FD19E81B130BA06F36AF94BC
	<1088:1359>	634EB20B75A5CD6F128211874AF44386E0A17A7C27E59CB28CE9D221D725F714DA15
3	<0:271>	5952645AA6AD9B219EFEF4DE61010B22466216C3577554A6EC85DEA891117DF3430E
	<272:543>	3D1E6F0EABFEA6DFDDDFCE4E19D65B8C8BF9F8E99EAA6D86805BC9FC537007557F1D
	<544:815>	BEABA5DB78A900B7798146EAE8E95D9ADE9970A3945327792884F292E567933C7C9A
	<816:1087>	9090182D1C3AA06594EFF14E6CF0A4D4B34BC46B30304CD0C15553CD388228612A4B
	<1088:1359>	828A9A844A36F145883DA2F1E8F465CCCEB4255784512CB0E00C131C1BEFC5F2925
4	<0:271>	59526487A6AD9B98AB75B067548A4F68BB838968317DFE5298E6F5FD0FBB1954DE22
	<272:543>	848113CAB80C3D6BC6FB69D66CEA4726245AE47412BD0A5969AD393EF45BE6EF4424
	<544:815>	DA0A60A3FC66BFDCD07DD515A89BD793C3566260F554C1ED7B73F238671146E16EC3
	<816:1087>	A6F5EAE66B7553460DE8B6C460709219016EA772CBB54501420BCAF7E6D6B7AB8FAF
	<1088:1359>	41AD8EDC6B8B1B590B5FFAAB9AD9C0FA9C48594D541825B9AD0ED51CDA6A632FB789
5	<0:271>	5952644FA6AD9B72B70D748D48F28B081AB5DC2B9803B2805869E77FD1B5B8CA1B0E
	<272:543>	D7982A1D5E96778703E5D778E6AB57D4F23ACDE9866D22FEE51AD6299EF41A4D6D66
	<544:815>	55053F4E012C9B69BC745C55B19ACF44AF793168F04AC658D1CA3FD7032C7E5993F6
	<816:1087>	F36698025AF7740C0291CF75546BA413944234260C036D4622DEEBB630B8967C0668
	<1088:1359>	880F1D273AF0B7594F03ED3A39DB8208B36E5A1F1C505EDBD5F512873A047CD15A

Table 175A–7—Example PCS Lanes for 1.6TBASE-R PCS (continued)

PCSL	Index <i:j>	pcsl_x<i:j>
6	<0:271>	595264BCA6AD9B77BDC67A88423985F46D5889E03F2F5E3E9DDA91A85B3FC564B07D
	<272:543>	FE7B9BAFD2E1A8CA89EB94BEBDE07F67521B4E5CD3A288D235558CB577D08B743F
	<544:815>	4EB9562A3A697D6446DEB181FE92D94CFEC9065FBBE51E3E44F42E3B5BBCC1332FED
	<816:1087>	0FABB578A6102719486EA8B17023B770CFF25F4967ABB9418142DAD92FA5DED3B770
	<1088:1359>	896177AAFFCDF3A434497E90966116C60F3DB8CF4934005D3F9D8BC1055FD127099E
7	<0:271>	59526444A6AD9B4C949125B36B6EDAB2DB759DF6F5F08C4AD148192B9D842CC75D17
	<272:543>	BCD41B0E5D1EEAA103260BD07EC8333374DE3A1F46216CA89C824F28DCFFAF240A4F
	<544:815>	FE22FC1DC3C32BA0413FEB7EC166F0C590ABF54234278B042E5BB14F99FDE7089CE2
	<816:1087>	AD1A879D18DBA50E328145FB2A1500632D3DF58706D3CD894DB2FCB3FA2BE256306C
	<1088:1359>	1698013DDBD9BC0A9EE1ED541F15B4EE7047BB816E68365B97602702106DED68D275
8	<0:271>	59526406A6AD9BF97831510687CEAEC8B046636E1E50767C5812BEBFF0A969E11CC0
	<272:543>	A1979F0AC59E1D4DAA8488CAE7D69FAC064F313AA313CEFA3001F3BF313FC8235DC7
	<544:815>	C964516C6060946E7C6C12543B4E8F8B4276C90CB6E1251FDEC0A02ABBE87B001001
	<816:1087>	D2CD08F827ED9E03A29A5F37B209FEA1CEEC9E0AC05AC7E389C99B6A9C69F44B754C
	<1088:1359>	32DE6BC913F005ED0DAD32A5F826438A1CB62BF6960946429DA74CAEF47A379198B7
9	<0:271>	595264D6A6AD9B4571DCC3BA8E233CB403A91C6E175C606FD4FA74D657F74C1C6BD8
	<272:543>	824658A3C5B653E13C6BBBF20767E79874F43907FE0C534271D3C8636C201D65C442
	<544:815>	C6A3A0937E23A2D1990510FA788694B8D973F3EA87DB6EF16F67D8725D38CADE8671
	<816:1087>	649BD9D8A9D7D67B44B8193394A4DD0565B2962BA3097F149E5E92034AC0AFE2BC1A
	<1088:1359>	08B5DCD148849685EFE620CA67AF32C4CC79973FF8306DC11D7F0D7917260CCEFCB6
10	<0:271>	5952645FA6AD9B205628E4DFA9D71B9A0D66B1040B62E3D3F50219F1E7415CDF7E1F
	<272:543>	B061522D1F469F1F49613FD40C8DF015DE06AA165FA2DF661D08DBA50186ADD69340
	<544:815>	6A5D52A0CFCD755DFB87892B73050C00FB424711BD5C662F54EF816B10376A205389
	<816:1087>	21F00D842CA5A83D8F318983CE47FCDF292CEA09BBFABAE22578C41BD07C41CE2A28
	<1088:1359>	3FFCD3654886CBF063DDD03B8C1854ADF872B8E895B255EA34C26BBEB462B8EA8E1D
11	<0:271>	59526436A6AD9B8EBB99E37144661C4AC67BB56657F9092EC8BE13536D4B3FBC94B3
	<272:543>	83D2CD5C9D15D2F4E2C554CF91A5B180F0D4A6E573579D5C23A25E3A2CBF1946FF8A
	<544:815>	A8D604974DC5161AC3BA68A51C37375CBADCC3D9D430C99D9DCD338E55FC79BEACE5
	<816:1087>	AC039356CC09A4FB3F196D79E37040AC10D45B7C7789E3A723BB4A2CE5C68EF6AF04
	<1088:1359>	2A221986DEB13AB86A788AE32FD96BAECA2B70A5AFF5C2F20F15FE73F625C8A26514

Table 175A–7—Example PCS Lanes for 1.6TBASE-R PCS (*continued*)

PCSL	Index <i:j>	pcsl_x<i:j>
12	<0:271>	59526418A6AD9BDABA905625456FA9E4146913B04BB44618BBEDE0BA915E89CF735D
	<272:543>	6BDBC6C5285671BA736C906004A47E496FDDA0334474F3E5FD5C96C7B38D2F3A37BB
	<544:815>	CE37270C571460FD931B51BE04105AE2914B41A965D5779B2440621F54ADFF38BED7
	<816:1087>	C18F7F6AFE2409960C8367C9CF1C8DBBC4928CBDDBD08A96338BC0398BFA2C16A538
	<1088:1359>	5D2ED58DB31FCDF77923235E868E6248F1032F2ECB851CD018136E20608D5FAB1114
13	<0:271>	59526428A6AD9B3373163CCC8CE9C3C1B96E6EDF82999D1C4673C1513F930FC4F125
	<272:543>	C721320D5931D993F00E24CF2D7CA09599ADF5927B2448303397D2E07F6486D7B3F4
	<544:815>	F8C543AD74BFF442690AF5E2F47A6EBA98B09BD55D130B86582461B0E055BFE17EF
	<816:1087>	FFC711BD2A95E90042F4CCFCFDFF7214851A1EDE20F92EC6D29584378A7C2AD5F4A8
	<1088:1359>	AB877E999F794AB15B8655186FD385EA559C02E90902D24D54A68F118EBBF237F21B
14	<0:271>	5952640BA6AD9B8DAC209A7253DF65E3312CF2FBC88C888A56238C189792ED6C8474
	<272:543>	DAFCB8F824F8A8A76DCC70FE4FCE3A921CE9CBF344B7929B7431D567DDE63B6F917D
	<544:815>	3F345C45A93C991028D701EB64FC7977C9158C0A9B68B1401834083BFE99D88BCED9
	<816:1087>	231EB3894C4EF8C1E6A34A4812F9F9F7D476748D4986EAB0D5FAAB0080F073F61460
	<1088:1359>	1DD5CDF11CFB410F5BA46CD1B2646A2A1AAB91CB28AD326E71D3EAA3C5A0A9C834D7
15	<0:271>	5952642DA6AD9B6A9AA26195655D9E132368937C2BE2125A625000783A5F38B43F3E
	<272:543>	222D7F1E133875CE0DAE091E4848B80C8C2D4BE9E69B5FF7925FFEDE00FDB247B916
	<544:815>	C9561B6BB52E68729E58AD3EF8B5B6FF764C310F2D72C9603149491C84AD4B1CD480
	<816:1087>	F9B3DDD1AD9BF458B7E406DEC48CD2C6187D0F4B0EB075D56B04088A3B10F5F17EB0
	<1088:1359>	23A5AB07728DAABF5080275AC59C82F74F34B8E93C29D7DB49D9ED8B72828D30A9A4