


# INSTRUCTION


## 1) INIT FRAME



If you want to open data folder that has been already created, type in its path. Press OPEN button.

If you want to create new folder with program data - type in folder path wherein new folder should be created. Press CREATE button.

## 2) ENTRY FRAME



You should see now Entry Frame.

Upper part of window displays (from the left) number of: correct answered questions, Incorrect answered questions, active questions.

Each question has two attributes that represents its state:

- \*activity – question can be active or not active.

- \*answer – question can be correct/incorrect answered or not answered.


if question is not active, it must be not answered.

In the right upper corner you can see settings frame button.

Now we will explain bottom Menu panel. First button (from the left) sets answer attribute of question on CORRECT ANSWERED state. Second button sets attribute on INCORRECT ANSWERED state.

“?” button displays answer on question. Pressing “?” button second time brings you back to question text. “←” button displays previous active, not answered question. “→” button displays next active, not answered question. Entry frame displays only active, not answered questions.

### 3) SETTINGS FRAME



Questions are grouped in chapters. **Chapter Settings label** displays (from the left): name of chapter, number of correct answered/incorrect answered/active questions that belongs to chapter . By pressing “RESET” button on **chapter label** you can set questions from chapter as NOT ANSWERED. After pressing “RESET” active attribute of questions does not change. Check box: if question has one (or more) active question, check box is “checked”. Otherwise check box is “unchecked”. By pressing check box in: “checked” state - you set every chapter’s question as: not active and not answered. “unchecked state ” - you set every chapter’s question as: active and not answered.

To add new chapter press “+” button from **bottom menu panel**.

By pressing “☒” button you set every question as active and not answered.  
By pressing “☐” button you set every question as not active and not answered.

“☑ ☒” button sets every question as not answered. Their active attribute does not change.

To delete chapter click once on **chapter label** and press “delete” key.  
To open chapter settings frame click two times on **chapter label**.

#### 4) CHAPTER SETTINGS FRAME



Here you can manipulate questions from specific chapter.

**Question label** displays (from the left):

First letters of question text, answer attribute.

Pressing “RESET” button sets question as not answered.

By pressing check box of specific question you can manipulate its active attribute. If checkbox is “checked” - question is active.

To add new question press “+” button from **bottom menu**.

“☒” and “☐” buttons work similar as in the SETTINGS FRAME, but now they manipulate only questions from chosen chapter.

“☐” button sets every question of chosen chapter as not answered. Active attribute does not change.

To delete question click once on **question label** and press “delete” key.  
To change question text press two times on **question label**.