

consolez

This document describes the z/VM-zLinux consolez project and is comprised of the following sections:

- "Description and design" on page 2
- "Line commands" on page 4
- "Web pages" on page 5
- "Install and customize Apache" on page 10
- "Install and customize consolez" on page 14
- "Use consolez" on page 16

1.1 Description and design

'consolez' is an open source package that gives browser access to z/VM consoles and CP commands, while limiting access to certain teams. It can save time when teams have to interact with many z/VM LPARs. Rather than having to open many 3270 console sessions, all z/VM LPARs can be accessed through the same Web user interface.

You will need a zLinux server on each z/VM LPAR and a user that can do *passwordless* SSH. LDAP authentication is recommended but not necessary.

There's a 14 minute video describing the first prototype here:

https://youtu.be/vD_6PXeJWdE

Following is a diagram of the consolez design.




Figure 1-1 consolez architecture

The diagram shows two z/VM LPARs each with a zLinux server with elevated privilege classes. The `C` privilege class is needed for the `CP FOR` command.

Each zLinux server needs to be able to `ssh` and `scp` to all other servers without needing a password. Therefore, both the private and public keys need to be one user's `$HOME/.ssh/` directory along with an `authorized_keys` file. (**TODO:** describe the setup process).

The line command `spoolcons` does the heavy lifting. It utilizes `vmcp` to issue CP commands and `vmur` to get files from the virtual reader. It utilizes the `CP FOR` and `SP00L` commands to instruct other virtual machines on the LPAR to spool their consoles and send it to its virtual reader.

If the console to be spooled is on a different LPAR, the `spoolcons` on the local LPAR calls the same script on the target LPAR. After spooling the console, rather than

copying the spooled file to the local file system, it is copied back to the main Linux server using `scp`.

You only need to run line commands and serve Web pages from the main Linux server. You may choose to have a warm backup server available for higher availability.

1.2 Line commands

Following are the consolez line commands:

- catcons – print a console (symlink)
- consfuncs – common functions
- cpcommand – run one CP command
- grepcons – search through saved console data (symlink)
- lscons – list save console files (symlink)
- rmcons – remove console for 1 VM (symlink)
- spoolcons – spool a console

All commands give help with the -h flag. For example:

```
# spoolcons -h
```

Name: spoolcons - spool z/VM console data for a virtual machine

Usage: spoolcons [OPTIONS] USERID [SYSTEMID]

Where: USERID is the virtual machine whose console is to be spooled

SYSTEMID is the z/VM System Identifier name (default: this LPAR)

OPTIONS:

-h	--help	Give help
-s	--silent	Minimal output
-v	--verbose	Include additional output
-V	--veryverbose	Include even more output
-x	--debug	Print commands and arguments as they are executed

1.3 Web pages

Following are the Web UI scripts. The default location is /srv/www/ldap/.

consolez	Main page showing all data
consolez.css	Cascading style sheets
consuifuncs	Common functions
cpcmds	Page to run some/all CP commands
onecons	Web page showing one console
oneipar	Page showing one z/VM LPAR
searchcons	Search saved console data

Following are some sample screen shots of the different pages.

1.3.1 The consolez page

This is the main page named consolez. It shows one HTML table with three environments (CDL, HIL and ZSS), and 14 z/VM LPARs. Each of the table cells with green lettering and a black background represents a saved console file for one virtual machine. These are links which can be drilled down into to view the console data for that virtual machine.

When there are more than 12 saved console files, the last column is set to 'More...'. That is a link as is the first column to drill down into that z/VM LPAR.

The bottom of the page shows three buttons:

CP commands	Allows you to run CP commands
Search	Allows you to search consoles
Help	Shows this document

The screenshot shows a web browser window with the address bar displaying "cdlengzs0102.es.ad.adp.com/ldap/consolez?". The page title is "z/VM Console data". Below the title is a search bar with the placeholder text "Search for z/VM consoles by host name or user ID:". The main content is a table with three sections: CDL, HIL, and ZSS. Each section contains a list of virtual machines (VLB1-VLB8, HIL1-HIL4, ZS01-ZS02) and their associated console files. The table cells contain green text on a black background, representing links to console data. At the bottom of the page are three buttons: "CP commands", "Search", and "Help".

CDL										
VLB1	DTCMAPI	DTCVSW1	DTCVSW2	DTCVSW3	DTCVSW4	FTPSEVE	IJSLA331	OPERATOR	OPMGRM1	SSL00001
VLB2	DJSLA129	DTCVSW1	DTCVSW2	DTCVSW3	DTCVSW4	FTPSEVE	SSL00001	SSL00002	SSL00003	SSL00004
VLB3	DTCVSW1	DTCVSW2	DTCVSW3	DTCVSW4	FTPSEVE	SSL00001	SSL00002	SSL00003	SSL00004	SSL00005
VLB4	DJSLA144	DJSLA945	DJSLA980	DTCVSW1	DTCVSW2	DTCVSW3	DTCVSW4	FTPSEVE	MMACISA	SSL00001
VLB5	DTCVSW1	DTCVSW2	DTCVSW3	DTCVSW4	FTPSEVE	SSL00001	SSL00002	SSL00003	SSL00004	SSL00005
VLB6	DEVLD006	DJSLA068	DTCVSW1	DTCVSW2	DTCVSW3	DTCVSW4	FTPSEVE	QEVLD004	SSL00001	SSL00002
VLB7	DTCVSW1	DTCVSW2	DTCVSW3	DTCVSW4	FTPSEVE	SSL00001	SSL00002	SSL00003	SSL00004	SSL00005
VLB8	DTCVSW1	DTCVSW2	DTCVSW3	DTCVSW4	FTPSEVE	SSL00001	SSL00002	SSL00003	SSL00004	SSL00005
HIL										
HIL1	ADPCMDB7	DTCVSW1	DTCVSW2	DTCVSW3	DTCVSW4	ENGHIL1	FTPSEVE	KRAO000	MMACISA	SMTP
HIL2	DTCVSW1	DTCVSW2	DTCVSW3	DTCVSW4	FTPSEVE	SSL00001	SSL00002	SSL00003	SSL00004	SSL00005
HIL3	DTCVSW1	DTCVSW2	DTCVSW3	DTCVSW4	ENGHIL32	FTPSEVE	HENGPO02	HENGPO03	SSL00001	SSL00002
HIL4	DTCVSW1	DTCVSW2	DTCVSW3	DTCVSW4	ENGHIL4	ENGHIL42	FTPSEVE	SSL00001	SSL00002	SSL00003
ZSS										
ZS01	D2S00001	D2S00121	D2S00413	D2S00417	D2S00427	DSS00281	DSS00341	DSS00417	DTCMAPI	DTCVSW1
ZS02	DTCVSW1	DTCVSW2	DTCVSW3	DTCVSW4	ENGZS022	FTPSEVE	HTTPD	MMACISA	SSL00001	SSL00002

Figure 1-2 consolez main page

1.3.2 The onecons page

This is the page that displays all the saved console data for a single z/VM user ID. At the bottom of the page, the following buttons are shown:

Home	Returns you to the consolez page
Refresh console	Spools the console and refreshes the page
CP commands	Allows you to enter some or all CP commands
Search	Allows you to search all saved console data
Help	Shows this document




Figure 1-3 Web page to show one saved console

1.3.3 The onelpar page

This is the page that shows all the virtual machines on one z/VM LPAR that have saved console data. Network administrators will only see the first HTML table. Full administrators will see a second table which shows virtual machines that are logged on, but do not have any saved console data. They can be drilled down into, their consoles will be spooled, and they will be moved from the lower into the upper table.

There are similar action buttons at the bottom of the page.

Secure

cdlengzs0102.es.adp.com/ldap/onelpar?ZS01

☆

ABP

ZS01 guests with console data

00413	D2S00417	D2S00427	DSS00281	DSS00341	DSS00417	DTCSEMAP	DTCVSW1	DTCVSW2	DTCVSW3	DTCVSW4	ENGZS01	ENGZS012
ATE	LOHCOST	MMACISA	SSL00001	SSL00002	SSL00003	SSL00004	SSL00005	TCPIP	TCPMAINT			

Guests without console data

DATLG	D2S00121	D2S00265	DATLA065	DATLA107	DIRMAINT	DISKACNT	DSS00275	DSS00289	DSS00295	DSS00423	DSS00425	ENGZS01
SYMP	OPMGRM1	OPMGRS1	OPMGRS2	OPMGRS3	OPMGRS4	OPMGRS5	OPMGRS6	OPMGRS7	OPMGRS8	PORTMAP	PROPGT	RACFVM
RR0	SFSZVPS	SMTP	SNMPD	SSLDCSSM	VMSEVRB	VMSEVRB2	VMSERVE	VMSERVP	VMSEVR	VMSEVR	VMSEVR	VMUTIL
REQIN	VSMREQIU	VSMWORK1	VSMWORK2	VSMWORK3	ZADMIN	ZALERT	ZSERVE	ZSS00177	ZTCP	ZWEB01	ZWEB02	ZWEB03
TE												

Home

CP commands

Search

Help

Figure 1-4 Web page to show consoles for one z/VM LPAR

1.3.4 The cpcmds page

This page enables users to run CP commands. Again, there are two views. Full administrators will see the view on the left which enables them to run any CP command. Network administrators will see the view on the right which allows them to run a small subset of CP commands related to the status of the network.


The screenshot displays a web interface for running CP commands on a system identified as ZS01. The browser's address bar shows the URL `/cpcmds?systemID=ZS01`. The page is divided into two main sections. The left section, titled 'Run CP commands on ZS01', features a text input field labeled 'CP command to issue:' with a mouse cursor hovering over it. Below this input field is a navigation bar with four buttons: 'Home' (orange), 'CP commands' (green), 'Search' (green), and 'Help' (orange). The right section, also titled 'Run CP commands on ZS01', provides a subset of command options for network administrators. It contains six green buttons arranged in two rows: 'Q CONTROLLER', 'Q IUCV', and 'Q PORT GROUP' in the top row; 'Q VMLAN', 'Q VSWITCH', and 'Q VSWITCH DET' in the bottom row. Below these buttons is a navigation bar with four buttons: 'Home' (orange), 'CP commands' (green), 'Search' (green), and 'Help' (orange).

Figure 1-5 Page to issue CP commands - full and network administrator's views

1.3.5 The searchcons page

This page allows all users to search all saved console data. In the first field, a specific user ID or a pattern can be entered to limit the search to certain virtual machines. Similarly in the second field a specific z/VM LPAR or pattern, or a single environment can be entered to limit the search to those z/VM LPARs. If these fields are left blank, all user IDs and LPARs are searched.

The last field is the pattern to search for. There is a radio button to the right if text case is not to be considered.



The screenshot shows a web browser address bar with the URL `.ad.adp.com/ldap/searchcons?`. The main heading is **Search z/VM consoles**. Below it is a instruction: **Enter a search pattern - Blank User ID/SystemID/Environment means search all**. A **Search filters** box contains three input fields: **User ID**, **System ID/Environment**, and **Search pattern**. A **Clear filters** button is above the first two fields. A **Search consoles** button is below the third field. To the right of the **Search pattern** field is a radio button labeled **Case insensitive**. At the bottom are three buttons: **Home**, **CP commands**, and **Help**.

Figure 1-6 Web page to search console data

1.4 Install and customize Apache

To prepare for a zoom RPM install, perform the following steps:

- > Start an SSH session to the RHEL server as root.
- > Install the Apache Web server and other co-requisite packages:

```
# yum -y install httpd httpd-manual tree vim bind-utils mod_ldap mod_ssl
mlocate postfix
...
```

1.4.1 Configure Apache

Apache need only be installed and configured on one (or two if you want a backup) zLinux server. This section describes how to configure Apache on a RHEL 8 system. Other Linux distributions will differ slightly.

You should probably use encrypted (https) communication. To do so, you'll need a certificate.

Create certificate signing requests

You must create a certificate signing request to have your certificate signed. All of the files created are named `server.*` so the steps will work on any server.

- > Change directory to `/etc/httpd` and create three directories for the key, the certificate signing request and the certificate.

```
# cd /etc/httpd
# mkdir ssl.key ssl.csr ssl.crt
```

- > Change directory to `ssl.key`.

```
# cd ssl.key
```

- > Create a private key file `server.key` with the following `openssl` command.

```
# openssl genrsa -out server.key 3072
Generating RSA private key, 2048 bit long modulus
.+++
.....+++
e is 65537 (0x10001)
```

- > Change directory to `/etc/httpd/ssl.csr/`. This is where certificate-signing requests (CSR) are kept.

```
# cd /etc/httpd/ssl.csr
```

- > Create a CSR in the file `apache.csr` with the following `openssl` command. Answer all the questions. The most important field is the Common Name - it must be the fully-qualified host name. Do not include the optional challenge password or company name.

```
# openssl req -new -key ../ssl.key/server.key -out server.csr
You are about to be asked to enter information that will be incorporated
into your certificate request.
What you are about to enter is what is called a Distinguished Name or a DN.
There are quite a few fields but you can leave some blank
For some fields there will be a default value,
If you enter Ø.Ø, the field will be left blank.
-----
Country Name (2 letter code) [AU]:
```

State or Province Name (full name) [Some-State]:
Locality Name (eg, city) []:
Organization Name (eg, company) [Internet Widgits Pty Ltd]:
Organizational Unit Name (eg, section) []:
Common Name (e.g. server FQDN or YOUR name) []:
Email Address []:

Please enter the following DextraD attributes
to be sent with your certificate request
A challenge password []:
An optional company name []:

- > Type the contents of the CSR file on to your clipboard.

```
# cat server.csr
-----BEGIN CERTIFICATE REQUEST-----
...
-----END CERTIFICATE REQUEST-----
```

- > Copy the contents to your clipboard.

You should now have the certificate signing request (CSR) to send to a Certificate Authority.

Create the certificate

TODO Is there a free certificate creation site?

For now, you have to find a way to get a certificate created from your CSR.

Copy the certificate to the zLinux server

The certificate can now be copied back to the zLinux server.

- > Copy the file from your workstation with Putty **pscp** or WinSCP. For example.

```
C:\> pscp.exe certnew.cer <yourServer>:
```

- > Go back to the SSH session on the Linux server as root. Change to your home directory.

```
# cd rmacisaam
```

- > Copy the certificate file certnew.cer to the /etc/httpd/ssl.crt/ directory.

```
# cp certnew.cer /etc/httpd/ssl.crt
```

- > Convert the certificate chain file (.p7b) into a certificate with the following openssl command. This puts the certificate chain into the certificate file.

```
# cd /etc/httpd/ssl.crt
# openssl pkcs7 -print_certs -in certnew.cer -out server.cer
```

- > Show the contents of the file. You should see a number of certificates.

```
# cat server.cer
subject=/C=US/ST=New
Jersey/L=Roseland/O=ADP/OU=vmlinux/CN=cdlengthil102.es.ad.adp.com...
issuer=/DC=com/DC=ADP/DC=AD/DC=ES/CN=ADP Internal Issuing CA 01
-----BEGIN CERTIFICATE-----
...
-----END CERTIFICATE-----
```

```
subject=/DC=com/DC=ADP/DC=AD/DC=ES/CN=ADP Internal Issuing CA 01
```

```

issuer=/CN=ADP Internal Policy CA 01
-----BEGIN CERTIFICATE-----
...

```

You now have a valid, signed certificate for your server.

Configure Apache to use the certificate

Now the certificate can be referenced by the Apache configuration files.

- Change to the /etc/httpd/conf directory. Make a backup copy of the httpd.conf file.
- Edit the httpd.conf file. The default document root on RHEL is under /www/, not under /srv/ as with SLES. This can easily be changed in the httpd.conf file. Also, the LDAP-protected directory /srv/www/ldap/ is where the Web UI executables go, so that directory must be defined.

```

# vi httpd.conf
...
# change /www to /srv
<Directory "/srv/www">
    AllowOverride None
    Require all granted
</Directory>
<Directory "/srv/www/htdocs">
    Options Indexes FollowSymLinks
    AllowOverride None
    Require all granted
</Directory>
....
<IfModule alias_module>
    ScriptAlias /cgi-bin/ "/srv/www/cgi-bin/"
</IfModule>
<Directory "/srv/www/cgi-bin">
    AllowOverride None
    # Options None
    Options FollowSymLinks
    Require all granted
</Directory>

# Start ----- local customizations -----
# use https
SSLEngine on
SSLCertificateKeyFile /etc/httpd/ssl.key/server.key
SSLCertificateFile /etc/httpd/ssl.crt/server.cer

# ldap/ directory is for other LDAP-protected scripts
ScriptAlias /ldap/ /srv/www/ldap/
<Directory /srv/www/ldap/>
    AllowOverride None
    Options +ExecCGI -Includes
    AuthType Basic
    AuthName "consolez - Enter your LDAP credentials"
    AuthBasicProvider ldap

```

```

AuthLDAPURL
ldap://<your.ldap.example.com>:389/ou=people,ou=linux_systems,dc=example,dc=
com?uid
Require ldap-filter objectClass=posixAccount
</Directory>
...

```

Enable cgi-bin scripts to run

It seems Apache on RHEL does not allow cgi-bin/ scripts to be run out of the box.

I found this comment on the Internet and chuckled:

"{/var,}/run is vaporized by systemd on boot. It's a wonderful and entirely unexpected surprise with such low value."

Here is work-around that seems to work:

> Set Apache to run as zadmin:

```

# cd /usr/lib/tmpfiles.d
# cp httpd.conf httpd.conf.orig
# vi httpd.conf
...
# diff httpd.conf httpd.conf.orig
1c1
< d /run/httpd    710 zadmin vmlinux
---
> d /run/httpd    710 root apache

```

> Make zadmin the owner of the /var/run/httpd/ directory.

```

# chown zadmin /var/run/httpd

```

This should the ownership of /var/run/httpd/ at boot time.

– Start Apache.

```

# service httpd start
...
-
# systemctl enable apache2
...

```

You should now have Apache configured.

1.5 Install and customize consolez

The consolez source code is currently available at:

<https://sites.google.com/site/mike99mac/consolez-0.94.tgz>

An RPM is now available at:

<https://sites.google.com/site/mike99mac/consolez-0-94.s390x.rpm>

If you download both, you have a choice on how to install. I would recommend the latter.

1. Copy the tar file to root directory. (**Note:** this has not been tested)

```
# cd /
# tar xzf consolez-0.94.tgz
...
```

2. Install the RPM as root.

```
# rpm -i consolez-0-94.s390x.rpm
...
```

Eventually, the code will reside on github as I'm told that is "where it's at" :))

<https://github.com/mike99mac/consolez>

To customize consolez, perform the following tasks.

- Create the `/etc/consolez.conf` file from the sample provided.

```
# cd /etc
# cp consolez.conf.sample consolez.conf
```

- Edit the file, setting `consolezDir`, `consolezUser` and a description of your environments, z/VM LPARs, and zLinux engineering servers.

```
# vi consolez.conf
#
# Configuration file for consolez - /etc/consolez.conf
#
# Variable @consolezUser@ must be set to a user that can SSH without
passwords
# Variable @consolezDir@ can be set but if not will default to /srv/consolez
#
consolezDir = "/data/consolez"           # directory where console data is
stored
consolezUser="zadmin"                   # user with passwordless SSH
consolez will run as
#
# Remaining values define your organizations environments, Linux
@engineering servers@ and z/VM systems
#
# For example, to define two environments each with two z/VM LPARs:
# environment ENV1
# hostname1 zvm1
# hostname2 zvm2
#
# environment ENV2
# hostname3 zvm3
# hostname4 zvm4
```

#

consolez should now be configured.

1.6 Use consolez

You should now be able to use consolez.

- If you have `/usr/local/sbin/` in your PATH, you should be able to issue a command to show help.

```
# which spoolcons
/usr/local/sbin/spoolcons
# spoolcons -h
```

```
Name:  spoolcons - spool z/VM console data for a virtual machine
Usage: spoolcons [OPTIONS] USERID [SYSTEMID]
Where: USERID   is the virtual machine whose console is to be spooled
       SYSTEMID is the z/VM System Identifier name (default: this LPAR)
```

OPTIONS:

-h --help	Give help
-s --silent	Minimal output
-v --verbose	Include additional output
-V --veryverbose	Include even more output
-x --debug	Print commands and arguments as they are executed

- Now try issuing a `spoolcons` command

```
# spoolcons tcpip
...
```

- If that succeeded you should be able to see that one console file is saved with the `lscons` command.

```
# lscons
<ENV>:<LPAR> TCPIP
```

- Show the contents of that spool file.

```
# catcons TCPIP
...
```

- Search through the file for a pattern.

```
# grepcons tcpip : time
...
```

- View the consolez Web page through a browser

```
https://<your.zlinux.example.com>/ldap/consolez
```

You should see the Web page and be able to navigate the handful of Web pages.