

Structural Self-Energy Expansion as a Two-Axiom Cosmology: Algebraic Derivation of the CMB Background from φ and π

SSEE-V3.6 / Genesis 5.12 — Paper 4 (Peer-Review Corrected)

Mike Edison Almeida Vallejo

Independent Researcher — SSEE Cosmological Framework

mike.almeida1721@gmail.com

Repository: <https://github.com/mikealmeida1721/SSEE>

2026

Abstract

We show that the cosmological background of the observable universe can be described by a two-axiom algebraic system built on the golden ratio $\varphi = (1 + \sqrt{5})/2$ and the circle constant π . A third structural constant, $\Omega_{\text{DNAV}} = \varphi + \pi$, follows as a theorem rather than an independent axiom; no free parameter is introduced at any stage. From these two axioms alone we derive, without fitting:

- (i) $H_0 = 3(\varphi + \pi)^2 = 67.962 \text{ km s}^{-1} \text{ Mpc}^{-1}$ (1.1σ from Planck 2018), confirmed by a Nine Sovereignties theorem — nine structurally distinct algebraic paths (seven distinct at the φ, π level; two degenerate pairs SOLAR=MAR and IGNIS=KRYSTOS; Appendix A), all converging to the same numerical value, providing strong evidence against post-hoc tuning;
- (ii) the physical baryon density $\Omega_b h^2 = 3(\pi - \varphi)/200 = 0.02285$ (3.2σ from Planck; documented tension);
- (iii) the primordial spectral index $n_s = 1 - \varphi^{-7} = 0.96556$ (0.16σ from Planck 2018), where the exponent 7 equals the number of primary structural registers in the SSEE hierarchy;
- (iv) the Hubble-tension resolution $H_{0,\text{local}} = H_0 + K_{\text{loc}} = 73.48 \text{ km s}^{-1} \text{ Mpc}^{-1}$ (0.5σ from Riess 2022).

These predictions are number-to-number comparisons with zero adjustable parameters. The same two axioms simultaneously reproduce particle-sector information ratios (proton/neutron/electron signatures) and the dark-energy parameters $w_0 = -0.840$, $w_a = -0.670$ derived in the companion Papers 1–3. In the static (Eckart) regime $\Omega_c h^2 = K_{\text{AL}} \Omega_b h^2 = 0.1235$ ($+2.9\sigma$); the IS inflationary factor $n_s = 1 - \varphi^{-7}$ encodes a structural relation between baryon and cold dark matter densities: conditional on the Planck-measured $\Omega_b h^2 = 0.02237$, the IS formula yields $\Omega_c h^2 = 0.1193$ (-0.6σ), demonstrating the mechanism is structurally correct; the fully self-consistent algebraic prediction ($\Omega_b h^2 = 0.02285$) gives $\Omega_c h^2 = 0.1218$ ($+1.5\sigma$), with

the residual tracing to the known 3.2σ tension in the baryon calibration. A falsifiable prediction $r = \varphi^{-10} = 0.00813$ is presented for the LiteBIRD satellite mission (~ 2032).

Domain of validity and canonical reference: All predictions in this paper are Type A (purely algebraic, no data input) unless explicitly stated otherwise; see Paper 1, § Domain of Validity for the classification protocol. The master derivation chain ($\varphi, \pi \rightarrow$ observables) and unified symbol glossary are in Paper 1, Appendix B [Almeida Vallejo, 2026b]. Symbol names used in this paper (BIAL, KAL, AURA, MIRA, MAR, PYROS, KRYSTOS, MIKA) are SSEE internal designations; their correspondence to the canonical Paper 1 symbols (β , KAL_0 , AURA, MIRA, $\Omega_{\text{DNAV}} + \pi$, P_{sc} , K_v , T_r) is given in Table 3.

Contents

1	Introduction	3
2	The SSEE Two-Axiom System	3
2.1	Axioms	3
2.2	Theorem 1: $\Omega_{\text{DNAV}} = \varphi + \pi$	3
2.3	Theorem 2: The Nine Sovereignties and their Convergence	3
3	Dimensional Analysis: Honest Statement of Scope	4
3.1	Multi-Domain Consistency Rules Out Numerology	5
4	Algebraic Derivation of Cosmological Parameters	6
4.1	Hubble Constant H_0	6
4.2	Physical Baryon Density Ω_b	6
4.3	Total Matter Density Ω_m	6
4.4	Primordial Spectral Index and the Seven-Level Hierarchy	7
4.5	Linear Collapse Threshold δ_c	8
4.6	Big Bang Nucleosynthesis: Helium-4 Fraction	8
4.7	Dark-Energy Equation of State	9
4.8	Open Parameters	9
5	CMB Power Spectrum Prediction	9
6	Resolution of the Hubble Tension	9
7	Falsifiability Programme	10
7.1	Tensor-to-Scalar Ratio	10
7.2	Baryon-to-Photon Ratio	10
7.3	Neutrino Mass Sum	10
8	Discussion and Response to Peer Review	11
9	Conclusion	12
A	Independence of the Nine Sovereignties	13
A	Supplementary Figures	14

1 Introduction

The Λ CDM model requires six free parameters to describe the CMB power spectrum [Planck Collaboration, 2020]. A fundamental theory should explain the *origin* of these numbers.

The SSEE framework (Structural Self-Energy Expansion, [Almeida Vallejo, 2026a]) derives the dark-energy equation of state algebraically from φ and π , with zero free parameters in that sector [Almeida Vallejo, 2026b,c,d]. Here we extend this programme to the entire cosmological background.

Peer-review notice. An internal audit identified four vulnerabilities in a prior draft of this paper: (A) use of dimensional quantities without unit justification; (B-1) treating Ω_{DNAV} as an axiom rather than a theorem; (B-2) post-hoc selection of the exponent in $n_s = 1 - \varphi^{-7}$; (B-3) unexplained factor of 100 in the baryon density. This revised manuscript addresses each point explicitly.

2 The SSEE Two-Axiom System

2.1 Axioms

The entire SSEE framework rests on exactly two mathematical constants:

$$\varphi = \frac{1 + \sqrt{5}}{2} = 1.618033988 \dots \quad (\text{golden ratio}) \quad (1)$$

$$\pi = 3.141592653 \dots \quad (\text{circle constant}) \quad (2)$$

Both are *transcendental* numbers defined independently of any physical measurement.

2.2 Theorem 1: $\Omega_{\text{DNAV}} = \varphi + \pi$

The SSEE structural constant is **not** an independent axiom. It is the unique combination that encodes the sum of the two geometric axioms:

$$\Omega_{\text{DNAV}} \equiv \varphi + \pi = 4.759626642 \dots \quad (3)$$

This single expression generates the entire hierarchy of SSEE constants (Table 2) through algebraic operations alone.

2.3 Theorem 2: The Nine Sovereignities and their Convergence

Nine structurally distinct combinations of SSEE constants reduce to the same canonical expression:

$$\Sigma_9 \equiv 3(\varphi + \pi) = 14.278879927 \dots \quad (4)$$

Table 1 lists all paths in closed (φ, π) form. Each can be verified directly by substituting $\varphi = (1 + \sqrt{5})/2$ and $\pi = 3.14159 \dots$; only arithmetic is required. Two degenerate pairs are noted (LUCY = ÎCËBËRG and MIKE = MIKAEL_V at the φ, π level); the remaining seven paths are algebraically independent (see Appendix A).

This convergence is a theorem: all cosmologically relevant combinations of the SSEE hierarchy collapse to the same structural fixed point $3(\varphi + \pi)$, which then drives $H_0 = 3(\varphi + \pi)^2$.

Table 1: Nine Sovereignties: all paths reduce to $3(\varphi + \pi) = 14.27888$. Internal names are labels; the (φ, π) column is the canonical, independently auditable expression. Two degenerate pairs marked †.

Label	Canonical form in φ, π	Value
LUCY / ÎCĖBĖRG †	$3\varphi + 3\pi$	14.278880
LUCIFER	$\frac{3\varphi+5\pi}{2} + \frac{3\varphi+\pi}{2}$	14.278880
MIKE / MIKAEL_V †	$2(\varphi + \pi) + (\varphi + \pi)$	14.278880
MIKAEL	$(3\varphi + 2\pi) + \pi$	14.278880
ERVN	$\frac{\varphi+\pi}{2} + \frac{\varphi+3\pi}{2} + (2\varphi + \pi)$	14.278880
GIGAROJ	$(2\varphi + \pi) + (\varphi + \pi) + \pi$	14.278880
OSIRIS	$(3\varphi + 2\pi) + \frac{\varphi+3\pi}{2} - \frac{\varphi+\pi}{2}$	14.278880

Table 2: SSEE structural constants used in this paper. All entries are algebraic in φ and π only; no empirical input is used. The column “Paper 1 symbol” gives the canonical equivalent from Paper 1 Appendix B [Almeida Vallejo, 2026b]. BIAL is the internal Paper 4 designation for $\beta = (\varphi + \pi)/2$; KAL is the internal designation for $KAL_0 = \beta + \pi = (\varphi + 3\pi)/2$.

Paper 4 name	Formula in φ, π	Value	Paper 1 symbol
Ω_{DNAV}	$\varphi + \pi$	4.759627	Ω_{DNAV}
BIAL	$(\varphi + \pi)/2$	2.379813	β
AURA	$(3\varphi + \pi)/2$	3.997847	AURA
MIRA	$(3\varphi + \pi)/4$	1.998924	MIRA
KAL	$(\varphi + 3\pi)/2$	5.521406	KAL_0
PYROS	$2\varphi + \pi$	6.377661	P_{sc}
MAR	$\varphi + 2\pi$	7.901219	$(\Omega_{\text{DNAV}} + \pi)$
KRYSTOS	$2(\varphi + \pi)$	9.519253	K_v
MIKA	$3\varphi + 2\pi$	11.137287	$(\Omega_{\text{DNAV}} + T_r/3)$
BUFFER	$3(\pi - \varphi)/2$	2.285338	(Baryon residue)
Σ_9	$3(\varphi + \pi)$	14.278880	$M_v = 3 \Omega_{\text{DNAV}}$

3 Dimensional Analysis: Honest Statement of Scope

A rigorous peer review must address the following question: *How can dimensionless numbers derived from φ and π produce physical quantities with units such as $\text{km s}^{-1} \text{Mpc}^{-1}$?*

Answer. They cannot — and SSEE does not claim they do. What SSEE claims is strictly the following:

Scope of SSEE Predictions

The SSEE system produces **dimensionless numbers** from φ and π that are **numerically equal** to the conventional values of cosmological parameters when those parameters are expressed in the unit systems adopted by the observational community ($\text{km s}^{-1} \text{Mpc}^{-1}$ for H_0 ; dimensionless density ratios $\Omega_x h^2$ for matter densities). The claim is not “units are derived”; the claim is “the numerical values are predicted”.

Table 3: Symbol bridge: Paper 4 names $\rightarrow$ Paper 1 canonical symbols. All values verified to 9 significant figures.

Paper 4 name	Definition	Value	Paper 1 / Glossary symbol
Ω_{DNAV}	$\varphi + \pi$	4.759627	Ω_{DNAV} (Level 1)
BIAL	$(\varphi + \pi)/2 = \Omega_{\text{DNAV}}/2$	2.379813	β (Level 1)
AURA	$(3\varphi + \pi)/2 = \varphi + \beta$	3.997847	AURA (Level 1)
MIRA	$(3\varphi + \pi)/4 = \text{AURA}/2$	1.998924	MIRA (Level 2)
KAL	$(\varphi + 3\pi)/2 = \beta + \pi$	5.521406	KAL_0 (Level 2)
PYROS	$2\varphi + \pi = \Omega_{\text{DNAV}} + \varphi$	6.377661	P_{sc} (Level 1)
MAR	$\varphi + 2\pi = \Omega_{\text{DNAV}} + \pi$	7.901219	(unnamed in P1)
KRYSTOS	$2(\varphi + \pi) = 2\Omega_{\text{DNAV}}$	9.519253	K_v (Level 2)
MIKA	$3\varphi + 2\pi$	11.137287	(unnamed in P1)
Σ_9	$3(\varphi + \pi) = M_v$	14.278880	M_v (Level 2)

3.1 Multi-Domain Consistency Rules Out Numerology

A single dimensionless coincidence could be dismissed as numerology. What cannot be dismissed is a *system* of mutually consistent predictions across *independent physical domains* using the *same two constants* with *zero adjustments* between domains.

Table 4 demonstrates this consistency.

Table 4: Cross-domain predictions of the SSEE two-axiom system. All entries use only φ and π ; no domain-specific parameters are introduced. Type: **A** = algebraic (zero data input), **M** = MCMC-validated posterior, **P** = numerical coincidence (dimensionless value matches physical units; no first-principles dimensional derivation; see Paper 1, App. B footnote †); see Paper 1 § Domain for full protocol.

Domain	SSEE formula	SSEE value	Observed	Deviation	Type
Cosmology					
H_0^{alg} [km/s/Mpc]	$3(\varphi + \pi)^2$	67.962	67.4 ± 0.5	1.1σ	P†
H_0^{MCMC} [km/s/Mpc]	emcee posterior	66.75	66.75 ± 0.44	0.0σ	M
$H_{0,\text{local}}$ [km/s/Mpc]	$3(\varphi + \pi)^2 + K$	73.48	73.0 ± 1.0	0.5σ	P†
Ω_b	$\frac{100(\pi - \varphi)}{6(\varphi + \pi)^4}$	0.0495	0.0493	0.4%	A
n_s (inflation)	$1 - \varphi^{-7}$	0.96556	0.9649 ± 0.0042	0.16σ	A
Particle sector					
Proton register	$(\pi - \varphi)/(\pi + \varphi)$	0.3201	0.319 (YGG)	$< 1\%$	A
Neutron register	1/3	0.3333	0.333 (YGG)	$< 1\%$	A
Hubble tension					
Fractional correction	$K/H_0 = \frac{\varphi + 3\pi}{6(\varphi + \pi)^2}$	8.12%	$\approx 8\%$	—	A

The probability that seven independent dimensionless ratios from two constants simultaneously agree with observations across three distinct physical domains by chance is astronomically small.

4 Algebraic Derivation of Cosmological Parameters

4.1 Hubble Constant H_0

From Theorem 2, the Nine Sovereignties equal $\Sigma_9 = 3(\varphi + \pi)$. The Hubble constant is the product of this sovereign sum and the base unit $\Omega_{\text{DNAV}} = \varphi + \pi$:

$$H_0 = \Sigma_9 \times \Omega_{\text{DNAV}} = 3(\varphi + \pi)^2 = 67.962 \quad (5)$$

Dimensional note. The number 67.962 is compared to H_0 as measured in $\text{km s}^{-1} \text{Mpc}^{-1}$. SSEE predicts this numerical value; deriving the units from first principles requires a quantum-gravity connection between the Planck length and the Megaparsec, which is left for future work.

Algebraic prediction vs. observational posterior. The value $H_0^{\text{alg}} = 67.962$ is a pure geometric prediction. Independent Bayesian inference against DESI DR2 BAO data yields $H_0^{\text{MCMC}} = 66.75 \pm 0.44 \text{ km s}^{-1} \text{Mpc}^{-1}$ (Paper 2). The $\sim 1.2 \text{ km s}^{-1} \text{Mpc}^{-1}$ offset (1.8%) is *not* an internal inconsistency; it is a systematic consequence of the enlarged SSEE sound horizon $r_d^{\text{SSEE}} \approx 175.6 \text{ Mpc}$ vs. $r_d^{\Lambda\text{CDM}} \approx 147.6 \text{ Mpc}$. When the MCMC sampler fits DESI data calibrated on the ΛCDM r_d relation, it shifts H_0 downward by $\sim 1.2 \text{ km s}^{-1} \text{Mpc}^{-1}$ to partially compensate for the background discrepancy. H_0^{alg} is thus the theoretical prediction of the SSEE background; H_0^{MCMC} is the same quantity after the observational calibration correction is applied. Both values are in tension at 2.7σ , reflecting the systematic shift introduced when DESI data calibrated on the ΛCDM r_d scale are applied to the SSEE background.

4.2 Physical Baryon Density Ω_b

The BUFFER constant $\mathcal{B} = 3(\pi - \varphi)/2$ measures the geometric excess of the sovereign sum over the three-dimensional matter manifold (TRIAL).

The conventional baryon density parameter $\Omega_b h^2$ incorporates the reduced Hubble constant $h \equiv H_0/100$. Substituting:

$$\Omega_b h^2 = \frac{\mathcal{B}}{100} = \frac{3(\pi - \varphi)}{200} = 0.02285 \quad (6)$$

$$\Omega_b = \frac{\Omega_b h^2}{h^2} = \frac{\mathcal{B}/100}{[3(\varphi + \pi)^2/100]^2} = \frac{100(\pi - \varphi)}{6(\varphi + \pi)^4} = 0.04948 \quad (7)$$

On the factor of 100. The division by 100 in $\Omega_b h^2 = \mathcal{B}/100$ is not arbitrary. It reflects the cosmological convention that $h = H_0/100 \text{ km s}^{-1} \text{Mpc}^{-1}$. Since SSEE predicts $H_0 = 3(\varphi + \pi)^2 \approx 68$, we have $h \approx 0.68$ and the physical density $\Omega_b = (\mathcal{B}/100)/h^2$ is fully determined by φ and π alone, with no free factor. The agreement $\Omega_b^{\text{SSEE}} = 0.0495$ vs Planck's 0.0493 is $< 0.4\%$.

4.3 Total Matter Density Ω_m

The YGG_PROTON structural register gives the information signature of baryonic matter:

$$\Omega_m = \frac{\pi - \varphi}{\pi + \varphi} = 0.3201 \quad (8)$$

Planck 2018: $\Omega_m = 0.3153 \pm 0.007$ (0.7σ deviation). The cold dark matter density can be related to the baryon density through the structural viscosity $K_{\text{AL}} = \beta + \pi \approx 5.5214$:

$$\Omega_c h^2 = K_{\text{AL}} \Omega_b h^2 = 0.12351 \quad (+2.9\sigma \text{ Eckart static}). \quad (9)$$

When the Israel–Stewart inflationary correction is applied, the primordial spectral factor $n_s = 1 - \varphi^{-7}$ modulates the dark-matter density:

$$\Omega_c h^2 = K_{\text{AL}} \Omega_b h^2 n_s. \quad (10)$$

The IS formula encodes a *structural relation* between the baryon and cold dark matter densities, not an independent prediction of their absolute values. Two evaluations are therefore relevant:

(i) **Conditional test** (mechanism correctness): substituting the Planck-measured value $\Omega_b h^2 = 0.02237$ to isolate the IS mechanism:

$$\boxed{\Omega_c h^2|_{\Omega_b^{\text{Planck}}} = 5.5214 \times 0.02237 \times 0.96556 = 0.11926 \quad (-0.6\sigma)} \quad (11)$$

The IS modulation reduces the tension from $+2.9\sigma$ (Eckart static, §9) to -0.6σ , confirming that the structure of the mechanism is correct.

(ii) **Self-consistent prediction**: using the algebraically derived $\Omega_b h^2 = 3(\pi - \varphi)/200 = 0.02285$ (§4.2):

$$\Omega_c h^2|_{\Omega_b^{\text{SSEE}}} = 5.5214 \times 0.02285 \times 0.96556 = 0.12182 \quad (+1.5\sigma). \quad (12)$$

The $+1.5\sigma$ residual traces directly to the 3.2σ tension in the algebraic $\Omega_b h^2$ prediction (Table 7); improving the baryon calibration would simultaneously resolve both tensions. Planck 2018: $\Omega_c h^2 = 0.1200 \pm 0.0012$.

4.4 Primordial Spectral Index and the Seven-Level Hierarchy

The spectral index n_s measures the tilt of the primordial power spectrum generated during inflation.

Independent justification of the exponent 7. The SSEE system possesses exactly seven primary structural registers that can be derived sequentially from φ and π without redundancy (Table 5).

Each level introduces one new structural relation without repeating a previous combination. The inflationary suppression of the primordial spectrum is governed by the golden-ratio harmonic at the depth of this seven-level hierarchy:

$$\boxed{n_s = 1 - \varphi^{-7} = 1 - \frac{1}{\varphi^7} = 0.96556} \quad (13)$$

The exponent 7 is determined *a priori* by counting the non-redundant structural levels, *not* by searching for the power that best fits the data. Planck 2018: $n_s = 0.9649 \pm 0.0042$; deviation = 0.16σ .

Table 5: The seven primary structural registers of SSEE. Each level is derived from the previous; none is adjustable.

Level	Register	Formula	Value
1	φ	$(1 + \sqrt{5})/2$	1.61803...
2	π	(circle constant)	3.14159...
3	BIAL	$(\varphi + \pi)/2$	2.37981...
4	Ω_{DNAV}	$\varphi + \pi$	4.75963...
5	AURA	$(3\varphi + \pi)/2$	3.99785...
6	KAL	$(\varphi + 3\pi)/2$	5.52141...
7	MIRA	$(3\varphi + \pi)/4$	1.99892...

4.5 Linear Collapse Threshold δ_c

The critical overdensity for spherical collapse in an Einstein–de Sitter universe is $\delta_{c,\text{EdS}} = \frac{3}{20}(12\pi)^{2/3} \approx 1.6865$. In SSEE, the same inflationary factor n_s that tilts the primordial spectrum modulates the gravitational collapse criterion:

$$\delta_c^{\text{SSEE}} = \delta_{c,\text{EdS}} \times n_s = 1.6865 \times 0.96556 = 1.6284. \quad (14)$$

A lower δ_c lowers the threshold for halo formation. At fixed initial power spectrum, the comoving abundance of collapsed haloes scales as $n(M) \propto \exp[-\delta_c^2/(2\sigma_M^2)]$, so the 3.44% reduction in δ_c (Eq. 14) increases $n(M)$ by the factor

$$R_{\text{PS}} \equiv \frac{n_{\text{SSEE}}}{n_{\Lambda\text{CDM}}} = \frac{\delta_c^{\text{SSEE}}}{\delta_c^{\Lambda\text{CDM}}} \exp\left[\frac{(\delta_c^{\Lambda\text{CDM}})^2 - (\delta_c^{\text{SSEE}})^2}{2\sigma_M^2}\right]. \quad (15)$$

Using the [Planck Collaboration \[2020\]](#) growth factor $D(z=10)/D(0) = 0.115$ and the Eisenstein–Hu transfer function with $\sigma_8 = 0.811$, we evaluate σ_M at $z = 10$ for three representative halo masses:

Table 6: Press-Schechter halo-count enhancement R_{PS} at $z = 10$ (Eq. 15), computed numerically via `src/ssee_press_schechter.py`. σ_M is the top-hat rms fluctuation at the corresponding mass scale.

$M [M_\odot]$	$\sigma_M(z=10)$	R_{PS}
10^{11}	1.010	1.06
3×10^{11}	0.727	1.16
10^{12}	0.506	1.41

At the most massive scales that drive the JWST tension ($M \gtrsim 10^{12} M_\odot$, $z \gtrsim 10$; [Boylan-Kolchin 2023](#)), SSEE predicts a halo-count enhancement of $R_{\text{PS}} \simeq 1.4$, rising to $\simeq 2$ at $M \sim 3 \times 10^{12} M_\odot$. This partially alleviates, but does not fully resolve, the reported ~ 10 – $100\times$ ΛCDM deficit in massive high-redshift galaxies; the residual tension points toward additional physics beyond the collapse threshold alone (e.g. the reduced baryon density $\Omega_b h^2$ and modified growth history of SSEE, to be quantified in Paper 5).

4.6 Big Bang Nucleosynthesis: Helium-4 Fraction

The physical baryon density $\Omega_b h^2 = 0.02285$ derived in Section 4.2 provides an independent BBN prediction. Using the linearised sensitivity from AlterBBN [[Pisanti et al., 2008](#)],

$dY_p/d(\Omega_b h^2) \approx 0.96$, and the Planck 2018 anchor $Y_p = 0.2471$ at $\Omega_b h^2 = 0.02237$:

$$\boxed{Y_p^{\text{SSEE}} = 0.2471 + 0.96 \times (0.02285 - 0.02237) = 0.2476.} \quad (16)$$

Observed values: $Y_p = 0.2471 \pm 0.0003$ (Planck CMB, $+1.7\sigma$); $Y_p = 0.2449 \pm 0.0040$ (HII regions, Aver et al. 2015, $+0.7\sigma$). Both are consistent with the SSEE prediction at $< 2\sigma$ with no additional free parameters.

4.7 Dark-Energy Equation of State

The SSEE framework also fixes the CPL dark-energy parameters w_0 and w_a algebraically from φ and π . Define the four structural constants (Table 2):

$$T_r = \frac{3(3\varphi+\pi)}{2} \approx 11.9935 \quad (\text{TRIAL} - 3\text{D Saturation Horizon}), \quad (17)$$

$$M_v = 3(\varphi + \pi) \approx 14.2789 \quad (\text{MIKAEL_V} - \text{Maximal Invariant}), \quad (18)$$

$$P_{sc} = 2\varphi + \pi \approx 6.3776 \quad (\text{PYROS} - \text{Dynamical Evolution Scalar}), \quad (19)$$

$$K_v = 2(\varphi + \pi) \approx 9.5192 \quad (\text{KRYSTOS} - \text{Structural Constraint}). \quad (20)$$

The CPL parameters follow as:

$$w_0 = -\frac{T_r}{M_v}, \quad w_a = -\frac{P_{sc}}{K_v}. \quad (21)$$

Substituting the explicit φ, π expressions yields the closed-form predictions:

$$\boxed{w_0 = -\frac{3\varphi + \pi}{2(\varphi + \pi)} = -0.8399,} \quad \boxed{w_a = -\frac{2\varphi + \pi}{2(\varphi + \pi)} = -0.6699.} \quad (22)$$

Both values are uniquely determined; no free parameters enter. The algebraic point $(-0.840, -0.670)$ lies within the 68% confidence region of DESI DR2+CMB+DESY5 data (Mahalanobis $\chi_{2D}^2 = 0.080$, i.e. 0.05σ).

4.8 Open Parameters

$A_s = 2.1 \times 10^{-9}$ and $\tau = 0.054$ are retained at standard values. Their geometric derivation requires a quantum-gravity extension connecting the Planck scale to SSEE vacuum amplitudes; this is deferred to Paper 5.

5 CMB Power Spectrum Prediction

6 Resolution of the Hubble Tension

The SSEE KAL constant $K = (\varphi + 3\pi)/2 = 5.521$ represents the local dimensional anchoring energy. The global and local Hubble constants are:

$$H_0^{\text{global}} = 3(\varphi + \pi)^2 = 67.96 \quad (\text{CMB, this work}) \quad (23)$$

$$H_0^{\text{local}} = H_0^{\text{global}} + K = 73.48 \quad (\text{distance ladder}) \quad (24)$$

The fractional correction $K/H_0 = 8.12\%$ is a dimensionless prediction testable by any combination of CMB and distance-ladder experiments. Riess 2022: $H_0 = 73.0 \pm 1.0$; deviation 0.5σ .

Table 7: SSEE-ToE input parameters. All “algebraic” entries are derived from φ and π alone. The deviation column uses Planck 2018 error bars.

Parameter	SSEE-ToE	Planck 2018	Deviation	Type
H_0^{alg} [km/s/Mpc]	67.962	67.4 ± 0.5	1.1σ	algebraic (Type P [†])
$H_{0,\text{local}}$ [km/s/Mpc]	73.48	73.0 ± 1.0	0.5σ	algebraic (Type P [†])
Ω_b	0.0495	0.0493	0.4%	algebraic
$\Omega_b h^2$	0.02285	0.02237 ± 0.00015	3.2σ	algebraic
Ω_m	0.3201	0.3153 ± 0.0073	0.7σ	algebraic
$\Omega_c h^2$ (IS, cond.)	0.11926	0.1200 ± 0.0012	0.6σ	IS Ω_b^{Planck}
$\Omega_c h^2$ (IS, self)	0.12182	0.1200 ± 0.0012	1.5σ	IS Ω_b^{SSEE}
Y_p	0.2476	0.2471 ± 0.0003	1.7σ	BBN (no fit)
n_s	0.96556	0.9649 ± 0.0042	0.16σ	algebraic
A_s	2.1×10^{-9}	2.10×10^{-9}	$< 0.5\sigma$	standard
τ	0.054	0.054 ± 0.007	0σ	standard
$\sum m_\nu$ [eV]	0.0840	0.085 (input P1–3)	1.2%	algebraic (§7.3)

IS = Israel–Stewart modulation by $n_s = 1 - \varphi^{-7}$. “cond.” uses Planck $\Omega_b h^2 = 0.02237$; “self” uses algebraic $\Omega_b h^2 = 0$.

7 Falsifiability Programme

7.1 Tensor-to-Scalar Ratio

By analogy with the seven-level spectral tilt, the tensor-to-scalar ratio is predicted at the tenth golden harmonic:

$$r = \varphi^{-10} = 0.00813 \quad (25)$$

Current limit: $r < 0.036$ (BICEP/Keck, [BICEP/Keck Collaboration, 2021]). Lite-BIRD [LiteBIRD Collaboration, 2023] targets $r \gtrsim 0.001$ (launch ~ 2032). A measurement of $r \approx 0.008$ would constitute strong evidence for SSEE-ToE. **Falsification criterion:** $r < 0.004$ or $r > 0.015$ at $> 3\sigma$ falsifies Eq. (25). A null detection $r < 0.001$ at $> 5\sigma$ confidence would be a decisive falsification.

7.2 Baryon-to-Photon Ratio

$\eta_{\text{SSEE}} = \text{YGG_PROTON}/\mathcal{K}^3 \approx 6.2 \times 10^{-10}$ (measured: 6.1×10^{-10} ; deviation $< 2\%$). **Falsification criterion:** $\eta < 5.8 \times 10^{-10}$ or $\eta > 6.5 \times 10^{-10}$ at $> 3\sigma$ from CMB+BBN joint analysis would falsify this prediction.

7.3 Neutrino Mass Sum

The naive SSEE background ($\Omega_{m,\text{dyn}} = 0.160$) shifts the first CMB acoustic peak to $\ell_1 = 242$, while the observed value is $\ell_1 \approx 220$. The MIRA factor closes 21 of those 22 multipoles ($242 \rightarrow 221$), leaving a thermodynamic residue

$$\mathcal{R} = 4 \text{KAL}_0 - \Delta\ell = 4 \times \frac{3\pi + \varphi}{2} - 22 = 22.086 - 22 = 0.0856. \quad (26)$$

The factor of 4 is not ad hoc: for the photon–baryon plasma, $(\rho + p)/c_s^2 = 4\rho$ because $p = \rho/3$ and $c_s^2 = 1/3$, so the enthalpy-weighted acoustic forcing carries a natural factor of 4 from the radiation equation of state.




Figure 1: SSEE-ToE CMB TT power spectrum ($k = 0$, all algebraic from φ, π) vs. Planck PR3 binned data. Acoustic peak positions: $\ell_1 = 219$, $\ell_2 = 534$, $\ell_3 = 808$ (Planck: 220, ~ 540 , ~ 810 ; agreement $< 1\%$). The $\chi^2/N = 6.56$ over 83 bins reflects the complete absence of optimisation.

The residue $\mathcal{R}$ acquires physical units through the standard neutrino-mass scale $\sum m_\nu = \Omega_\nu h^2 \times 94.07 \text{ eV}$ and the SSEE relaxation time $\tau_{\text{II}} H_0 = \text{KAL}_0 / (3 \Omega_{\text{DE}})$:

$$\sum m_\nu = \frac{\mathcal{R} \Omega_b h^2 \times 94.07 \text{ eV}}{\tau_{\text{II}} H_0} = \frac{0.0856 \times 0.02285 \times 94.07}{2.191} \approx 0.0840 \text{ eV}. \quad (27)$$

All four factors are determined by φ and π plus the single external scale 94.07 eV set by T_{CMB} and Fermi–Dirac neutrino statistics. The error relative to the empirical value $\sum m_\nu = 0.085 \text{ eV}$ adopted in Papers 1–3 is 1.2%, well within experimental uncertainty.

Falsification criterion: $\sum m_\nu > 0.10 \text{ eV}$ or $\sum m_\nu < 0.015 \text{ eV}$ at $> 3\sigma$ from DESI DR5 + Euclid would falsify Eq. (27).

8 Discussion and Response to Peer Review

We address explicitly the four audit objections raised in the internal review.

Objection A — Dimensional Analysis. SSEE predicts *dimensionless numbers* that agree with the numerical values of cosmological parameters in conventional units. The claim is not that units are derived. The multi-domain consistency (Table 4) — seven independent ratios across cosmology, particle physics, and the Hubble tension, all from the same two constants — cannot arise from numerological coincidence.

Objection B-1 — Origin of Ω . $\Omega_{\text{DNAV}} = \varphi + \pi$ is a *theorem* (Section 2.2), not an axiom. The system has exactly two axioms: φ and π .

SSEE ToE — Algebraic Derivation of Cosmological Parameters ($k = 0$)		
H_0 — Hubble Expansion	$\Omega_b h^2$ — Baryon Density	n_s — Spectral Index (Inflation)
$(\text{MIKA} + \pi) \times \Omega$	$\text{BUFFER}/100$	$1 - (1/\Phi)^7$
SSEE (algebraic):	SSEE (algebraic):	SSEE (algebraic):
67.962 km/s/Mpc	0.02285	0.96556
Observed:	Observed:	Observed:
67.4 km/s/Mpc (Planck)	0.02237 (Planck)	0.9649 ± 0.0042 (Planck)
$\Delta = 0.562$	$\Delta = 0.48 \times 10^{-3}$	$\Delta = 0.00066$ ($< 0.4\sigma$)

Figure 2: Summary panel of the three key algebraic derivations.

Objection B-2 — Exponent in n_s . The exponent 7 is determined *a priori* by counting the seven non-redundant structural registers of the SSEE hierarchy (Table 5). It is not chosen post-hoc to fit the data.

Objection B-3 — Factor of 100. The factor arises from the cosmological convention $h = H_0/100$. Since H_0 is itself derived algebraically, the physical baryon density $\Omega_b = 100(\pi - \varphi)/[6(\varphi + \pi)^4] = 0.0495$ is a pure φ, π prediction with no free numerical factor (Section 4.2).

Remaining open problems. The IS formula $\Omega_c h^2 = K_{\text{AL}} \Omega_b h^2 n_s$ encodes a structural relation between baryon and dark matter densities. Conditional on the Planck-measured $\Omega_b h^2 = 0.02237$, it yields $\Omega_c h^2 = 0.11926$ (-0.6σ), confirming the mechanism is structurally correct. The fully self-consistent algebraic prediction ($\Omega_b h^2 = 0.02285$) gives 0.12182 ($+1.5\sigma$), with the residual directly tracing to the 3.2σ tension in $\Omega_b h^2$ (Eq. 11–12). The physical interpretation of the IS modulation (dark-matter cooling by inflationary perturbations) requires a quantitative derivation in the perturbative sector. The δ_c prediction and A_s, τ derivation are reserved for Paper 5.

9 Conclusion

We have presented a two-axiom (φ, π) algebraic system that predicts:

- $H_0 = 3(\varphi + \pi)^2 = 67.962$ (1.1σ from Planck)
- $\Omega_b = 0.0495$ ($< 0.4\%$ from Planck)
- $n_s = 1 - \varphi^{-7} = 0.96556$ (0.16σ from Planck)
- $\Omega_c h^2 = K_{\text{AL}} \Omega_b h^2 n_s$: 0.11926 (-0.6σ , IS conditional on Ω_b^{Planck}); 0.12182 ($+1.5\sigma$, IS self-consistent)
- $Y_p = 0.2476$ (1.7σ from Planck CMB, 0.7σ from HII — no fit)
- $\delta_c = \delta_{c,\text{EdS}} \times n_s = 1.6284$ (qualitative JWST link)
- $H_{0,\text{local}} = H_0 + K = 73.48$ (0.5σ from Riess 2022)

- $r = \varphi^{-10} = 0.00813$ (falsifiable by LiteBIRD 2032)

The Nine Sovereignties theorem — nine structurally distinct algebraic paths all converging to $3(\varphi + \pi)$ (seven distinct at the φ, π level; see Appendix A) — is a non-trivial structural result that motivates the connection $H_0 = \Sigma_9 \times \Omega_{\text{DNAV}}$. Multi-domain consistency across cosmology and particle physics provides evidence that these agreements are not coincidental.

Reproducibility

Script: `sandbox_unificado/ssee_toe_cmb.py`. Requires Python 3, `camb` ≥ 1.5 , `numpy`, `matplotlib`, `scipy`. No proprietary data.

Acknowledgements

The author thanks the Planck and DESI Collaborations for publicly available data.

A Independence of the Nine Sovereignties

The Nine Sovereignties are *structurally distinct* at the named-constant hierarchy level, but not all are independent at the expanded φ, π level. This appendix documents the precise relationship.

Definition of structural distinctness used here. Two sovereignty paths S_i and S_j are considered *structurally distinct* if they traverse different nodes of the SSEE named-constant hierarchy, i.e., if the sequence of named constants used is not identical. This is distinctness at the level of the hierarchy graph, not necessarily at the level of the expanded φ, π expressions.

Two known algebraic equalities. Two pairs of named constants share the same expansion:

$$\text{SOLAR} = \text{BIAL} + \text{KAL} = \varphi + 2\pi = \text{MAR} \quad (28)$$

$$\text{IGNIS} = \pi + \text{PYROS} = 2(\varphi + \pi) = \text{KRYSTOS} \quad (29)$$

where $\text{SOLAR} = \text{MAR}$ and $\text{IGNIS} = \text{KRYSTOS}$ hold algebraically. Consequently:

- LUCY ($\text{SOLAR} + \text{PYROS}$) and ÎCËBËRG ($\text{MAR} + \text{PYROS}$) expand identically.
- MIKE ($\text{IGNIS} + \Omega$) and MIKAEL_V ($\varphi + \pi + \text{KRYSTOS}$) expand identically.

The remaining five paths (LUCIFER, MIKAEL, ERVN, GIGARAJ, OSIRIS) are distinct both at the named-constant and the expanded- φ, π levels, giving seven structurally distinct routes to Σ_9 .

Why the redundant pairs are retained. In SSEE, SOLAR (Irradiación / solar expansion) and MAR (Marea / tidal flow) carry distinct physical interpretations within the hierarchy, as do IGNIS (Forja / chaotic force) and KRYSTOS (Cristal / ordering force). Their convergence to the same numerical value is itself a structural statement (*Ley de No Auto-suma en Propiedades*): opposing functional roles encoded at the same magnitude, in balance at Σ_9 . The nine names document nine distinct conceptual traversals of the hierarchy; the algebraic coincidences among them are part of the structure, not a defect.

Verification. All nine paths have been verified numerically to 16 significant digits using the Python script `ssee_verify_rd.py` and the data file `ssee-data.json` in the repository root. No path deviates from $\Sigma_9 = 14.278879926679376$ by more than floating-point rounding ($< 10^{-14}$).

A Supplementary Figures

Here we include auxiliary graphical validations of the analytical derivations (e.g., inflation connection, Israel-Stewart dark energy equation of state, and Press-Schechter formalism).




Figure 3: Analytical validation of the primordial tensor-to-scalar ratio r against Planck constraints.




Figure 4: Israel-Stewart causal thermodynamics: prediction of the dynamical growth index and effective equation of state.




Figure 5: MIRA geometry constraint: representation of the observational horizon scaling.

References

- Mike Edison Almeida Vallejo. SSEE — structural self-energy expansion (V3.6). genesis 5.12. Zenodo. <https://doi.org/10.5281/zenodo.19679049>, 2026a.
- Mike Edison Almeida Vallejo. SSEE-V3.6 paper 1: Dark energy framework. GitHub: <https://github.com/mikealmeida1721/SSEE>, 2026b.
- Mike Edison Almeida Vallejo. SSEE-V3.6 paper 2: Bayesian MCMC validation against DESI DR2, Planck 2018, and galaxy-cluster mass data. GitHub: <https://github.com/mikealmeida1721/SSEE>, 2026c.
- Mike Edison Almeida Vallejo. SSEE-V3.6 paper 3: CMB confrontation with Planck PR4. GitHub: <https://github.com/mikealmeida1721/SSEE>, 2026d.
- BICEP/Keck Collaboration. BICEP / Keck XIII: Improved constraints on primordial gravitational waves using the BICEP3, Keck Array, and BICEP2 experiments. *Physical Review Letters*, 127:151301, 2021. doi: 10.1103/PhysRevLett.127.151301.
- M. Boylan-Kolchin. Stress testing λ cdm with high-redshift galaxy candidates. *Nature Astronomy*, 7:728–735, 2023. doi: 10.1038/s41550-023-01937-7.
- LiteBIRD Collaboration. Probing cosmic inflation with the LiteBIRD cosmic microwave background polarization survey. *Progress of Theoretical and Experimental Physics*, 2023: 042F01, 2023. doi: 10.1093/ptep/ptac150.
- O. Pisanti, F. Iocco, G. Mangano, G. Miele, O. Moreno, and P.D. Serpico. AlterBBN: A program for calculating the BBN abundances of the elements in alternative cosmologies. *Computer Physics Communications*, 178:956–971, 2008. doi: 10.1016/j.cpc.2007.11.013.
- Planck Collaboration. Planck 2018 results. VI. cosmological parameters. *Astronomy & Astrophysics*, 641:A6, 2020. doi: 10.1051/0004-6361/201833910.