↑ Contents

Composer OS V4.0 — Musician's Guide

Status: structure + S30 (M1) verified fill; other scenarios OUTLINE. No invented examples.

Source: **docs/manuals/COMPOSER-OS-V4-MUSICIANS-GUIDE.md**

M1 reference: **docs/manuals/MORPH-M1-USER-MANUAL-V1.0.md**

Checkpoint: **a4749fcb**

Audience: musicians using Composer OS for practical musical goals.

Jump by musical goal, not by engine name. Prefer MusicXML + host notation for final judgment; in-app preview is a pitch/timing sanity check only.

Capability tags

Tag	Meaning
[SHIPPED]	Documented as present in product / playbook; steps not verified in this guide
[UNVERIFIED]	Likely present; GUI path and musical outcome not confirmed here
[PARTIAL]	Some of the goal works; gaps called out in the one-liner
[UNIMPLEMENTED]	Not a reliable musician path today — do not expect full workflow

Contents

1. How to use this guide
2. Scenario index (all)
3. A — Melodic writing & identity
4. B — Harmony language & reharmonisation
5. C — Rhythm, groove & metre
6. D — Counterpoint & independent lines
7. E — Orchestration & ensemble colour
8. F — Transform existing music (MORPH M1 / M2 / M3)
9. G — Form, length & structural shape
10. H — Practice & study material
11. I — Audition, preview & listening
12. J — Notation handoff (MusicXML & hosts)
13. K — Evaluation & musical critique
14. L — Starting from charts & imports
15. Legend & fill-in checklist

↑ Jump to Contents

How to use this guide

Jump by musical goal, not by engine name. Each scenario reserves the same six sections for later fill-in. Prefer MusicXML + host notation for final judgment; in-app preview is a pitch/timing sanity check only. Tags mark honesty about what is shipped vs unverified vs unimplemented.

↑ Jump to Contents

Scenario index

Scenario count: 52

ID	Goal	Title	Tag
S01	Melody	Strong hook on a short Song Mode chart	[UNVERIFIED]
S02	Melody	Vocal lead sheet for singing rehearsal	[PARTIAL]
S03	Melody	Motif recall across a 32-bar form	[UNVERIFIED]
S04	Melody	Guitar–bass duo with clear melodic lead	[SHIPPED]
S05	Melody	Pentatonic colour path for motif transform	[SHIPPED]
S06	Melody	Hexatonic phrase as melodic étude	[SHIPPED]
S07	Harmony	Paste a progression and generate a playable chart	[SHIPPED]
S08	Harmony	iReal chart ⊠ Song Mode arrangement	[SHIPPED]
S09	Harmony	Writer-slice harmony colour (e.g. Jobim / Evans / Miles)	[SHIPPED]
S10	Harmony	Chord Inspector reharm substitutes	[SHIPPED]
S11	Harmony	Post-generate bar-range reharm preview	[SHIPPED]
S12	Harmony	Tonality Vault riff over locked changes	[SHIPPED]
S13	Harmony	Classical song overlay on a modern progression	[SHIPPED]
S14	Harmony	Deep harmonic voice pairing with a songwriter	[UNVERIFIED]
S15	Rhythm	Odd-metre / mixed-metre Song Mode chart	[SHIPPED]
S16	Rhythm	Greek Rebetiko dance-metre percussion study	[SHIPPED]
S17	Rhythm	Blend two rhythm engines into one étude	[SHIPPED]
S18	Rhythm	Fela / Afrobeat percussion feel on Song Mode	[PARTIAL]
S19	Rhythm	Big Band drum intensity (sparse ⊠ driving)	[SHIPPED]
S20	Rhythm	Short loopable riff (1–4 bars)	[SHIPPED]
S21	Counterpoint	Line-first duo with independent bass	[SHIPPED]
S22	Counterpoint	String Quartet with SQ VRB voice rules	[SHIPPED]
S23	Counterpoint	Blend two SQ arrangers for colour mix	[SHIPPED]
S24	Counterpoint	Bartók / Brookmeyer-style line hierarchy	[UNVERIFIED]
S25	Orchestration	Full Big Band chart from changes	[SHIPPED]
S26	Orchestration	ECM chamber sparse duo texture	[SHIPPED]
S27	Orchestration	String Quartet realisation of a lead sheet	[PARTIAL]
S28	Orchestration	Section regenerate one span without rewriting all	[SHIPPED]
S29	Orchestration	Alternate guitar tuning on a Song Mode / vault path	[SHIPPED]
S30	MORPH	M1 — expand / protect source harmony regions	[SHIPPED]
S31	MORPH	M2 — reshape phrase contour while keeping identity	[PARTIAL]
S32	MORPH	M3 — reimagine with distinct ops (candidate audit)	[UNVERIFIED]
S33	MORPH	Compare M1 vs M3 MusicXML side-by-side	[UNVERIFIED]
S34	Form	Multi-chorus chart with motif phase rotation	[PARTIAL]
S35	Form	12-bar blues Big Band form variant	[SHIPPED]
S36	Form	Repeat / volta truth into exported bar count	[SHIPPED]
S37	Practice	Practice & Scales Studio session + export	[SHIPPED]
S38	Practice	BHL colour / tension–release study	[PARTIAL]
S39	Practice	Solo piano miniature for reading & feel	[UNVERIFIED]
S40	Preview	In-app Play after Generate (pitch + timing check)	[SHIPPED]
S41	Preview	Preview limits: unpitched drums / missing XML path	[PARTIAL]
S42	Export	Shareable MusicXML to Sibelius	[SHIPPED]
S43	Export	MusicXML for MuseScore audition (BHL / study paths)	[SHIPPED]
S44	Export	MIDI companion file after successful XML write	[SHIPPED]
S45	Export	Guitar TAB / both-staff export with transpose truth	[PARTIAL]
S46	Evaluation	Musician-facing GCE critique of a short chart	[SHIPPED]
S47	Evaluation	Formal LOCK / GCE readiness before sharing	[SHIPPED]
S48	Evaluation	Evaluation Dashboard / provisional candidate status	[PARTIAL]
S49	Import	Real Book–style MusicXML lead sheet in	[PARTIAL]
S50	Import	PDF lead-sheet chords ⊠ vault / generate path	[SHIPPED]

↑ Contents

ID	Goal	Title	Tag
S51	Import	Lead-sheet input ⊠ composer-coloured ensemble	[PARTIAL]
S52	Workflow	Green integrity receipt vs “not shareable” amber	[SHIPPED]

↑ Jump to Contents

↑ Contents

A — Melodic writing & identity

↑ Jump to Contents

S01 — Strong hook on a short Song Mode chart [UNVERIFIED]

Get a memorable lead idea over a short form without overwriting locked harmony.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S02 — Vocal lead sheet for singing rehearsal [PARTIAL]

Optional vocal lead-sheet MusicXML from planned lead melody — not a transcription of guitar comp; confirm when “Include vocal lead sheet” is on.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S03 — Motif recall across a 32-bar form [UNVERIFIED]

Phrase Engine / hook-first paths aim for structural recall; verify on a full 32-bar duo run before treating as guaranteed.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps

OUTLINE

Musical outcome

OUTLINE

Notation example

OUTLINE

Troubleshooting

OUTLINE

↑ Jump to Contents

S04 — Guitar–bass duo with clear melodic lead [SHIPPED]

Generate duo family scores where the lead line is musically primary and bass supports.

Objective

OUTLINE

Starting material

OUTLINE

GUI steps

OUTLINE

Musical outcome

OUTLINE

Notation example

OUTLINE

Troubleshooting

OUTLINE

↑ Jump to Contents

S05 — Pentatonic colour path for motif transform [SHIPPED]

Use **#/pentatonic** analyse / transform / generate phrase to move a motif through colour without forcing a hard pitch cage.

Objective

OUTLINE

Starting material

OUTLINE

GUI steps

OUTLINE

Musical outcome

OUTLINE

Notation example

OUTLINE

Troubleshooting

OUTLINE

↑ Jump to Contents

S06 — Hexatonic phrase as melodic étude [SHIPPED]

Use **#/hexatonic** scalar / WPS material for a short phrase étude with MusicXML out.

↑ Contents

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

B — Harmony language & reharmonisation

↑ Jump to Contents

S07 — Paste a progression and generate a playable chart [SHIPPED]

Paste chord symbols → key / meter / mode → generate vault or Song Mode arrangement.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S08 — iReal chart → Song Mode arrangement [SHIPPED]

Import iReal Pro text and produce a multi-bar arrangement with chorus count control.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S09 — Writer-slice harmony colour (e.g. Jobim / Evans / Miles) [SHIPPED]

Pick a shipped songwriter slice so effective harmony reflects that language (receipts / locked truth).

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S10 — Chord Inspector reharm substitutes [SHIPPED]

Inspect one symbol, browse drift-ordered substitutes, apply a candidate back into the chart field.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S11 — Post-generate bar-range reharm preview [SHIPPED]

After Generate, preview alternative harmony on a bar span and apply without inventing a third surface.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S12 — Tonality Vault riff over locked changes [SHIPPED]

Build a vault riff / grip-aware line over a parsed chart with mode and tuning choices.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S13 — Classical song overlay on a modern progression [SHIPPED]

Blend a classical song influence onto Song Mode harmony planning without replacing the primary writer.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S14 — Deep harmonic voice pairing with a songwriter [UNVERIFIED]

Stack a deep harmonic voice with primary songwriter; confirm UI pairing and musical effect in a later fill-in.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

C — Rhythm, groove & metre

↑ Jump to Contents

S15 — Odd-metre / mixed-metre Song Mode chart [SHIPPED]

Generate with mixed meters / **barMeterMap** and confirm the mixed-metre badge on preview blocks.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S16 — Greek Rebetiko dance-metre percussion study [SHIPPED]

Use Greek rhythm controls / presets (e.g. hasapiko, zeibekiko) and export unpitched percussion MusicXML.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S17 — Blend two rhythm engines into one étude [SHIPPED]

Rhythm blend lab: Engine A / B, song-form vs layer blend, export blended rhythm MusicXML.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S18 — Fela / Afrobeat percussion feel on Song Mode [PARTIAL]

Fela primary appends Afrobeat percussion; posture/feel UI may still be partial — use feel toggle for faithful preview when available.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S19 — Big Band drum intensity (sparse ▯ driving) [SHIPPED]

Set Feel intensity on Big Band generate so drum policy tracks form phase × intensity.

Objective

↑ Contents

OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S20 — Short loopable riff (1–4 bars) [SHIPPED]

Use riff_generator mindset: whole short loop, not mid-chart section splice.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

D — Counterpoint & independent lines

↑ Jump to Contents

S21 — Line-first duo with independent bass [SHIPPED]

Line-first duo path keeps bass / lead independence under contrapuntal policy where enabled.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example

↑ Contents

OUTLINE

Troubleshooting

OUTLINE

↑ Jump to Contents

S22 — String Quartet with SQ VRB voice rules [SHIPPED]

Select String Quartet preset + SQ VRB writer/arranger for idiom-specific voice behaviour.

Objective

OUTLINE

Starting material

OUTLINE

GUI steps

OUTLINE

Musical outcome

OUTLINE

Notation example

OUTLINE

Troubleshooting

OUTLINE

↑ Jump to Contents

S23 — Blend two SQ arrangers for colour mix [SHIPPED]

Dual SQ arrangers + weight slider; invalid pairs blocked; blend preview before generate.

Objective

OUTLINE

Starting material

OUTLINE

GUI steps

OUTLINE

Musical outcome

OUTLINE

Notation example

OUTLINE

Troubleshooting

OUTLINE

↑ Jump to Contents

S24 — Bartók / Brookmeyer-style line hierarchy [UNVERIFIED]

Contrapuntal line set / VRB line-first composers — confirm GUI surface vs engine-only path before teaching steps.

Objective

OUTLINE

Starting material

OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

E — Orchestration & ensemble colour

↑ Jump to Contents

S25 — Full Big Band chart from changes [SHIPPED]

Generate a Big Band score (parts, form phases, drum architecture) from harmony input.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S26 — ECM chamber sparse duo texture [SHIPPED]

ECM Chamber songwriter / preset path for sparse Nordic/modal duo colour.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S27 — String Quartet realisation of a lead sheet [PARTIAL]

Lead-sheet input → SQ / ensemble realisation exists on a parallel import path; GUI may require full-UI flag — mark steps carefully when filled.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S28 — Section regenerate one span without rewriting all [SHIPPED]

Regenerate **startBar–endBar** and splice MusicXML into the prior full score (duo / BB / SQ paths).

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S29 — Alternate guitar tuning on a Song Mode / vault path [SHIPPED]

Pick a roadmap zone tuning preset; note that SY noise-score truth is deeper than open-string catalog alone.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome

OUTLINE

Notation example

OUTLINE

Troubleshooting

OUTLINE

↑ Jump to Contents

F — Transform existing music (MORPH M1 / M2 / M3)

MusicXML is the authoritative MORPH deliverable. Do not treat audio as required for musical assessment. S30 (M1) below is filled from **docs/manuals/MORPH-M1-USER-MANUAL-V1.0.md** (verified Development Studio path only). S31 (M2) below is filled from Development Studio / API wiring plus machine runtime evidence — not packaged-desktop acceptance and not artistic approval. S32–S33 remain OUTLINE — do not generalise M1/M2 steps to M3 or compare scenarios.

↑ Jump to Contents

S30 — M1 — expand / protect source harmony regions [SHIPPED]

Verified Development Studio M1 path: melody-led / conservative harmonic dual-part with **lockBass: true**; separate candidate MusicXML + lineage. Source: MORPH-M1-USER-MANUAL-V1.0. Banner and lineage: Not musically approved.

Objective

Run a locked-bass M1 harmonic transform on an imported MusicXML source without overwriting that source; obtain a separate candidate MusicXML plus lineage for human review later.

Starting material

Partwise MusicXML (file, paste, or Latest Generate). Optional Black Aura master path/SHA is documented in **docs/roadmap/MORPH-M1-BLACK-AURA-CONTRACT.md** — the app does not auto-bind that file; you import it. Motif bars come only from an explicitly selected discovered cell (no silent **[1, 2]** default).

GUI steps

1. Open Development Studio (**/develop**).
2. Import MusicXML: Latest Generate, Open MusicXML (**.musicxml** / **.xml**), or paste/edit in the textarea. Load clears prior M1 harmonic output and lineage.
3. Found in this score → discover motifs; click a cell → selected cell id + working motif; M1 motif bars = unique occurrence bars of that selected cell only.
4. Without a selected cell with bars, Run harmonic transform (lockBass) refuses (API also rejects empty / non-integer / non-positive **motifBars**).
5. Run harmonic transform (lockBass) — profile **harmonic** only; **lockBass** forced **true** (request with **lockBass !== true** errors). Source written to a temp file only; import **xml** untouched. Output stored in **harmonicOutXml** with SHA + lineage.
6. Inspect lineage (**develop-m1-lineage**), preview/audition the candidate, Export M1 harmonic MusicXML if wanted.
7. Optional handoff Send → Practice / BHL / Evaluate — status remains Not musically approved.

Musical outcome

Separate M1 harmonic candidate MusicXML; bass pitch/rhythm locked for the dual-part transform. Technical lock success is not musical improvement and not human ACCEPT. Page, lineage, and handoffs stay Not musically approved. Development Studio has no KEEP/DEVELOP/REWRITE controls and no ACCEPT/REVISE/REJECT capture — those are human/review-doc gates outside the transform run. Do not invent GCE numbers or claim MUSICALLY APPROVED from this path.

Notation example

OUTLINE — no fabricated excerpt in this guide; open the exported candidate MusicXML in a notation host for reading evidence.

Troubleshooting

- Transform button errors with no motif bars → select a discovered cell first; no silent default bars.
- **lockBass !== true** → M1 dual-part requires **lockBass=true**.
- Import field still shows source after a run → expected; candidate is separate (**harmonicOutXml** / Export M1).
- Confusion with Evaluation UI ACCEPT/REFINE/REJECT/FORK or guitar PASS/REVIEW/FAIL → those are different vocabularies; not MORPH KEEP/DEVELOP/REWRITE and not automatic musical approval.
- No audio/MIDI/ZIP packaging as part of M1 — MusicXML + lineage/Markdown only.

↑ Jump to Contents

S31 — M2 — reshape phrase contour while keeping identity [PARTIAL]

Development Studio M2 RESHAPE path is implemented (**motivicReshape** → dual-part). Machine wiring PASS cited in **docs/roadmap/MORPH-TECHNICAL-STATUS.md**. Packaged / installed desktop execution pending. Artistic approval pending. Banner and lineage: Not musically approved.

Objective

Run a motivic reshape on one explicit multi-bar guitar window of an imported MusicXML source without overwriting that source; obtain a separate M2 candidate MusicXML plus lineage. Characteristic cells stay locked via the selected discovery cell; contour / interval ops apply only inside the declared window.

Starting material

Partwise MusicXML (file, paste, or Latest Generate). A discovered cell must be selected so motif bars lock; Studio invents no default bars. An explicit reshape window (**from** < **to**, multi-bar) and exactly one reshape-legal op per window bar from the Develop plan. Reshape-legal ops only: **invert**, **expand-intervals**, **sequence-real** — other Develop ops stay local preview and are not sent. Optional Protect guitar bars. No IdentityKernel (that is M3). Machine-only Black Aura example (not a Studio auto-bind): source SHA **b85f7731…da4fccfd**, window 13–15, ops **invert** → **expand-intervals** → **sequence-real**, candidate SHA **1187d014…c74c1648** (**.tmp-morph-m2-verify/RUNTIME-VERIFY.json**).

GUI steps

1. Open Development Studio (**/develop**).
2. Import MusicXML: Latest Generate, Open MusicXML (**.musicxml** / **.xml**), or paste/edit. Load clears prior MORPH output and lineage.
3. Found in this score → discover motifs; click a cell → selected cell id + motif bars (locks). Without a selected cell with bars, M2 run stays blocked.
4. Develop — queue reshape-legal ops only (**invert** / **expand-intervals** / **sequence-real**), one op per window bar. Check Reshape ops queued; count must match window length — Studio will not invent ops.
5. MORPH dual-part → Mode M2 RESHAPE. Set From / To window (**from** < **to**). Optional protect-guitar bars. Window must not overlap motif or protect locks.
6. When blockers list is empty, Run M2 RESHAPE. Source written to a temp file only; import **xml** untouched. Output in separate candidate store with SHA + lineage (**profiles: reshape**).
7. Inspect lineage, preview/audition the M2 reshape candidate, Export M2 MusicXML if wanted (filename tag **M2-Reshape**).
8. Optional handoff Send → Practice / BHL / Evaluate — status remains Not musically approved.

Musical outcome

Separate M2 reshape candidate MusicXML on the declared guitar window; motif/protect bars stay locked; bass/harmony/duration lock checks are technical machine evidence when they pass, not musical improvement. Development Studio has no KEEP/DEVELOP/REWRITE controls and no

ACCEPT/REVISE/REJECT capture. Do not invent GCE / BMEF artistic totals or claim MUSICALLY APPROVED from this path. Unverified here: packaged-desktop manual run; listening / performance audition; human ACCEPT.

Notation example

OUTLINE — no fabricated excerpt in this guide. Machine candidate path (runtime verify only, not musician-auditioned): **.tmp-morph-m2-verify/M2-Reshape-Black-Aura-runtime-verify.musicxml.** Open an exported candidate in a notation host for reading evidence. Packaged-app export SHA for M2: pending.

Troubleshooting

- Run disabled / blockers → load MusicXML; select a discovered cell with motif bars; set multi-bar window; queue exact count of reshape-legal ops; fix window overlap with motif/protect locks.
- Ops count mismatch → add/remove Develop reshape ops until one per window bar; Studio will not invent fillers.
- Non-reshape Develop ops appear in plan but not in Reshape ops queued → expected; only **invert** / **expand-intervals** / **sequence-real** go to M2.
- Import field still shows source after a run → expected; candidate is separate (Export M2).
- Confusion with M1 harmonic or M3 IdentityKernel → wrong mode; M2 needs **motivicReshape** window+ops+pattern, not lockBass-forced harmonic and not declared kernel JSON.
- Packaged desktop “did M2 work?” → pending per **MORPH-TECHNICAL-STATUS.md**; do not treat machine PASS as installed-app acceptance.
- No audio/MIDI/ZIP packaging as part of M2 — MusicXML + lineage/Markdown only.

↑ Jump to Contents

S32 — M3 — reimagine with distinct ops (candidate audit) [UNVERIFIED]

MORPH M3: stronger reimagine ops; treat outputs as candidates until musician audition and framework labels are earned.

Objective

OUTLINE

Starting material

OUTLINE

GUI steps

OUTLINE

Musical outcome

OUTLINE

Notation example

OUTLINE

Troubleshooting

OUTLINE

↑ Jump to Contents

S33 — Compare M1 vs M3 MusicXML side-by-side [UNVERIFIED]

Diff / compare receipts between MORPH depths for the same source; no invented GCE numbers.

Objective

OUTLINE

Starting material

OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

G — Form, length & structural shape

↑ Jump to Contents

S34 — Multi-chorus chart with motif phase rotation [PARTIAL]

Chorus count multiplies chart; motif tension-phase rotation applies except where styles bypass (e.g. Sonic Youth hold) — quality still a known focus area.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S35 — 12-bar blues Big Band form variant [SHIPPED]

Use Big Band blues form length / preset variant for a standard blues chart shape.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting

OUTLINE

↑ Jump to Contents

S36 — Repeat / volta truth into exported bar count [SHIPPED]

Imported or planned repeats affect logical length and MusicXML barline truth — confirm before counting "bars on the page."

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

H — Practice & study material

↑ Jump to Contents

S37 — Practice & Scales Studio session + export [SHIPPED]

#/practice: generate pathways / studies, play/loop/metronome, save session, export MusicXML (session ≠ composition).

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S38 — BHL colour / tension–release study [PARTIAL]

BHL / hexatonic handoff into practice or composer surfaces; Phase 2 harmonic development may be technical-pass / not musically approved — label clearly when filling.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S39 — Solo piano miniature for reading & feel [UNVERIFIED]

Solo-piano musicians-guide examples exist under manuals; confirm current Generate / study path before claiming one GUI recipe.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

I — Audition, preview & listening

↑ Jump to Contents

S40 — In-app Play after Generate (pitch + timing check) [SHIPPED]

Use Play / Pause / Stop when a playback sequence is available; software-synth preview, not a DAW substitute.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S41 — Preview limits: unpitched drums / missing XML path [PARTIAL]

Unpitched GM drums may be silent in preview; Big Band web path may lack inline XML — desktop IPC is the supported ensemble preview story.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

J — Notation handoff (MusicXML & hosts)

↑ Jump to Contents

S42 — Shareable MusicXML to Sibelius [SHIPPED]

Export shareable MusicXML after integrity pass; open as a new score in Sibelius for engraving / play.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting

OUTLINE

↑ Jump to Contents

S43 — MusicXML for MuseScore audition (BHL / study paths) [SHIPPED]

For BHL audition workflows, open MusicXML in MuseScore 4; keep MSCZ/PDF/audio on separate filenames.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S44 — MIDI companion file after successful XML write [SHIPPED]

Successful MusicXML write also produces Type-1 SMF (tempo + melodic tracks); use for DAW sketch, not as notation source of truth.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S45 — Guitar TAB / both-staff export with transpose truth [PARTIAL]

Guitar export with TAB / both; fixed-offset tunings (Drop D / Eb) have **<transpose>** support — verify TAB vs sounding in host.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

K — Evaluation & musical critique

↑ Jump to Contents

S46 — Musician-facing GCE critique of a short chart [SHIPPED]

Use GCE as musical critique (0–10 scale); mark short-form categories structurally limited; not a release gate unless asked.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S47 — Formal LOCK / GCE readiness before sharing [SHIPPED]

When sharing system output, check integrity receipt, locked harmony truth, and formal hard gates — separate from chat critique.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

↑ Contents

Troubleshooting

OUTLINE

↑ Jump to Contents

S48 — Evaluation Dashboard / provisional candidate status [PARTIAL]

Dashboard can show provisional technical evidence (e.g. hexatonic / BHL candidates); provisional ≠ artistic acceptance.

Objective

OUTLINE

Starting material

OUTLINE

GUI steps

OUTLINE

Musical outcome

OUTLINE

Notation example

OUTLINE

Troubleshooting

OUTLINE

↑ Jump to Contents

L — Starting from charts & imports

↑ Jump to Contents

S49 — Real Book–style MusicXML lead sheet in [PARTIAL]

Import partwise MusicXML for harmony / keys / limited melody; jump markers and confidence UI still have backlog items.

Objective

OUTLINE

Starting material

OUTLINE

GUI steps

OUTLINE

Musical outcome

OUTLINE

Notation example

OUTLINE

Troubleshooting

OUTLINE

↑ Jump to Contents

S50 — PDF lead-sheet chords ⊠ vault / generate path [SHIPPED]

PDF chord reader → parsed chart → generate; treat OCR title cleanup as best-effort.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S51 — Lead-sheet input ☒ composer-coloured ensemble [PARTIAL]

Parallel lead-sheet input engine (composer-parameterized harmony → ensemble); desktop full-UI may be required — not the default Generate duo path.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting
OUTLINE

↑ Jump to Contents

S52 — Green integrity receipt vs “not shareable” amber [SHIPPED]

Read Generate result badge: green when export integrity passed; amber when generated but not shareable — decide host handoff accordingly.

Objective
OUTLINE

Starting material
OUTLINE

GUI steps
OUTLINE

Musical outcome
OUTLINE

Notation example
OUTLINE

Troubleshooting

OUTLINE

↑ Jump to Contents

Legend & fill-in checklist

When expanding beyond structure:

1. Fill reserved sections only with verified GUI paths and real MusicXML / notation evidence.
2. Keep [UNVERIFIED] / [PARTIAL] / [UNIMPLEMENTED] until a musician run proves the path.
3. Do not invent notation examples, GCE scores, or “heard / approved” claims.
4. Prefer musical goal titles over engine filenames in headings.
5. Re-check scenario index links after renumbering.

Explicit unimplemented / not-in-guide defaults (do not invent scenarios as complete): pre-generate candidate preview API; style-transfer dry-run preview; interactive import confidence heatmap click-to-override; PDF as primary MORPH deliverable; claiming audio audition without host evidence.

↑ Jump to Contents