

Great question, Lola — let's carefully map out the **relationships between your tables** (`Users` , `ProfessionalProfiles` , `Resumes` , `Certificates` , `PortfolioItems`) and then explain the **purpose of `ProfessionalProfiles`** and its attributes like `IsVerified` .

Entity Relationships

Parent Entity	Child Entity	Relationship	Explanation
<u>User</u>	Professional Profile	1 : 1	Each user who registers as a professional has exactly one profile.
Professional Profile	Resume	1 : 1	A professional can upload one resume (CV).
Professional Profile	Certificate	1 : N	A professional can upload multiple certificates (licenses, qualifications).
Professional Profile	PortfolioItem	1 : N	A professional can showcase multiple portfolio items (projects, works).

Purpose of `ProfessionalProfiles` Table

The `ProfessionalProfiles` table is the **core identity record for professionals**. It extends the `Users` table with professional-specific attributes.

Think of it as the **public-facing professional page** — similar to LinkedIn's profile section.

Implements a specific professionalProfile datas. to be seen on the card

Why It Exists

Includes-> headline, years of experience, ServiceRadiusKm, IsVerified, timestamps

- Separates **general user data** (name, email, phone) from **professional-specific data** (headline, bio, experience). **within the detail include all and add bio.**
- Provides a **single anchor point** for resumes, certificates, and portfolios.
- Allows **admins** to verify and approve professionals before they can accept jobs.

Key Attributes in `ProfessionalProfiles`

Attribute	Purpose
Id	Unique identifier for the profile.

Attribute	Purpose
UserId	Foreign key linking to the <code>Users</code> table.
Headline	Short professional title (e.g., "Smart Home Electrician").
Bio	Longer description of skills and background.
YearsOfExperience	Numeric value for experience.
ServiceRadiusKm	Defines how far the professional is willing to travel.
IsVerified	Boolean flag showing if the profile has been approved by admin.
CreatedAt / UpdatedAt	Timestamps for auditing and tracking changes.

because we are going to use single service include only one.

 **When to Use `IsVerified`** The admin needs to see what the user have added to be verified

- **During Registration** → defaults to `false` . there are three types of looking verification
- **After Admin Approval** → set to `true` once documents (resume, certificates) are checked.
- **Job Matching** → only verified professionals should appear in customer searches.
- **Trust & Safety** → prevents unverified professionals from accepting jobs.

SQL Schema Example

sql

```
CREATE TABLE ProfessionalProfiles (
  Id UUID PRIMARY KEY,
  UserId UUID REFERENCES Users(Id) UNIQUE,
  Headline VARCHAR(255),
  Bio TEXT,
  YearsOfExperience INT,
  ServiceRadiusKm INT,
  IsVerified BOOLEAN DEFAULT FALSE,
  CreatedAt TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
  UpdatedAt TIMESTAMP DEFAULT CURRENT_TIMESTAMP
);

CREATE TABLE Resumes (
  Id UUID PRIMARY KEY,
  ProfessionalProfileId UUID REFERENCES ProfessionalProfiles(Id),
  FilePath VARCHAR(255),
  CreatedAt TIMESTAMP DEFAULT CURRENT_TIMESTAMP
);
```

```

);

CREATE TABLE Certificates (
  Id UUID PRIMARY KEY,
  ProfessionalProfileId UUID REFERENCES ProfessionalProfiles(Id),
  Title VARCHAR(255),
  Issuer VARCHAR(255),
  IssueDate DATE,
  ExpiryDate DATE,
  CreatedAt TIMESTAMP DEFAULT CURRENT_TIMESTAMP
);

CREATE TABLE PortfolioItems (
  Id UUID PRIMARY KEY,
  ProfessionalProfileId UUID REFERENCES ProfessionalProfiles(Id),
  Title VARCHAR(255),
  Description TEXT,
  FilePath VARCHAR(255),
  CreatedAt TIMESTAMP DEFAULT CURRENT_TIMESTAMP
);

```

Flow in Words

1. **User registers** → creates a `User` record.
2. **ProfessionalProfile created** → linked to `UserId` .
3. **Resume, Certificates, PortfolioItems uploaded** → linked to `ProfessionalProfileId` .
4. **Admin verifies** → sets `IsVerified = true` .
5. **Customer searches** → only verified professionals appear in results.

👉 In short: the **ProfessionalProfiles table is the anchor** for all professional-specific data. `IsVerified` is your **trust flag** — it ensures only approved professionals can operate on the platform.

Would you like me to **extend this with example queries** (e.g., “fetch all verified professionals with certificates in Bole Sub-City”)? That would show how these relationships work in practice.

on referential action the user can be modified but it needs to be checked by the admin so that the user can upload his data. on delete every data of his profesion will be removed leaving him with his user data. no data will be shown about the profssional at his dashboard