

Quiz: Shell Intro

Total Score: $/2^2$

Printed Name:

Quiz rules:

1. You MAY use any printed or handwritten notes.
2. You MAY NOT use a computer or any other electronic device.

Problem 1. Write the output of the final command in the following shell script.

```
1 $ cd; rm -rf quiz; mkdir quiz; cd quiz
2 $ echo 'hello world' >> README
3 $ echo 'hola mundo' > README
4 $ echo 'salve munde' > README
5 $ wc -l README
```

Fraction of LLMs with correct answer: $15 / 20 = 0.75$

Problem 2. Write the output of the final command in the following shell script.

```
1 $ cd; rm -rf quiz; mkdir quiz; cd quiz
2 $ cat > example.py <<EOF
3 import sys
4 num_args = len(sys.argv)
5 print("num_args=", num_args)
6 EOF
7 $ python3 example.py 'hello world' $(echo hola mundo) "echo salve munde"
```

Fraction of LLMs with correct answer: $13 / 20 = 0.65$

Problem 3. Write the output of the final command in the following shell script.

```
1 $ cd; rm -rf quiz; mkdir quiz; cd quiz
2 $ touch README
3 $ touch test.py
4 $ mkdir test
5 $ mkdir test/test
6 $ touch test/README
7 $ touch test/test/README
8 $ cd test/../test
9 $ ls .. | wc -l
```

Fraction of LLMs with correct answer: 13 / 20 = 0.65

Problem 4. Write the output of the final command in the following shell script.

```
1 $ cd; rm -rf quiz; mkdir quiz; cd quiz
2 $ git init
3 $ echo "print('hello world')" >> foo.py
4 $ echo "print('hola mundo')" > bar.py
5 $ git add foo.py
6 $ git commit -m "added foo"
7 $ git branch foo
8 $ git checkout foo
9 $ echo "print('hola otra vez')" > foo.py
10 $ git add foo.py
11 $ git add bar.py
12 $ git commit -m "modified foo"
13 $ git checkout master
14 $ echo "print('hello again')" >> bar.py
15 $ python3 bar.py
```

Fraction of LLMs with correct answer: 12 / 20 = 0.60

LLM Model Performance

