

Quiz: Shell Intro (makeup)

Total Score: /2²

Printed Name:

Quiz rules:

1. You MAY use any printed or handwritten notes.
2. You MAY NOT use a computer or any other electronic device.

Problem 1. Write the output of the final command in the following shell script.

```
1 $ cd; rm -rf quiz; mkdir quiz; cd quiz
2 $ git init
3 $ echo "print('hello world')" > foo.py
4 $ git add foo.py
5 $ git commit -m "added foo"
6 $ git branch foo
7 $ git checkout foo
8 $ echo "print('hola mundo')" >> foo.py
9 $ git add foo.py
10 $ git commit -m "modified foo"
11 $ git checkout master
12 $ python3 foo.py
```

Fraction of LLMs with correct answer: 1 / 10 = 0.10

Problem 2. Write the output of the final command in the following shell script.

```
1 $ cd; rm -rf quiz; mkdir quiz; cd quiz
2 $ cat > example.py <<EOF
3 import sys
4 num_args = len(sys.argv)
5 print("num_args=", num_args)
6 EOF
7 $ python3 example.py 'hello world' hola mundo "echo salve munde"
```

Fraction of LLMs with correct answer: 6 / 10 = 0.60

Problem 3. Write the output of the final command in the following shell script.

```
1 $ cd; rm -rf quiz; mkdir quiz; cd quiz
2 $ touch README
3 $ touch test.py
4 $ touch .hidden
5 $ mkdir test
6 $ touch test/example.py
7 $ mkdir test/test
8 $ touch test/README
9 $ touch test/test/README
10 $ cd test/../test
11 $ touch example.py
12 $ ls .. | wc -l
```

Fraction of LLMs with correct answer: $2 / 10 = 0.20$

Problem 4. Write the output of the final command in the following shell script.

```
1 $ cd; rm -rf quiz; mkdir quiz; cd quiz
2 $ git init
3 $ echo "print('hello world')" >> foo.py
4 $ echo "print('hola mundo')" > bar.py
5 $ git add foo.py
6 $ git commit -m "added foo"
7 $ git branch foo
8 $ git checkout foo
9 $ echo "print('hola otra vez')" > foo.py
10 $ git add foo.py
11 $ git add bar.py
12 $ git commit -m "modified foo"
13 $ git checkout master
14 $ echo "print('hello again')" >> bar.py
15 $ python3 bar.py
```

Fraction of LLMs with correct answer: $2 / 10 = 0.20$

LLM Model Performance

