

SYSTEM INSPECTION REPORT

1850 Town and Country, Norco, CA 92860 USA
Main: 951.734.3737, Fax: 951-735-3373



OEM ID _____
Site Name _____
Site Contact _____
SMR Rep _____

Van ID _____
City, State _____
Phone Number _____
Inspection Date _____

Inventory (Guided Install Hardware Tab)

Magnet		Serial Number	_____	Helium	_____	Pres.	_____
Package Name		Magnet Bore Measurement (cm)					
Gradients		Serial Number	_____	GE Part #	_____		
Body Coil Type		Serial Number	_____	GE Part #	_____		
RF		Serial Number	_____	GE Part #	_____		
Systems		Serial Number	_____	GE Part #	_____		
CERD		Part Number	_____				
Compressor		Serial Number	_____	hrs.	_____	Pres.	_____
Coldhead		Serial Number	_____	Repair Date	_____		
Body Coil Chiller		Serial Number	_____	GE Part #	_____		
Other		Serial Number	_____	GE Part #	_____		
				GE Part #	_____		
				GE Part #	_____		

Room Layout

Check console cable run, magnet exit path, equipment exit path and flooring

SYSTEM INSPECTION REPORT

1850 Town and Country, Norco, CA 92860 USA
Main: 951.734.3737, Fax: 951-735-3373



OEM ID _____
Site Name _____
Site Contact _____
SMR Rep _____

Van ID _____
City, State _____
Phone Number _____
Inspection Date _____

Coils

	S/N		S/N
	S/N		S/N
	S/N		S/N
	S/N		S/N
	S/N		S/N
	S/N		S/N
	S/N		S/N
	S/N		S/N

System Performance

Does System Start-up Without Errors?

☐ Yes

☐ No

☐ Action Required

Does Table Function (Up/Dn/In/Out/Alignment)

☐ Yes

☐ No

☐ Action Required

Does System Scan Head?

☐ Yes

☐ No

☐ Action Required

R1 R2 TG AX

Manuel Pre Scan
(Scan TR)

R1% R2%

Does System Scan Head EPI?

☐ Yes

☐ No

☐ Action Required

Does System Scan LVshim?

☐ Yes

☐ No

☐ Action Required

R1 R2 TG AX

Manuel Pre Scan
(Scan TR)

R1% R2%

Does System Scan Body?

☐ Yes

☐ No

☐ Action Required

R1 R2 TG AX

Manuel Pre Scan
(Scan TR)

R1% R2%

Does System Scan Multi-coil?

☐ Yes

☐ No

☐ Action Required

CTLTOP R1 R2 TG AX

RC1 R1/R2 RC2 R1/R2 RC3 R1/R2 RC4 R1/R2

RC5 R1/R2 RC6 R1/R2 RC7 R1/R2 RC8 R1/R2

CTLBOT R1 R2 TG AX

RC1 R1/R2 RC2 R1/R2 RC3 R1/R2 RC4 R1/R2

RC5 R1/R2 RC6 R1/R2 RC7 R1/R2 RC8 R1/R2

SYSTEM INSPECTION REPORT

1850 Town and Country, Norco, CA 92860 USA
Main: 951.734.3737, Fax: 951-735-3373



OEM ID _____
Site Name _____
Site Contact _____
SMR Rep _____

Van ID _____
City, State _____
Phone Number _____
Inspection Date _____

S/C Shim Currents

AX1		T1-1		T2-1	
AX2		T1-2		T2-2	
AX3		T1-3		T2-3	
AX4		T1-4		T2-4	
AX5		T1-5		T2-5	
AX6		T1-6		T2-6	

Ramp Info

Current Center Frequency
Config Field Strength

Magnet S/N _____

Host Computer

Computer Type

Serial Number _____

AMD Processor
(using hinv) _____

Main
Memory _____

Software Revision
(using service browser) _____

Archive Media

☐ HP DAT ☐ DVD-ROM/RAM

Display Monitor

Host IP Address _____

Default Router _____

Magnet Monitor IP _____

Array Processor
(using hw_config_status) _____

Number of Recon
Processors _____

Recon Memory
(in Mbytes) _____

Options

- | | | | | | | |
|---|--|---|--|---|---|--|
| ☐ Echo Planar Imaging | ☐ Smart Prep | ☐ Multi-Nuclear Spectro | ☐ T2 Breathhold | ☐ ProbePRESS | ☐ BrainWave RT | ☐ Blood Flow and Volume Measurements |
| ☐ Fast Gradient Echo | ☐ SSFSE | ☐ Functool2 | ☐ SSFSE MRCP | ☐ CREATIV | ☐ BrainWave PA | ☐ Time Course |
| ☐ Cine | ☐ Three Plane Localizer | ☐ Voxtool | ☐ T1 Breathhold | ☐ Navigator | ☐ BrainWave HW | ☐ SWIFT |
| ☐ Fast Spin Echo & FLAIR | ☐ Modality Worklist | ☐ Interactive Vascular Imag | ☐ Line Scan Diffusion Imag | ☐ Diffusion Tensor | ☐ Propeller T2 | ☐ T2MAP |
| ☐ Time of Flight | ☐ E3DToF | ☐ Clairview | ☐ Image Filter | ☐ 3DFRFSE | ☐ 3T Restricted Apps | ☐ 2D MERGE |
| ☐ Phase Contrast Vascular | ☐ FSE_XL | ☐ Spectro Analysis GE | ☐ ACGD Plus | ☐ Asset Plus | ☐ 2D Fat Sat Fiesta | ☐ LAVA-XV |
| ☐ Research | ☐ Bloodsupp | ☐ Preformed Procedure Step | ☐ Probe 3D Prostate | ☐ Fat Water 2001 | ☐ MR-Echo | ☐ SMART-P |
| ☐ Proactive Service | ☐ Fastcine | ☐ High Speed | ☐ Fluoro-triggered MRA | ☐ Rapid Frame | ☐ 8 Channel System | ☐ BRAVO |
| ☐ Research PSD | ☐ Tagging | ☐ fgret | ☐ MRCP3 | ☐ TRICKS | ☐ 16 Channel System | ☐ Breast Single Voxel Spectroscopy |
| ☐ Spectroscopy/PROBE | ☐ sgdperf | ☐ fgret Real Time | ☐ PSIR | ☐ FIESTA-c | ☐ Lava | ☐ COSMIC |
| ☐ Videoconferencing | ☐ DW-EPIZ | ☐ Spiral Hi-Res | ☐ Dynamic R1 | ☐ BREAST2 | ☐ FiberTrak | ☐ 32 Channel System |
| ☐ SGD_EchoSpeed | ☐ iDrive Pro | ☐ Spiral Real Time | ☐ Fiesta 2D | ☐ Propeller DWI | ☐ FLAIR3D | ☐ Integrated Patient Comfort Module |
| ☐ DW EPI | ☐ iDrive | ☐ iDrive Pro Plus | ☐ Fiesta 3D | ☐ 3D Delayed Enhancements | ☐ Multi-Phase (variable delays) | ☐ Brainwave Fusion |
| ☐ FLAIR EPI | ☐ SmartPrep 2000 Upgrade | ☐ PROBE 3d Brain | ☐ Delayed Enhancement | ☐ 3D Fat Sat FIESTA | ☐ Dual Array | |
| ☐ SPECIAL | ☐ Probe 2000 Upgrade | ☐ Ultrashort TR | ☐ Asset | ☐ MRAppStudio | ☐ Timeout Application | |

SYSTEM INSPECTION REPORT

1850 Town and Country, Norco, CA 92860 USA
Main: 951.734.3737, Fax: 951-735-3373



OEM ID	_____	Van ID	_____
Site Name	_____	City, State	_____
Site Contact	_____	Phone Number	_____
SMR Rep	_____	Inspection Date	_____

Shipping Location

Site Name	_____	Attention:	_____
Street Address	_____		
Shipping Address	_____		
City	_____	State	_____
		Zip Code	_____

Extras and Options - what is going with the system

Main Disconnect	_____	DC Lighting	_____	Stereo System	_____
Injector system	_____	Chiller unit	_____	Other	_____

Current De-install schedual

Ramp Down/Quench Date	_____	Magnet Rigging date	_____
Magnet rigging location	_____		
Equipment rigging location	_____		

N
o
t
e
s