

SIEMENS

MAGNETOM

MR

System K2280

Diagrams

Trio, A Tim System

© Siemens AG 2005
The reproduction, transmission or use of this document or its contents is not permitted without express written authority. Offenders will be liable for damages. All rights, including rights created by patent grant or registration of a utility model or design, are reserved.

English

Doc. Gen. Date: 03/09

Print No.: M6-030.844.01.04.02

Replaces: M6-030.844.01.03.02

Document revision level


The document corresponds to the version/revision level effective at the time of system delivery. Revisions to hardcopy documentation are not automatically distributed.

Please contact your local Siemens office to order current revision levels.


Disclaimer

The installation and service of equipment described herein is to be performed by qualified personnel who are employed by Siemens or one of its affiliates or who are otherwise authorized by Siemens or one of its affiliates to provide such services.


Assemblers and other persons who are not employed by or otherwise directly affiliated with or authorized by Siemens or one of its affiliates are directed to contact one of the local offices of Siemens or one of its affiliates before attempting installation or service procedures.




Abteilung/Name			
Ersteller		MR PLM SC SC, Ciuclea	
		Topsheet 092 - ACC	
170 637	Ciuclea	11.06.07	SIEMENS
AEM-Nr.	Name	Datum	Page Rev.
			6 03
		8388188-EKD-01S-01 K2287	




			Abteilung/Name	
---	---	---	Ersteller	MR PLM SC SC, Ciuclea
---	---	---		
---	---	---	Topsheet 092 – Option Grad-Insert	
---	---	---		
170 637	Ciuclea	11.06.07	SIEMENS	8388188-EKD-01S-01 K2287
			Medical Solution	
AEM-Nr.	Ciuclea	19.12.06	Page Rev.	
	Name	Datum	8 03	




			Abteilung /Name	
			Ersteller	MR PLM SC SC, Ciuclea
			Topsheet 092 – Option MR-PET	
			SIEMENS	8388188-EKD-01S-00 K2287
			Medical Solution	
170 637	Ciuclea	11.06.07	Page	Rev.
AEM-Nr.	Ciuclea	21.02.06	9	03
	Name	Datum		



			Abteilung /Name	
----	----	----	Ersteller	MR PLM SC SC, Ciuclea
----	----	----	Topsheet 092 – Option 2nd-HFC	
170 637	Ciuclea	11.08.07	SIEMENS Medical Solution	8388188-EKD-01S-01 K2287
	Ciuclea	28.02.06	Page Rev.	
SPLEN	Müller		00	01



1	2	3	4	5	6	7	8												
				Dept./Name	Date/Signature	SIEMENS AG Medical Solutions	Baugruppe Netzverteiler 092									Print No.: M6-030.844.01.03.02			
Issued by							PCB	Part	Part-No	Doc	Index	Rev	Typ-No	Mod	Chap	Page			
Checked by							n.a.	2 / 2	8115821	ESD	02M	02	n.a.	--	--	13			



Name Date
krue 10.01.03
.....
.....

D

D

C

C


B

B

A

A

W008



Cable Type: Diode line
Wire gauge: 0,14 mm²
Cable Length: 3m


00		Ciuclea	23.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W008, Diode line		
SIEMENS Medical Solution	7546125-EKD-01M-00 K2257	

D

D

W009



C

C

B

B

Cable Type: Diode line
Wire gauge: 0,14 mm²
Cable Length: 3m

A

A

				Abteilung /Name		Unterschrift/Datum		
				Ersteller	MR PLM SC SC, Ciuclea			
				Geprüft				
				W009, Diode line				
00		Ciuclea	23.03.07	SIEMENS Medical Solution	7546133-EKD-01M-00 K2257			
Rev	AEM-Nr.	Name	Datum					

4

3

2

1

D

D

C

C

B

B

A


A

W027a

Host
Monitor

Monitor

Pin 9 removed
D-Sub HD, 15-Pin, male



Cable Type: 5x75Ohm Coaxial-cable
Cable Length: 3m

00		Ciuclea	23.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W027a, PC-Videokabel			
SIEMENS Medical Solution		5753343-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A

W070a

Monitor

MRC

Line Distribution

L



L1



L

N



N



N

PE



GNGE



PE



PE

Cold Device Connector,
female

Cold Device Connector, male

Cable Type: 3x0,75²
Cable Length: 3m

01		Ciucea	23.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciucea	
Geprüft		
W070a, PWR Monitor		
SIEMENS Medical Solution	5753251-EKD-01M-01 K2257	

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A

W072a

X100
Intercom

MRC
Line Distribution

L



L1

L



N



N

N



PE



GNGE

PE

PE



Cold Device Connector,
female

Cold Device Connector, male

Cable Type: 3x0,75²
Cable Length: 1,8m

00		Ciuclea	23.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W072a, PWR Intercom		
SIEMENS Medical Solution	7121002-EKD-01M-00 K2257	

4

3

2

1

D

X101
Adapter
K2201/Intercom

Cold Device Connector, male

C

B

A

00		Ciucea	23.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W074, PWR Pat. Mon			
7	SIEMENS Medical Solution	5753467-EKD-01M-00 K2257	

1

D

D

C

C

B

B

A

A

W076a

Host

MRC
Line Distribution

L



N



PE



GNGE

L1

N

PE

L

N

PE

Cold Device Connector,
female

Cold Device Connector, male

Cable Type: 3x0,75²
Cable Length: 3m

00		Ciuclea	23.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W076a, PWR Host		
SIEMENS Medical Solution	5753244-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C

B

B


A

A

W086a

Switch

MRC/MRSC
Line Distribution



Cold Device Connector,
female

Cold Device Connector, male

Cable Type: 3x0,75²
Cable Length: 1,8m

00		Ciuclea	23.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W086a, PWR Switch		
SIEMENS Medical Solution	5753376-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W087a Cat.6



Cable Type: Ethernet Class 6 (Cat. 6) Leoni-Kerpen Megaline E5-70 S/F V flex

03	169087	Groß	22.02.08
02	154856		
01	099434		
00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	see SAP/EDM		
W087a			
SIEMENS Medical Solution		5774281-EKD-01M-03 K2257	

4

3

2

1

4

3

2

1


D

D


W088a Cat.6

C


C



RJ 45 8 pin
Cat.6



RJ 45 8 pin
Cat.6



B

B

Cable Type: Ethernet Class 6 (Cat. 6) Leoni-Kerpen Megaline E5-70 S/F V flex

A

A

03	169087	Groß	22.02.08
02	154856		
01	099434		
00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft	see SAP/EDM	
W088a		
SIEMENS Medical Solution	5774299-EKD-01M-03 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W0170



Cable Type: 7/8" Flexline

8114279	7m
8114287	10m
8114295	13m
SAP Part No.	Length

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0170			
SIEMENS Medical Solution		SAP Part No. -EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W0171



Cable Type: L45466-B13-C29

				Abteilung /Name		Unterschrift/Datum		
				Ersteller	MR PLM SC SC, Ciuclea			
				Geprüft				
				W0171				
00		Ciuclea	26.03.07	SIEMENS Medical Solution	8114220-EKD-01M-00 K2257			
Rev	AEM-Nr.	Name	Datum					

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W0172



Cable Type: L45466-B13-C29

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W0172		
SIEMENS Medical Solution	8114239-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W0173



Cable Type: L45466-B13-C29

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W0173		
SIEMENS Medical Solution	8114246-EKD-01M-00 K2257	

4

3

2

1

4

3


2

1

X01-X08
ACC (Roof)

W0181

X01-X08
Filter Panel




QLA-Pin, straight
without Cable crest
Free Wire end 40cm

QLA-Pin, straight
with Cable crest
Free Wire end 60cm
Cable crest 30cm before
Connector

Cable in tube bounded

Cable Type: L45466-B13-C49

Print No.: M6-030.844.01.03.02



8111812	1,5m
8110319	4m
8110327	9m
8110533	12m
SAP Part No.	Length

01	Rev	AEM-Nr.	Ciuclea	26.03.07	Datum
----	-----	---------	---------	----------	-------

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0181			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-01 K2257	

4

3

2

1

4

3

2

1

D

D

C

C

B

B


A

A

X09-X16
ACC (Roof)

W0182

X09-X16
Filter Panel




QLA-Pin, straight
without Cable crest
Free Wire end 40cm

QLA-Pin, straight
with Cable crest
Free Wire end 60cm
Cable crest 30cm before
Connector

Cable bounded in tube

Cable Type: L45466-B13-C49



8111820	1,5m
8110335	4m
8110343	9m
8110541	12m
SAP Part No.	Length

01	Rev	AEM-Nr.	Ciuclea	26.03.07	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0182			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-01 K2257	

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A


W0183

**X17-X18
ACC (Roof)**

**X17-X18
Filter Panel**

QLA-Pin, straight
without Cable crest
Free Wire end 40cm


QLA-Pin, straight
with Cable crest
Free Wire end 60cm
Cable crest 30cm before
Connector



Cable bounded in tube

Cable Type: L45466-B13-C49

Print No.: M6-030.844.01.03.02



8111838	1,5m
8110350	4m
8110368	9m
8110418	12m
SAP Part No.	Length

02		Ciucea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciucea		
Geprüft			
W0183			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-02 K2257	

4

3

2

1

4

3

2

1

W0184

X19-X24
ACC (Roof)

X19-X24
Filter Panel

QLA-Pin, straight
without Cable crest
Free Wire end 40cm

QLA-Pin, straight
without Cable crest
Free Wire end 60cm

X25-X32
ACC (Roof)

X25-X32
Filter Panel


QLA-Pin, straight
without Cable crest
Free Wire end 40cm

QLA-Pin, straight
with Cable crest
Free Wire end 60cm
Cable crest 30cm before
Connector

Cable bounded in tube

Cable Type: L45466-B13-C49

Print No.: M6-030.844.01.03.02



8111846	1,5m
8110376	4m
8110384	9m
8110426	12m
SAP Part No.	Length

02	Rev	AEM-Nr.	Ciuclea	26.03.07	Datum
----	-----	---------	---------	----------	-------

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0184			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-02 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W0210



Print No.: M6-030.844.01.03.02

			Abteilung /Name		Unterschrift/Datum		
			Ersteller	MR PLM SC SC, Ciuclea			
			Geprüft				
			W0210				
			SIEMENS	10104226-EKD-01M-00 K2257			
			Medical Solution				
			AEM-Nr.	Name	Datum		
				Ciuclea	14.06.07		

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W0215



Cable Type: 7/8" Flexline
Cable Type for 1,5m (8118122): RG214

Print No.: M6-030.844.01.03.02

8118122	1,5m
8118130	4m
8118148	9m
8118163	12m
SAP Part No.	Length

8116977	5m
8116993	10m
8117017	13m
SAP Part No.	Length

00	Rev	AEM-Nr.	Ciucea	16.05.07	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciucea		
Geprüft			
W0215			
SIEMENS Medical Solution		SAP Part No. -EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W0230 Cat.6



Cable Type: Ethernet Class 6 (Cat. 6) Leoni-Kerpen Megaline E5-70 S/F V flex

01	169087	Groß	22.02.08
00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft	see SAP/EDM	
W0230		
SIEMENS Medical Solution	8111663-EKD-01M-01 K2257	

4

3

2

1

4

3

2

1


W0401

X81
ACC (Roof)

Filter Out

D-Sub, 15 Pin, female,
With metallized Cover
UNC 4-40 locking screws
Cable entry 45° at Pin 1

D-Sub, 15 Pin, male,
With metallized Cover
UNC 4-40 locking screws
Cable entry 45° at Pin 15



Housing 0 Shield 0 Housing

Cable Type: 0,14 mm²
Canle Length: 0,20m

Filter Terminal M3 gnge Terminal M6 ACC/GND

Cable Type: 2,5 mm²
Canle Length: 0,5m

Print No.: M6-030.844.01.03.02

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0401			
SIEMENS Medical Solution		7548808-EKD-01P-00 K2257	

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

4

3

2

1

D

C

B

A

D

C

B

A

4

3


2

1

W0401

Filter In

X8
Chiller



D-Sub, 15 Pin, female,
With metallized Cover
UNC 4-40 locking screws
Cable entry 45° at Pin 1

D-Sub, 15 Pin, male,
With metallized Cover
UNC 4-40 locking screws
Cable entry 45° at Pin 15

Housing 0 ○ Shield ○ 0 Housing

Cable Type: 0,14 mm²
Canle Length: 0,50m

Print No.: M6-030.844.01.03.02

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0401			
SIEMENS Medical Solution		7548808-EKD-02M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A


W0402

X820
SEP

X82
ACC (Roof)

D-Sub, 9 Pin, female,
With metallized Cover
UNC 4-40 locking screws
Cable entry 45° at Pin 1

D-Sub, 9 Pin, male,
With metallized Cover
UNC 4-40 locking screws
Cable entry 45° at Pin 15



Cable Type: 0,14 mm²
Canle Length: 7m

Print No.: M6-030.844.01.03.02

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0402			
SIEMENS Medical Solution		7548816-EKD-01M-00 K2257	

4

3

2

1

D


D

W0403

X88
Acc (Roof)

X10
Intercom

D-Sub, 9 Pin, male
With metallized Cover
4-40 UNC locking screws
Cable entry 45° at Pin 1



C

C

B

B

A

A

Wire gauge: 0,14 mm²
Cable Length: 23 m

Print No.: M6-030.844.01.03.02

00		Ciuclea	27.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0403			
SIEMENS Medical Solution		8109337-EKD-01M-00 K2257	

4

3

2

1

D

D



W0410 Cat.6

C

C

RJ 45 8pin
Cat.6

In housing:
STEADY-TEC
Plug V05 1)



B

B

Cable Type: Ethernet Class 6 (Cat.6), Leoni Kerpen Megaline E5-70 S/F V flex

A

A

1)
Order number Telegärtner: J80026A0017
Order number Weidmüller: 1963110000
Order number BTR-Netcom: 1401565010 ME

00	Stenschke	14.02.08	
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Stenschke		
Geprüft	see SAP / EDM		
W0410 Cat.6			
SIEMENS Medical Solution		10432847-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W0411 Cat.6



Cable Type: Ethernet Class 6 (Cat.6) Leoni-Kerpen Megaline E5-70 S/F V flex

1)
Order number Telegärtner: J80026A0017
Order number Weidmüller: 1963110000
Order number BTR-Netcom: 1401565010 ME

00	Stenschke	14.02.08	
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Stenschke		
Geprüft	see SAP / EDM		
W0411 Cat.6			
SIEMENS Medical Solution		10432848-EKD-01M-00 K2257	

4

3

2

1

D


D

W0415

C

C

D-Sub, 9 Pin, female
With metallized Cover
4-40 UNC locking screws
Cable entry 45° at Pin 1



D-Sub, 9 Pin, male
With metallized Cover
4-40 UNC locking screws
Cable entry 45° at Pin 1

B

B

A

A

Print No.: M6-030.844.01.03.02

		8111192	12m
8111168	1,5m	8115482	5m
8111176	4m	8115326	10m
8111184	9m	8115375	13m
SAP Part No.	Length	SAP Part No.	Length

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0415			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W0420



Cable Type: 0,54 mm²

Print No.: M6-030.844.01.03.02

				Geprüft	
				W0420, 15M	
00		Ciuclea	27.03.07	SIEMENS Medical Solution	8111606-EKD-01M-01 K2257
Rev	AEM-Nr.	Name	Datum		

4

3

2

1

4

3

2

1

D

D

C

C

B


B

A

A

W0570

D-Sub, 9 Pin, female
With metallized Cover
4-40 UNC locking screws
Cable entry 45° at Pin 1



Cable Type: 0,25mm²

Print No.: M6-030.844.01.03.02

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0570, 20M			
SIEMENS Medical Solution		8110111-EKD-01M-00 K2257	

4

3

2

1

4

3


2

1

W0580

X11
Intercom

D15-2/X1
Filter Panel



D-Sub Connector, 25 pin,
male, with metallized Cover
and UNC 4-40 locking
screws

D-Sub Connector, 25 pin,
male, with metallized Cover
and UNC 4-40 locking
screws

Print No.: M6-030.844.01.03.02

Cable Type: 10x2x0.22
Cable Length: 25M

00	Ciuclea	28.03.07	
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0580			
SIEMENS Medical Solution	8110681-EKD-01M-00 K2257		

4

3

2

1

D

D

C

C

B

B

A

A

4

3

2

1

D

D

C

C


B

B

A

A

W0600



Cable Type: 5x1,5 mm²
Canle Length: 1,4m

Print No.: M6-030.844.01.03.02

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0600			
SIEMENS Medical Solution		8110269-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W0615



Cable Type: 4x35 mm²
Canle Length: 1,4m

Print No.: M6-030.844.01.03.02

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0615			
SIEMENS Medical Solution		8108826-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1


D

D

W0650

X111
ACC (roof)

Power Supply E4B
Filter Panel



Harting HAN Q5, male
with housing

Terminal M4
Free wire end 5cm

C

C

B

B

Print No.: M6-030.844.01.03.02

Cable Type: 3x1,5mm²

81108362	1,5m		
8110087	4m	8115490	5m
8110095	9m	8115334	10m
8110103	12m	8115391	13m
SAP Part No.	Length	SAP Part No.	Length

00		Ciucea	23.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciucea		
Geprüft			
W0650			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-00 K2257	

4

3

2

1


A

A

D

Power
Astex

Cable Core end
Terminal M6 for PE



B

Cable Type: 4x6mm²

00		Ciucea	23.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0655, PWR Astex			
7	SIEMENS Medical Solution	8114261-EKD-01M-00 K2257	

A

1

4

3

2

1

D


D

W0670

Z15,16,8,9
Filter Panel


E4A
Power Supply

Fast On Connector
9,5mm, female
Free wire end: 220mm



Gehaeuse: VEGA SINGLE B1/3
Bestellbez. V-S1
Bezug: Fa.Powerware, 77855 Achern

Gehaeuse: VEGA TWIN H3 H/3
Bestellbez. V-D1
Bezug: Fa. Powerware, 77855 Achern



Print No.: M6-030.844.01.03.02

Cable Type: - x – 6mm²
- xx – 2,5mm²
Cable Length: 0,5m

00		Ciuclea	23.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0670			
SIEMENS Medical Solution		8108370-EKD-01M-00 K2257	

4

3

2

1

A

A

4

3

2

1

D

D

C

C

B

B

A

A


W0671

Z11-14
Filter Panel

E4A
Power Supply

Fast On Connector
9,5mm, female

Fast On Connector
9,5mm, female



Cable Type: 6 mm²
Cable Length: 0,3m

Print No.: M6-030.844.01.03.02

00		Ciuclea	23.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0671			
SIEMENS Medical Solution		8108388-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1


D

D

W0675

C

C



B

B

+ 1 x socket strip/ Steckdosenleiste Fa.Knuerr Part No.: 3.624.709.100000.2

A

A

Cable Type: 3x1,5mm²
Cable Length: 23m

Print No.: M6-030.844.01.03.02

00		Ciuclea	23.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0675, PWR MRC			
SIEMENS Medical Solution	8110947-EKD-01M-00 K2200		

4

3

2

1

D

D

C

C



B

B

A

A

W0680



*1 Cable Type: 3x1,5mm²
Cable Length: 0,7m
*2 Cable Type: 3x1,5mm²

8117322	13,5m	00		Ciuclea	23.03.07
8110129	2m				
8110137	5m				
8110145	12,5m	01	158 003	Ciuclea	23.03.07
SAP Part No.	Length *2	Rev	AEM-Nr.	Name	Datum

Print No.: M6-030.844.01.03.02	
Abteilung /Name Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea
Geprüft	
W0680	
SIEMENS Medical Solution	SAP Part No.-EKD-01M-01 K2257

4

3

2

1

D

D

C

C

B

B

A



A

W0681

X100
MREF/SEP

X102
ACC (Roof)

Harting Connector
Han K4/0, female



Cable Core end
Terminal M6 for PE

Cable Type: 4x4mm²

Print No.: M6-030.844.01.03.02

00		Ciuclea	23.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0681			
SIEMENS Medical Solution	8111093-EKD-01M-00 K2257		

4

3

2

1

D

D

W0800

GND
Filter Panel

GND
ACC

Terminal, M6



Terminal, M6

C

C

Conductor cross section: 16 mm² GNGE

B

B

Print No.: M6-030.844.01.03.02

A

A

8110061	1,5m
8110079	13m
SAP Part No.	Length

00		Ciucea	30.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC-SC, Ciucea		
Geprüft			
W0835			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W0810



Conductor cross section: 10 mm² GNGE

Print No.: M6-030.844.01.03.02

			Abteilung /Name		Unterschrift/Datum		
			Ersteller	MR PLM SC SC, Ciuclea			
			Geprüft	W0810, Grad Insert			
			SIEMENS		10276927-EKD-01M-00 K2287		
Medical Solution							
AEM-Nr.	Ciuclea	15.12.06					
Name		Datum					

4

3

2

1

D

D

C

C


B

B

A

A

W0820



Conductor cross section: 16 mm² GNGE

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC-SC, Ciuclea		
Geprüft			
W0820 7M			
SIEMENS Medical Solution		8110970-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C


B

B

A

A

W0835



Conductor cross section: 16 mm² GNGE

Print No.: M6-030.844.01.03.02

				Geprüft	
				W0835	
00		Ciucea	30.03.07	SIEMENS Medical Solution	8114253-EKD-01M-00 K2257
Rev	AEM-Nr.	Name	Datum		

4

3

2

1

4

3

2

1

D

D

C

C

B

B


A

A

W0920

Ethernet 1
Host

Hospital Net
MRSC Switch



Cable Type: Ethernet Class 5e

Print No.: M6-030.844.01.03.02

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0920			
SIEMENS Medical Solution		8111903-EKD-01M-00 K2257	

4

3

2

1

D


D

W1140

C

C

Terminal M6 for
X40/1 and X40/2
Cable Core end for
X41/1 and X41/2



Cable Core end for
X3/1 and X3/2
Terminal M6 for
X1 and X2

B

B

A

A

Cable Type: 4x10mm²

8110412	8m
8110420	11m
8110438	16m
SAP Part No.	Length

00		Ciuclea	23.03.07
Rev	AEM-Nr.	Name	Datum

Print No.: M6-030.844.01.03.02	
Abteilung /Name Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea
Geprüft	
W1140	
SIEMENS Medical Solution	SAP Part No.-EKD-01M-00 K2257

4

3

2

1

4

3

2

1

D

D

W1141

C

C

D-Sub, 8W8, male
With metallized Cover
4-40 UNC locking screws
Cable entry straight

X42
Filter Panel

2
1
3
4

Housing 0

P 5V
GND
N 15V
N 31V

Shield

X4
RFIS

2
1
3
4

D-Sub, 8W8, female
With metallized Cover
4-40 UNC locking screws
Cable entry straight

Print No.: M6-030.844.01.03.02

B

B

Cable Type: 4 x 6mm²

A

A

8108466	8m
8108435	11m
8108461	16m
SAP Part No.	Length

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1141			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-00 K2257	

4

3

2

1

4

3


2

1

X01A-X08A
Filter Panel

W1181

X501-X508
D11/RCCS




QLA-Pin, straight
without Cable crest
Free Wire end 60cm
Cable crest 30cm before
Connector

QLA-Pin, straight
with Cable crest
Free Wire end 200cm
Cable crest 50cm before
Connector

Cable bounded in tube

Cable Type: L45466-B13-C29



8110566	8m
8110434	11m
8110442	16m
SAP Part No.	Length

01	158 003	Ciucea	02.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciucea		
Geprüft			
W1181			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-01 K2257	

Print No.: M6-030.844.01.03.02

4

3

2

1

D

D

C

C

B

B

A

A

4

3


2

1

X09A-X16A
Filter Panel

W1182

X509-X516
D11/RCCS




QLA-Pin, straight
without Cable crest
Free Wire end 60cm
Cable crest 30cm before
Connector

QLA-Pin, straight
with Cable crest
Free Wire end 200cm
Cable crest 50cm before
Connector

Cable bounded in tube

Cable Type: L45466-B13-C29

Print No.: M6-030.844.01.03.02



8110574	8m
8110459	11m
8110467	16m
SAP Part No.	Length

01	158 003	Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1182			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-01 K2257	

4

3

2

1

D

C

B

A

D

C

B

A

4

3

2

1

D

D

C

C

B

B

A

A


W1183

**X17A-X18A
Filter Panel**

**X517-X518
D11/RCCS**

QLA-Pin, straight
without Cable crest
Free Wire end 60cm
Cable crest 30cm before
Connector


QLA-Pin, straight
with Cable crest
Free Wire end 200cm
Cable crest 50cm before
Connector



Cable bounded in tube

Cable Type: L45466-B13-C29

Print No.: M6-030.844.01.03.02



8110582	8m
8110475	11m
8110483	16m
SAP Part No.	Length

02	170 116	Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1183			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-02 K2257	

4

3

2

1

4

3

2

1

W1184

X19A-X24A
Filter Panel

X19A
Housing 0
X20A
Housing 0
X21A
Housing 0
X22A
Housing 0
X23A
Housing 0
X24A
Housing 0

QLA-Pin, straight
without Cable crest

MRSIG 19
Shield
MRSIG 20
Shield
MRSIG 21
Shield
MRSIG 22
Shield
MRSIG 23
Shield
MRSIG 24
Shield

X519
Housing 0
X520
Housing 0
X521
Housing 0
X522
Housing 0
X523
Housing 0
X524
Housing 0

X519-X524
D11/RCCS

QLA-Pin, straight
without Cable crest

X25A-X32A
Filter Panel

X25A
Housing 0
X26A
Housing 0
X27A
Housing 0
X28A
Housing 0
X29A
Housing 0
X30A
Housing 0
X31A
Housing 0
X32A
Housing 0

QLA-Pin, straight
with Cable crest
Free Wire end 60cm
Cable crest 30cm before
Connector

MRSIG 25
Shield
MRSIG 26
Shield
MRSIG 27
Shield
MRSIG 28
Shield
MRSIG 29
Shield
MRSIG 30
Shield
MRSIG 31
Shield
MRSIG 32
Shield


X525
Housing 0
X526
Housing 0
X527
Housing 0
X528
Housing 0
X529
Housing 0
X530
Housing 0
X531
Housing 0
X532
Housing 0

X525-X532
D11/RCCS

QLA-Pin, straight
with Cable crest
Free Wire end 200cm
Cable crest 50cm before
Connector

Cable bounded in tube

Cable Type: L45466-B13-C29



8110590	8m
8110491	11m
8110509	16m
SAP Part No.	Length

02	170 116	Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1184			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-02 K2257	

4

3

2

1

D

C

B

A

D

C

B

A

Print No.: M6-030.844.01.03.02

4

3

2

1

W1185

X33A-X37A
Filter Panel




QLA-Pin, straight
with Cable crest
Free Wire end 60cm
Cable crest 30cm before
Connector

BNC-Pin for X10/X11
QLA-Pin, straight for
X6,X7,X60
with Cable crest
Free Wire end 200cm
Cable crest 50cm before
Connector

Cable bounded in tube

Cable Type: L45466-B13-C29

Print No.: M6-030.844.01.03.02



8110608	8m
8110517	11m
8110525	16m
SAP Part No.	Length

03	170 116	Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1185			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-03 K2257	

4

3

2

1

4

3

2

1

D

D

W1190

X4
Filter Panel
TAS 3T

X1
Magnet/BCCS

7/16 pin, straight

SSB1

7/16 pin, straight

Housing

0

0

Housing

C

C

Cable Type: 7/8" Flexline

B

B

Print No.: M6-030.844.01.03.02

A

A

8110657	8m
8110665	11m
8110673	16m
SAP Part No.	Length

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1190			
SIEMENS Medical Solution		SAP Part No. -EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

W1205

C


C

B

B

A

A



Print No.: M6-030.844.01.03.02

10018313	8m
10018314	11m
10018315	16m
SAP Part No.	Length

00	Rev	AEM-Nr.	Ciuclea	26.03.07	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1205			
SIEMENS Medical Solution		SAP Part No. -EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W1230



Cable Type: RG 214

Print No.: M6-030.844.01.03.02

8110830	8m
8110848	11m
8110855	16m
SAP Part No.	Length

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1230			
SIEMENS Medical Solution		SAP Part No. -EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W1240



Cable Type: RG 214

Print No.: M6-030.844.01.03.02

00		Ciuclea	01.06.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1240			
SIEMENS Medical Solution		10018345 -EKD-01M-00 K2287	

4

3

2

1

W1400

D15-2 X2
Filterplate

1
2
15
3
4
5
6
16
17
18
8
21
19
7
20
10
9
22
11
13
23
25
24
0

Volume control VCC
Volume control GND
Shield 1
Volume control wait
Volume control headphone
Shield 2
Microphone 1 Signal
Microphone 1 GND
Shield 3
Microphone VCC
Microphone GND
Shield 4
Call nurse signal
Call nurse GND
Shield 5
Headphone output acoustic transducer
Headphone GND acoustic transducer
Shield 6
Output wall
Wall GND
Shield 7
Table Stop 1
Table Stop 2
Shield 8
Microphone 2 Signal
Microphone 2 GND
Shield 9
Shield

X20
PTab

Cable Type 1:
L-02YS(ST)CY 10x2x0.24
Connector Type 1:
D-Sub Connector, 37 pin,
Female,with metallized
Cover and UNC 4-40
locking screws
Cable Length: *2

Connector Type 1:
D-Sub Connector, 25 pin,
Male, with metallized Cover
and UNC 4-40 locking
screws

X1
Speaker

Connector Type 2:
Din45321, 3 Pin, Female
Cable Legth 2: 2m
Cable Type 2:
L-02YS(ST)CY 2x1x0.22

Print No.: M6-030.844.01.03.02

8110152	8m
8110160	11m
8110178	16m
SAP Part No.	Length *2

00	166 392	Ciuclea	04.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1400			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C

B

B

A

A

4

3

2

1

D

D

C

C


B

B

A

A

W1420



Print No.: M6-030.844.01.03.02

8109725	13m
8109733	16m
8109741	23m
SAP Part No.	Length

00		Ciuclea	04.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1420			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

W1424

D



AMC/LWL INT D6
U7
U6
AMC/LWL INT D6




AMC/LWL_INT D6
U11
U10
AMC/LWL_INT D6



AMC/LWL INT D6
U5
U4
AMC/LWL INT D6



Plastic Fibre optic
With coating



PTAB/PDAU U1
HFBR-4501
PTAB/PDAU U2
HFBR-4511
PTAB/MDSD U6
HFBR-4501
PTAB/MDSD U5
HFBR-4511
PTAB/MDSD U8
HFBR-4501
PTAB/MDSD U7
HFBR-4511

D

C

C

B

B

A

A

Print No.: M6-030.844.01.03.02

8109758	13m
8109766	16m
8109774	23m
SAP Part No.	Length

01	158 696	Ciucea	04.04.07
Rev	AEM-Nr.	Name	Datum


Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciucea		
Geprüft			
W1424			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-01 K2257	

4

3

2

1



Print No.: M6-030.844.01.03.02

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1425			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-00 K2257	

8109667	13m
8109675	16m
8109683	23m
SAP Part No.	Length

00	Ciuclea	04.04.07
Rev	AEM-Nr.	Datum


4

3

2

1

W1426



Print No.: M6-030.844.01.03.02

00		Ciuclea	04.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1426			
SIEMENS Medical Solution		8114386-EKD-01M-00 K2257	

4

3

2

1

D

C

B

A

D

C

B

A

4


3

2

1

W1428

D




AMC/LWL_INT D6

AMC/LWL_INT D6 U16

HFBR-4503

AMC/LWL_INT D6 U17

HFBR-4503



AMC/LWL_INT D6

AMC/LWL_INT D6 U20

HFBR-4503

Spare

HFBR-4503

1m

1m

N Sequenz On

LC-CTRL

RFIS_SEL 1

RFIS_SEL 0


RFIS_SEL 3

RFIS_SEL 2

LC Pickup SEL

Spare

Plastic Fibre optic
With coating



RFIS


RFIS

RFIS

U8

U7

RFIS



RFIS

RFIS

BCCS 123DC D5 U2

HFBR-4513

Spare

HFBR-4513

C

C

B

B

A

A

Print No.: M6-030.844.01.03.02

10018515	13m
10018516	16m
10018517	23m
SAP Part No.	Length

00		Ciuclea	04.04.07
Rev	AEM-Nr.	Name	Datum


Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1428			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-01 K2257	

4

3

2

1



4

3

2

1

D

D

W1440


1 m

X7
Filter Panel/TAS 3TM
D4

X5
Filter Panel/SAMI 3T
D4

D-Sub, 15 Pin, male,
With metallized Cover
UNC 4-40 locking screws
Cable entry 45° at Pin 1

D-Sub, 15 Pin, female,
With metallized Cover
UNC 4-40 locking screws
Cable entry 45° at Pin 1



Housing 0

0 Housing

Cable Type: 0,54 mm²

Print No.: M6-030.844.01.03.02

A

A

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1440			
SIEMENS Medical Solution	10018346-EKD-01M-00 K2287		

4

3

2

1

4

3

2

1

D

D

W1500


X10
RFIS

X7
TAS 3T

X4
SAMI

D-Sub, 15 Pin, male,
With metallized Cover
UNC 4-40 locking screws
Cable entry 45° at Pin 1

D-Sub, 15 Pin, male,
With metallized Cover
UNC 4-40 locking screws
Cable entry 45° at Pin 15



Cable Type: Pin 1/11/2/3 → 0,54 mm²
Pin 4/5/9 → 0,22 mm²

Print No.: M6-030.844.01.03.02

A

A

8108495	8m
8109253	11m
8109261	16m
SAP Part No.	Length

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1500			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D



D

W1680

X1
PTAB/A4110

Z17/18
Filter Panel

- WAGO Connector,
- Female Connector with locking lever, 4-Pole: 721-204/037-045
- Strain Relief Housing: 232-664
- Cable Clamp for Strain Relief Housing: 209-177
- Fixing screw for Cable Strap: 209-176



Cable core end
for Z17/Z18
Terminal M6 for PE

C

C

B

B

A

A

Cable Type: 3x1,5mm²

7548071	9m
7548113	12m
7548121	17m
SAP Part No.	Length

00		Ciuclea	23.03.07
Rev	AEM-Nr.	Name	Datum

Print No.: M6-030.844.01.03.02	
Abteilung /Name Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea
Geprüft	
W1680, PWR PTAB	
SIEMENS Medical Solution	SAP Part No.-EKD-01M-00 K2257

4

3

2

1

4

3

2

1

D

D

W1820

GND
Filter Panel

GND Magnet

Terminal, M6



Terminal, M12

C

C

Conductor cross section: 16 mm² GNGE

B

B

Print No.: M6-030.844.01.03.02

A

A

8110954	8m
8110962	13m
8111002	16m
SAP Part No.	Length

00		Ciucea	30.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC-SC, Ciucea		
Geprüft			
W1820			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-00 K2257	

4

3

2

1


W2001

X120

ACC (Roof)

X7

Alarm Box



D-SUB, 37 Pin, male
UNC 4-40 locking screws

D-SUB, 37 Pin, male
UNC 4-40 locking screws

Print No.: M6-030.844.01.03.02

Cable Length: 23m

OMT Part No.: 617-075-23T

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W2001			
SIEMENS Medical Solution	Dok ID: n.a.		K2257

4

3

2

1

D

D

C

C

B

B

A

A

W2002

X121
ACC (Roof)

X12
RF WALL




Kodiert auf A



Kodiert auf A

Thomas&Betts
Triad 20 circular, 14 Pin, male
4-1437726-1
With pull relief

Thomas&Betts
Triad 20 circular, 14 Pin, female
4-1437726-5
With pull relief



Kabeltyp: L-Y (ST) CY 12x1x2.1

Print No.: M6-030.844.01.03.02

Kabeltyp: L-Y (ST) CY 12x1x2.1
UL-Style: 105°C 600V
Rated Voltage: ±25 V DC
Max. Voltage: ±58 V DC

8396322	2m
10018876	5m
8396348	13m
SAP Part No.	Length

00		Ciuclea	05.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W2002 Shim Cable Outside RF Cabin			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-00 K2257	

4

3

2

1

D

D


W2004

X94
ACC (Roof)

D15-1.X1
Filter Panel

D-Sub, 15 Pin, female,
With metallized Cover
UNC 4-40 locking screws
Cable entry straight

D-Sub, 25 Pin, male,
With metallized Cover
UNC 4-40 locking screws
Cable entry straight



Cable Type: L-Y(ST)CY 10x1x0.56

Print No.: M6-030.844.01.03.02

A

A

10104107	2m
10018877	5m
10104109	13m
SAP Part No.	Length

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W2004 ACC to RF WALL OR105			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A



W2007

Cmpressor X7
Diagnostic Interface

X93
ACC Roof

D-Sub, 25 Pin, male
With metallized Cover
4-40 UNC locking screws
Cable entry 45° at Pin1

D-Sub, 25 Pin, female
With metallized Cover
4-40 UNC locking screws



Cable Type: L-Y(ST)CY 8x1x0.34
L45551-P81-A25

Print No.: M6-030.844.01.03.02

00		Ciuclea	05.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W2007			
SIEMENS Medical Solution		10111545-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C


B

B

A

A

W2008



Print No.: M6-030.844.01.03.02

03	169 078	Ciuclea	05.04.07
Rev	AEM-Nr.	Name	Datum


Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W2008			
SIEMENS Medical Solution		10104135-EKD-01M-03 K2257	

4

3

2

1



D

D

C

C

B

B

A


A

W2011

X6
Shim Interface

X1
Shim Coil

X12A
RF WALL



CPC-Circular Connector,
female, 37-Pin
AMP 206150-1
With pull relief



Kodiert auf A
Thomas&Betts
Triad 20 circular, 14 Pin, male
4-1437726-1
With pull relief

Kabeltyp: L-Y (ST) CY 12x1x2.1

Cable Type: L-Y (ST) CY 12x1x2.1
UL-Style: 105°C 600V
Max. Voltage: ±200 V DC

8396355	10m
100104099	13m
SAP Part No.	Length

00	Rev	AEM-Nr.	Ciuclea	20.02.07	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W2011 Shim Cable Inside RF Cabin			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-00 K2257	



4

3

2

1

D

D

C

C

B

B

A

A


W2031

Host RS 232
Distr. Port 6

X12 / RS232
ACC (Roof)

D-Sub, 25 Pin, female
With metallized Cover
4-40 UNC locking screws
Cable entry straight

D-Sub, 9 Pin, male
With metallized Cover
4-40 UNC locking screws
Cable entry straight



Cable Type: L-Y(ST)CY 4x1x0.22

Print No.: M6-030.844.01.03.02

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W2031			
SIEMENS Medical Solution		10104149-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C

B


B

A

A

W2033

D-Sub, 9 Pin, female
With metallized Cover
4-40 UNC locking screws
Cable entry straight



Cable Type: L-Y(ST)CY 1x2x0.34

Print No.: M6-030.844.01.03.02

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W2033			
SIEMENS Medical Solution		10111540-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C


B

B

A

A

W3101



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3101			
SIEMENS Medical Solution		8108503-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

W3102

MRSIG 2
Receiver
D112-1/X3

X2
ACC (Roof)

QLA-Pin, straight

QLA-Pin, straight

MRSIG 2

Housing

0

Housing

0

1,85 m

C

C

B

B

Cable Type: V45466-B12-G17

A

A

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3102			
SIEMENS Medical Solution		8108511-EKD-01M-00 K2257	

4

3

2

1

4


3

2

1

D

D



C

C

B

B

Cable Type: V45466-B12-G17

A

A

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3103			
SIEMENS Medical Solution		8108529-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C


B

B

A

A

W3104



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3104			
SIEMENS Medical Solution		8108537-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1


D

D

W3105

MRSIG 5
Receiver
D112-1/X6

X5
ACC (Roof)



C

C

Cable Type: V45466-B12-G17

B

B

Print No.: M6-030.844.01.03.02

A

A

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3105			
SIEMENS Medical Solution		8108545-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1


D

D

W3106

MRSIG 6
Receiver
D112-1/X7

X6
ACC (Roof)



C

C

Cable Type: V45466-B12-G17

B

B

Print No.: M6-030.844.01.03.02

A

A

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3106			
SIEMENS Medical Solution		8108552-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C

B

B


A

A

W3107

MRSIG 7
Receiver
D112-1/X8

X7
ACC (Roof)



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft	MR PLM SC SC, Schinn	
W3107		
SIEMENS Medical Solution	8108560-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3108



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3108			
SIEMENS Medical Solution		8108578-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1


D

D

W3109

MRSIG 1
Receiver
D112-2/X2

X9
ACC (Roof)



C

C

Cable Type: V45466-B12-G17

B

B

Print No.: M6-030.844.01.03.02

A

A

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3109			
SIEMENS Medical Solution	8108586-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3110



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3110			
SIEMENS Medical Solution	8108594-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3111



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3111			
SIEMENS Medical Solution		8108602-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3112



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3112			
SIEMENS Medical Solution	8108610-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1

D

D

C

C

B

B


A

A

W3113

MRSIG 5
Receiver
D112-2/X6

X13
ACC (Roof)



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3113			
SIEMENS Medical Solution		8108628-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1


D

D

W3114

MRSIG 6
Receiver
D112-2/X7

X14
ACC (Roof)



C

C

B

B

Cable Type: V45466-B12-G17

A

A

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3114			
SIEMENS Medical Solution	8108636-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1


D

D

W3115

MRSIG 7
Receiver
D112-2/X8

X15
ACC (Roof)



C

C

B

B

Cable Type: V45466-B12-G17

A

A

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3115			
SIEMENS Medical Solution		8108644-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1


D

D

W3116

MRSIG 8
Receiver
D112-2/X9

X16
ACC (Roof)



C

C

Cable Type: V45466-B12-G17

B

B

Print No.: M6-030.844.01.03.02

A

A

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3116			
SIEMENS Medical Solution	8108651-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3117



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3117			
SIEMENS Medical Solution		8108669-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3118



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3118			
SIEMENS Medical Solution		8108677-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3119



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3119			
SIEMENS Medical Solution		8108685-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C

B

B


A

A

W3120

MRSIG 4
Receiver
D112-3/X5

X20
ACC (Roof)



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3120			
SIEMENS Medical Solution		8108693-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C

B

B


A

A

W3121

MRSIG 5
Receiver
D112-3/X6

X21
ACC (Roof)



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3121			
SIEMENS Medical Solution	8108701-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1


D

D

W3122

MRSIG 6
Receiver
D112-3/X7

X22
ACC (Roof)



C

C

Cable Type: V45466-B12-G17

B

B

Print No.: M6-030.844.01.03.02

A

A

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3122			
SIEMENS Medical Solution		8108719-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C

B

B


A

A

W3123

MRSIG 7
Receiver
D112-3/X8

X23
ACC (Roof)



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3123			
SIEMENS Medical Solution		8108727-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C

B

B


A

A

W3124

MRSIG 8
Receiver
D112-3/X9

X24
ACC (Roof)



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3124			
SIEMENS Medical Solution		8108735-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C

B

B


A

A

W3125

MRSIG 1
Receiver
D112-4/X2

X25
ACC (Roof)



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3125			
SIEMENS Medical Solution	8108743-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3126



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3126			
SIEMENS Medical Solution		8108750-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C

B

B


A

A

W3127

MRSIG 3
Receiver
D112-4/X4

X27
ACC (Roof)



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3127			
SIEMENS Medical Solution		8108768-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C


B

B

A

A

W3128



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3128			
SIEMENS Medical Solution		8108776-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C


B

B

A

A

W3129



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3129			
SIEMENS Medical Solution	8108784-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3130



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3130			
SIEMENS Medical Solution		8108792-EKD-01M-00 K2257	

4

3

2

1

4


3

2

1

D

D



C

C

B

B

Cable Type: V45466-B12-G17

A

A

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3131			
SIEMENS Medical Solution	8108800-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3132



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3132			
SIEMENS Medical Solution		8108818-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3150



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3150			
SIEMENS Medical Solution		8109782-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1


D

D

W3151

PD
Receiver
D112-1/X12

X47
ACC (Roof)



C

C

Cable Type: V45466-B12-G17

B

B

Print No.: M6-030.844.01.03.02

A

A

				Geprüft	MR PLM SC SC, Schinn
				W3151	
00		Ciuclea	30.04.07	SIEMENS Medical Solution	8109790-EKD-01M-00 K2257
Rev	AEM-Nr.	Name	Datum		

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3152



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3152			
SIEMENS Medical Solution		8109386-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

W3153

CLK10 R 1
Synthesizer
D10

CLK10
Receiver
D112-1

QLA-Pin, straight

QLA-Pin, straight

CLK 10 R1

Housing 0

0 Housing

0,3 m

C

C

Cable Type: V45466-B12-G17

B

B

Print No.: M6-030.844.01.03.02

A

A

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3153			
SIEMENS Medical Solution		8109394-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3154



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3154			
SIEMENS Medical Solution		8109402-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3155



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft	MR PLM SC SC, Schinn	
W3155		
SIEMENS Medical Solution	8109410-EKD-01M-00 K2257	

4

3

2

1

4


3

2

1

D

D



C

C

B

B

Cable Type: V45466-B12-G17

A

A

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3156			
SIEMENS Medical Solution		8109428-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3157



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3157			
SIEMENS Medical Solution		8109436-EKD-01M-00 K2257	

4

3

2

1

4


3

2

1

D

D



Cable Type: V45466-B12-G17

B

B

Print No.: M6-030.844.01.03.02

A

A

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3161			
SIEMENS Medical Solution	8109816-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3162



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3162			
SIEMENS Medical Solution		8109824-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

W3163

10 R2
Synthesizer
D10/X6

CLK10
Receiver 2
D112-2/X14

QLA-Pin, straight

CLK 10 R2

QLA-Pin, straight

Housing

0

Housing

0

0,5 m

C

C

Cable Type: V45466-B12-G17

B

B

Print No.: M6-030.844.01.03.02

A

A

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3163			
SIEMENS Medical Solution		8109832-EKD-01M-00 K2257	

4

3

2

1

4


3

2

1

D

D



C

C

B

B

Cable Type: V45466-B12-G17

A

A

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3164			
SIEMENS Medical Solution		8109840-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3165



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciucea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciucea		
Geprüft	MR PLM SC SC, Schinn		
W3165			
SIEMENS Medical Solution		8109857-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

W3166

10 R3
Synthesizer
D10/X3

CLK10
Receiver 3
D112-3/X14

QLA-Pin, straight

CLK 10 R3

QLA-Pin, straight

Housing

0

Housing

0

0,5 m

C

C

Cable Type: V45466-B12-G17

B

B

Print No.: M6-030.844.01.03.02

A

A

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3166			
SIEMENS Medical Solution		8110764-EKD-01M-00 K2257	

4

3

2

1

4


3

2

1

D

D



C

C

B

B

Cable Type: V45466-B12-G17

A

A

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3167			
SIEMENS Medical Solution	8110772-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3168



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft	MR PLM SC SC, Schinn	
W3168		
SIEMENS Medical Solution	8110780-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1


D

D

W3169

10 R4
Synthesizer
D10/X2

CLK10
Receiver 4
D112-4/X14



C

C

Cable Type: V45466-B12-G17

B

B

Print No.: M6-030.844.01.03.02

A

A

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3169			
SIEMENS Medical Solution		8110798-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3171



Cable Type: RG214

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3171			
SIEMENS Medical Solution	8114337-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A

W3185

AMC/PCI TX
D2/X7

RFSU/Synthesizer
10 MHz

QLA-Pin, straight

QLA-Pin, straight

MRSIG9

Housing

0

0

Housing

1,85 m

Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3185			
SIEMENS Medical Solution		8109881-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3186



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3186			
SIEMENS Medical Solution		8111275-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3187



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3187			
SIEMENS Medical Solution		8111218-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3188



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3188			
SIEMENS Medical Solution		8111226-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C


B

B

A

A

W3190



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3190			
SIEMENS Medical Solution	8114303-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3191



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3191			
SIEMENS Medical Solution	8114311-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1

D

D

W3192

PR
Receiver
D112-1/X11

X57
ACC (Roof)

QLA-Pin, straight

PR

QLA-Pin, straight

Housing

0

Housing

0

1,85 m

C

C

B

B

Cable Type: V45466-B12-G17

A

A

Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3191			
SIEMENS Medical Solution		8114329-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3193



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	16.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3193			
SIEMENS Medical Solution		8114345-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C


B

B

A

A

W3194



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	16.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3194			
SIEMENS Medical Solution		8114352-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3195



Cable Type: V45466-B12-G17

Print No.: M6-030.844.01.03.02

00		Ciuclea	16.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3195			
SIEMENS Medical Solution	8114360-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3401



Cable Type: 2x1G62,5/125 µm

Print No.: M6-030.844.01.03.02

00		Ciuclea	16.05.06
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MREC-SC, Ciuclea	
Geprüft	MREC-SC, Schinn	
W3401		
SIEMENS Medical Solution	8110244-EKD-01M-01 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3430



Cable Type: 2x1G62,5/125 µm

Print No.: M6-030.844.01.03.02

00		Ciuclea	16.05.06
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3430			
SIEMENS Medical Solution		10092331-EKD-01M-01 K2257	

4

3

2

1

D

D

C

C


B

B

A

A

W3431



Cable Type: 2x1G62,5/125 µm

Print No.: M6-030.844.01.03.02

00		Ciuclea	16.05.06
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft	MR PLM SC SC, Schinn	
W3431		
SIEMENS Medical Solution	10092332-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C


B

B

A

A

W3432



Cable Type: 2x1G62,5/125 µm

Print No.: M6-030.844.01.03.02

			Abteilung /Name		Unterschrift/Datum		
			Ersteller	MR PLM SC SC, Ciuclea			
			Geprüft	MR PLM SC SC, Schinn			
			W3432				
			SIEMENS Medical Solution		10092333-EKD-01M-01 K2257		
	Ciuclea	16.05.06					
AEM-Nr.	Name	Datum					

4

3

2

1

D

D

C

C


B

B

A

A

W3433



Cable Type: 2x1G62,5/125 µm

Print No.: M6-030.844.01.03.02

			Abteilung /Name		Unterschrift/Datum		
			Ersteller	MR PLM SC SC, Ciuclea			
			Geprüft	MR PLM SC SC, Schinn			
			W3433				
			SIEMENS Medical Solution		10092334-EKD-01M-01 K2257		
	Ciuclea	16.05.06					
AEM-Nr.	Name	Datum					

4

3

2

1

D

D

C

C


B

B

A

A

W3434



Cable Type: 2x1G62,5/125 µm

Print No.: M6-030.844.01.03.02

			Abteilung /Name	Unterschrift/Datum
			Ersteller	MR PLM SC SC, Ciuclea
			Geprüft	MR PLM SC SC, Schinn
			W3434	
			SIEMENS Medical Solution	10092335-EKD-01M-01 K2257
AEM-Nr.	Name	Datum		
	Ciuclea	16.05.06		

4

3

2

1

D

D

C

C


B

B

A

A

W3435



Cable Type: 2x1G62,5/125 µm

Print No.: M6-030.844.01.03.02

			Abteilung /Name		Unterschrift/Datum
			Ersteller	MR PLM SC SC, Ciuclea	
			Geprüft	MR PLM SC SC, Schinn	
			W3435		
			SIEMENS Medical Solution	10092336-EKD-01M-01 K2257	
	Ciuclea	16.05.06			
AEM-Nr.	Name	Datum			

4

3

2

1

D

D

C

C


B

B

A

A

W3436



Cable Type: 2x1G62,5/125 µm

Print No.: M6-030.844.01.03.02

			Abteilung /Name		Unterschrift/Datum		
			Ersteller	MR PLM SC SC, Ciuclea			
			Geprüft	MR PLM SC SC, Schinn			
			W3436				
			SIEMENS Medical Solution	10092337-EKD-01M-01 K2257			
	Ciuclea	16.05.06					
AEM-Nr.	Name	Datum					

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3437



Cable Type: 2x1G62,5/125 µm

Print No.: M6-030.844.01.03.02

			Abteilung /Name		Unterschrift/Datum		
			Ersteller	MR PLM SC SC, Ciuclea			
			Geprüft	MR PLM SC SC, Schinn			
			W3437				
			SIEMENS Medical Solution		10092338-EKD-01M-01 K2257		
	Ciuclea	16.05.06					
AEM-Nr.	Name	Datum					

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A

W3440

U4
AMC/PCI TX
D2

HFBR-4503



FPGA Reset



HFBR-4513

U2
Modulator
D101-1

3 200

Print No.: M6-030.844.01.03.02

00		Ciuclea	23.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3440			
SIEMENS Medical Solution		8111267-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C

B


B

A

A

W3450

U2
AMC/LWL Int
D6



U1
RFPA

Print No.: M6-030.844.01.03.02

00		Ciucea	16.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciucea		
Geprüft			
W3450			
SIEMENS Medical Solution		8116605-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C

B


B

A

A

W3451

U2
AMC/PCI Mon



RFPA On

U6
RFPA

00		Ciuclea	16.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W3451		
SIEMENS Medical Solution	8116613-EKD-01M-00 K2181	

4

3

2

1

4

3

2

1

D

D

C

C

B


B

A

A

W3470

U3
AMC/LWL Int
D6



Print No.: M6-030.844.01.03.02

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1430, 23m			
SIEMENS Medical Solution		8111887-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

W3500

**X89
ACC (Roof)**

**X25
AMC Bckplane D5**

D-Sub, 9 Pin, male
With metalized Cover
Cable entry 45° at Pin 9
UNC 4-40 locking bolts


D-Sub, 15 Pin, male
With metalized Cover
Cable entry 45° at Pin 15
UNC 4-40-2A locking screws

**X87
ACC (Roof)**

D-Sub, 9 Pin, male
With metalized Cover
Cable entry 45° at Pin 9
UNC 4-40 locking bolts

**X88
ACC (Roof)**

D-Sub, 9 Pin, female
With metalized Cover
Cable entry 45° at Pin 9
UNC 4-40 locking bolts



Print No.: M6-030.844.01.03.02

Cable Type: 0,14²

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3500			
SIEMENS		8108834-EKD-01M-00 K2257	
Medical Solution			

4

3

2

1

**X84
ACC (Roof)**

W3501

**X24
AMC Bckplane D5**

D-Sub, 15 Pin, male
With metalized Cover
Cable entry 45° at Pin 15
UNC 4-40 locking bolts

D-Sub, 25 Pin, female
With metalized Cover
Cable entry 45° at Pin 1
UNC 4-40-2A locking screws

**X83
ACC (Roof)**

D-Sub, 9 Pin, male
With metalized Cover
Cable entry 45° at Pin 9
UNC 4-40 locking bolts

Housing 0

Housing 0

Shield

Print No.: M6-030.844.01.03.02

Cable Type: 0,14²
Cable Length: 0,7m

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3501			
SIEMENS Medical Solution	8108842-EKD-01M-00 K2257		

4

3

2

1

W3520

X1 / BR / D12	Signal	X12 /AMC Backplane
1	RX AD 15	1
21	GND	21
2	RX AD 14	2
22	GND	22
3	RX AD 13	3
23	GND	23
4	RX AD 12	4
24	GND	24
5	RX AD 11	5
25	GND	25
6	RX AD 10	6
26	GND	26
7	RX AD 9	7
27	GND	27
8	RX AD 8	8
28	GND	28
9	RX AD 7	9
29	GND	29
10	RX AD 6	10
30	GND	30
11	RX AD 5	11
31	GND	31
12	RX AD 4	12
32	GND	32
13	RX AD 3	13
33	GND	33
14	RX AD 2	14
34	GND	34
15	RX AD 1	15
35	GND	35
16	RX AD 0	16
36	GND	36
17	N RX ADS	17
37	GND	37
18	N RX DEN	18
38	GND	38
19	N RX RW	19
39	GND	39
20	N RX USB	20
59	N RX RE0	59
40	GND	40
41	RX CLK10	41
42	GND	42
43	RX CLK20	43
44	GND	44
64	RX AD 27	64
45	GND	45
65	RX AD 26	65
46	GND	46

D-Sub, 78.Pin, male
with metallized Cover
Cable entry 45° at Pin 1
UNC 4-40 locking bolts
Housing

X1
BR / D12

X12
AMC Backplane D5

D-Sub, 78.Pin, male
with metallized Cover
Cable entry 45° at Pin 1
UNC 4-40 locking bolts
Housing

X1 / BR / D12	Signal	X12 /AMC Backplane
66	RX AD 25	66
47	GND	47
67	RX AD 24	67
48	GND	48
68	RX AD 23	68
49	GND	49
69	RX AD 22	69
50	GND	50
70	RX AD 21	70
51	Reserve 0	51
52	Reserve 1	52
53	Reserve 0	53
54	Reserve 1	54
55	N RX NCO INIT	55
75	RX AD 16	75
56	N RX FRO CHG	56
78	N RX B0 CHG	78
57	N RX INTF RST	57
58	N RX FI CLK	58
60	RX AD 31	60
61	RX AD 30	61
62	RX AD 29	62
63	RX AD 28	63
71	RX AD 20	71
72	RX AD 19	72
73	RX AD 18	73
74	RX AD 17	74
76	N RX RXON	76
77	N RX TX ON	77

Cable Type: 0,09mm²
Cable Length: 1,1m

Print No.: M6-030.844.01.03.02

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3520			
SIEMENS Medical Solution		8111010-EKD-01M-00 K2257	

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

D-Sub, 62 Pin, male
with metallized Cover
Cable entry 45° at Pin 1
UNC 4-40 locking bolts
0 Housing

W3522

D

C

B

A

D

C

B

A


X20 Grad D60	Signal	X15 / AMC Backplane
1	S DAT P0	1
2	S DAT N0	2
3	S DAT P1	3
4	S DAT N1	4
5	S DAT P2	5
6	S DAT N2	6
7	S DAT P3	7
8	S DAT N3	8
9	S DAT P4	9
10	S DAT N4	10
11	S DAT P5	11
12	S DAT N5	12
13	S DAT P6	13
14	S DAT N6	14
15	S DAT P7	15
16	S DAT N7	16
17	S SEL P0	17
18	S SEL N0	18
19	S TEST P0	19
20	S TEST N0	20
21	SND	21
42	SND	42
22	S DAT P8	22
23	S DAT N8	23
24	S DAT P9	24
25	S DAT N9	25
26	S DAT P10	26
27	S DAT N10	27
28	S DAT P11	28
29	S DAT N11	29
30	S DAT P12	30
31	S DAT N12	31
32	S DAT P13	32
33	S DAT N13	33
34	S DAT P14	34
35	S DAT N14	35
36	S DAT P15	36
37	S DAT N15	37
38	S SEL P1	38
39	S SEL N1	39
40	S TEST P1	40
41	S TEST N1	41
43	S DAT P16	43
44	S DAT N16	44
45	S DAT P17	45
46	S DAT N17	46
47	S DAT P18	47
48	S DAT N18	48
49	S DAT P19	49

D-Sub, 62 Pin, male
with metallized Cover
Cable entry 45° at Pin 1
UNC 4-40 locking bolts
Housing

X20
GRAD D80



X15
AMC Backplane D5



D-Sub, 62 Pin, male
with metallized Cover
Cable entry 45° at Pin 1
UNC 4-40 locking bolts
Housing

Cable Type: 0,09mm²
Cable Length: 1,7m

X20 Grad D80	Signal	X15 / AMC Backplane
50	S DAT N19	50
51	S DAT P20	51
52	S DAT N20	52
53	S DAT P21	53
54	S DAT N21	54
55	S DAT P22	55
56	S DAT N22	56
57	S DAT P23	57
58	S DAT N23	58
59	S SEL P2	59
60	S SEL N2	60
61	S CLK P	61
62	S CLK N	62

00		Ciuclea	30.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	MR PLM SC SC, Schinn		
W3522			
SIEMENS Medical Solution		8111036-EKD-01M-00 K2257	

Print No.: M6-030.844.01.03.02

4

3

2

1

D

D

W3541

C


C




RJ 45 8 pin
Cat.6

X86
ACC

Ethernet
MRIR



RJ 45 8 pin
Cat.6



B

B

Cable Type: Ethernet Class 6 (Cat.6)
Leoni-Kerpen Megaline E5-70 S/F V flex

A

A

00	Stenschke	08.02.08	
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Stenschke		
Geprüft	See SAP / EDM		
W3541 Cat.6			
SIEMENS Medical Solution		10432840-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A

W3542

X85
ACC


ETH
AMC



RJ 45 8 pin
Cat.6



RJ 45 8 pin
Cat.6



Cable Type: Ethernet Class 6 (Cat.6)
Leoni-Kerpen Megaline E5-70 S/F V flex

00	Stenschke	08.02.08	
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Stenschke		
Geprüft	See SAP / EDM		
W3542 Cat. 6			
SIEMENS Medical Solution		10432841-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3560



1)
Cable Core end

Wire gauge: 1,34 mm²
For X1.17, X1.19, X1.10 length = 2390mm

Wire gauge: 054 mm²
For X1.21 length = 2390 mm

Wire gauge: 0,54 mm²
For X1.16, X1.3, X1.1, X1.2, X1.15
length = 2440mm

2)
D-Sub, 9-Pin, female
Wire gauge: 0,54 mm²
with metallized Cover
And bolts for slide lock
Cable entry 45° at Pin 1
Connector mounted in front of Cover

03	169087	Stenschke	23.01.08
02	162088		
01	162586		
01	160430		
00			
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	see SAP / EDM		
W3560			
SIEMENS Medical Solution		8113974-EKD-01P-04 K2257	

4

3

2

1

W3560

X120 ACC(Roof)	Signal	Power Distribution	X93	X94	CAN 0	X125	X126
1/20	+36V	X1.17		X94.2			
2/21	GND (+36V)	X1.19		X94.10			
24	System On (LED)	X1.16					
6	Standby	X1.3					
25	System On	X1.1					
7	System Off	X1.2					
8/26/27	GND	X1.10					
28	Remote Alarm	X1.15					
13	Quench Alarm	X1.21					
3	Compressor Drive-		X93.7				
22	0V Compressor		X93.5				
4	+24V Compressor		X93.1				
23	Compressor Reset		X93.3				
5	Compressor Status -		X93.8				
36	Compressor Overtemp Capsule		X93.2				
37	Compressor Overtemp Helium		X93.4				
10	ERDU Button +			X94.3			
29	ERDU Button -			X94.1			
11	ERDU Alarm +			X94.5			
30	ERDU Alarm -			X94.9			
12	Pressure Switch +			X94.11			
31	Pressure Switch -			X94.12			
32	CAN Elec L				AMC.2	X125.2	
33	CAN Elec H				AMC.7	X125.7	
34	CAN Elec 0V				AMC.3	X125.3	
15/17	CAN F/O 0V						X126.7
16/35	CAN F/O +5V						X126.2
18	CAN F/O RX						X126.6
19	CAN F/O TX						X126.1

Abteilung /Name Unterschrift/Datum

Ersteller MR PLM SC SC, Ciuclea

Geprüft see SAP / EDM

W3560

SIEMENS
Medical Solution

8113974-EKD-02M-04 K2257

03	169087	Stenschke	23.01.08
02	162088		
01	162586		
01	160430		
00			
Rev	AEM-Nr.	Name	Datum

4

3

2

1

D

D

C

C

B

B

A

A

4

3

2

1

D

D

C

C


B

B

A

A

W3561



Cable Type: 2 x 0,75 mm²

Print No.: M6-030.844.01.03.02

00		Ciuclea	14.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3561			
SIEMENS Medical Solution	8111689-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A


W3660

X806
ACS

X30
GPA

D-Sub, 9-Pin, female
With metallized Cover
Cable entry 45° at Pin 1
UNC 4-40 locking screws

D-Sub, 9-Pin, male
With metallized Cover
Cable entry 45° at Pin 9
UNC 4-40 locking screws



Cable Type: 0,54 mm²

Print No.: M6-030.844.01.03.02

00		Ciuclea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3660			
SIEMENS Medical Solution		8109279-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C


B

B

A

A

W3661



Cable Type: 0,54 mm²

Print No.: M6-030.844.01.03.02

00		Ciuclea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3661			
SIEMENS Medical Solution	8109287-EKD-01M-00 K2257		

4

3

2

1

D

D

C

C


B

B

A

A

W3662



Cable Type: 0,54 mm²

Print No.: M6-030.844.01.03.02

00		Ciuclea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3662			
SIEMENS Medical Solution		8109303-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C

B

B

A

A


W3670

X20
AMC Backplane

X3
MRIR

D-Sub, 9-Pin, female
With metallized Cover
Cable entry 45° at Pin 1
UNC 4-40 locking screws

D-Sub, 9-Pin, male
With metallized Cover
Cable entry 45° at Pin 1
UNC 4-40 locking screws



Cable Type: 0,54 mm²

Print No.: M6-030.844.01.03.02

00		Ciuclea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3670			
SIEMENS Medical Solution		8111309-EKD-01M-00 K2257	

4

3

2

1

D

D


W3700

X809
ACS

X82
ACC (Roof)

D-Sub, 9 Pin, female
With metallized Cover
4-40 UNC locking screws
Cable entry 45° at Pin 1

D-Sub, 9 Pin, female
With metallized Cover
4-40 UNC locking screws
Cable entry 45° at Pin 9
Connector mounted in front of Cover



Cable Type: 0,14 mm²

C

C

B

B

A

A

Print No.: M6-030.844.01.03.02

00		Ciuclea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3700			
SIEMENS Medical Solution		8110202-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

W3701

X802
ACS

X81
ACC (Roof)

D-Sub, 15 Pin, female
With metallized Cover
4-40 UNC locking screws
Cable entry 45° at Pin 1


D-Sub, 15 Pin, male
With metallized Cover
4-40 UNC locking bolts
Cable entry 45° at Pin 1
Connector mounted in front of Cover

C

C

B

B



Cable Type: 0,14 mm²

Print No.: M6-030.844.01.03.02

A

A

				Geprüft	
				W3701	
00		Ciuclea	15.05.07	SIEMENS Medical Solution	8110210-EKD-01M-00 K2257
Rev	AEM-Nr.	Name	Datum		

4

3

2

1

4

3

2

1

D

D

W3702

X80
ACC (Roof)

X803
ACS

D-Sub, 15 Pin, female
With metallized Cover
4-40 UNC locking bolts
Cable entry 45° at Pin 15
Connector mounted in front of Cover

D-Sub, 15 Pin, male
With metallized Cover
4-40 UNC locking screws
Cable entry 45° at Pin 15

C

C



B

B

Cable Type: 0,14 mm²

Print No.: M6-030.844.01.03.02

A

A

00		Ciuclea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3702			
SIEMENS Medical Solution		8110228-EKD-01M-00 K2257	

4

3

2

1

4

3

2


1

D

D

W3801

X112
ACC



HAN C 2,5 mm² 09320006205 female
Housing: HAN3 MOD BU-C 40A, 09140033101

HAN C 2,5 mm² 09320006105 male
Housing: HAN3 MOD BU-C 40A, 09140033001

C

C

B

B

A

A

Cable Type: 2,5 mm²
Cable Length: 80 mm

Print No.: M6-030.844.01.03.02

00		Ciuclea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3801			
SIEMENS Medical Solution		8110699-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A


A

W3810

X801
FAN BOX

Power Distribution

Metrimate 4-Pin, female
Without pull relief



Cable Type: 3 x 0,75 mm²

Print No.: M6-030.844.01.03.02

00		Ciuclea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3810			
SIEMENS Medical Solution		8111481-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

W3811

Power Distribution

X800
ACS

Metrimate 4-Pin, female
Without pull relief

1
2
3
4



F29.1

N

PE

Cable Core end for F29.1
and F2.1
Terminal M4 for N and PE

F2.1

50

2 460

410

250

C

C

B

B

Print No.: M6-030.844.01.03.02

Cable Type: 4 x 0,75 mm²

00		Ciuclea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3811			
SIEMENS Medical Solution	8111499-EKD-01M-00 K2257		

4

3

2

1

A

A

4

3

2

1


D

D

W3812

X16
AMC/Backplane

Power Distribution



MNL, 3-Pin, female, 2-row
Without pull relief

C

C

B

B

Print No.: M6-030.844.01.03.02

Cable Type: 3 x 1,5 mm²

A

A

00		Ciuclea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3812			
SIEMENS Medical Solution		8111507-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

X700
E-Shim

Power Distribution

2 000

330

2

L1

F21.1

3

N

N

7

PE

PE

250

Cold Device Connector
female

Cable Core end for F21.1
Terminal M4 for N and PE

C

C

B

B

A

A

Cable Type: 3 x 1,5 mm²

Print No.: M6-030.844.01.03.02

00		Ciuclea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3813			
SIEMENS Medical Solution		8111515-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

W3814

X303
RFSU

Power Distribution

2 000

340

L

L1

F23.1

Fast On Connector 6,3mm

N

N

N

Cable Core end for F23.1
Terminal M4 for N and PE

PE

PE

PE

70

250

B

B

A

A

Cable Type: 3 x 1,5 mm²

Print No.: M6-030.844.01.03.02

00		Ciuclea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3814			
SIEMENS Medical Solution		8111523-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1


D

D

W3816

X302
MRIR

Power Distribution



Cold Device Connector,
Female, elbow plug

Cable Core end for F30.1
Terminal M4 for N and PE

C

C

B

B

A

A

Cable Type: 3 x 1,5 mm²

Print No.: M6-030.844.01.03.02

00		Ciucea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciucea		
Geprüft			
W3816			
SIEMENS Medical Solution		8111549-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C

B

B

A


A

W3817

Power Supply
MSUP/Pow. Dist

Power Distribution

Fast On Connector 6,3mm



Cable Type: 3 x 1,5 mm²

Print No.: M6-030.844.01.03.02

00		Ciuclea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3817			
SIEMENS Medical Solution		8111556-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C

B

B

A

A


W3818

Power Supply

Power Distribution

FastOn Connector 6,3mm
Label each wire

Cable Core end
Label each wire



Cable Type: 5 x 1,5 mm²

Print No.: M6-030.844.01.03.02

00		Ciuclea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3818			
SIEMENS Medical Solution		8111564-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

Cable core end for HAN Q5,
male

X119
ACC (Roof)

- 1
- 2
- 3
- 4
- 5

W3819

X4
Power Distribution

- 1
- 2
- 3
- 9
- 8

Cable Length: 2600mm

C

C

Cable core end for HAN Q5,
male

X200
ACC (Roof)

- 1
- 4
- 2
- 3

L
N

- 4
- 5

Cable Length: 2520mm

B

B

Cable core end for HAN 3A,
male

X201
ACC (Roof)

- 1
- 2

L
N

- 6
- 7

Cable Length: 2500mm

Label each wire
(ex. X119.1, X119.2, X200.1.....)

2300

60

MNL 9.Pin, male

A

A

Cable Type: 0,86 mm²

01	169087	Stenschke	23.01.08
00	130190		
00			
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft	See SAP / EDM		
W3819			
SIEMENS Medical Solution		8111572-EKD-01M-02 K2257	

4

3

2

1

H

H

G

G

F

F

E

E

D

D

C

C


B

B

A


A

W3820



MNL 12 Pin, male

Label each wire
(ex. X130.1, X130.2.....X114.PE)



02	518027	Stenschke	13.03.08
01	169087	Stenschke	23.01.08
00	130190		
00	127449		
00	127034		
00			
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft	See SAP / EDM	
W3820		
SIEMENS Medical Solution	8111580-EKD-01M-05 K2257	

4

3

2

1

D

D

C

C

B

B

A


A

W3823


Power Distribution

PWR RFPA

Cable Core End for F11.1/
F11.3/F11.5
Terminal M4 for GND and N



Mate-N-Lok, 6 Pin, female
With pull relief



Cable Type: 2,5 mm²

Print No.: M6-030.844.01.03.02

00		Ciuclea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3823			
SIEMENS Medical Solution		8114378-EKD-01M-00 K2257	

4

3

2

1

D

D


W3830

X100
Main Box

Transformer

Cable Core End for
F11.1/F11.3/F11.5
Terminal M4 for GND
and N

Cable Core end fot
T1.1U1, T1.1V1, T1.1W1
Terminal M6 for PE



C

C

B

B

A

A

Cable Type: 16 mm²

Print No.: M6-030.844.01.03.02

00		Ciucea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciucea		
Geprüft			
W3830			
SIEMENS Medical Solution		8111671-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C

B

B


A

A

W3831

N-Distribution
ACC (Roof)

N-Distribution
Power Distribution



Cable Type: 6 mm²

Print No.: M6-030.844.01.03.02

00		Ciucea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciucea		
Geprüft			
W3831			
SIEMENS Medical Solution		8111697-EKD-01M-00 K2257	

4

3

2

1

D

D

C

C

B

B

A

A

W3832

Power Distribution
PE distribution

Transformer
T1.PE

Terminal, M6

PE



PE

Terminal, M6

600 mm

Wire gauge: 16 mm²

Print No.: M6-030.844.01.03.02

00		Ciuclea	16.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC-SC, Ciuclea		
Geprüft			
W3832			
SIEMENS Medical Solution		8111705-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A

W3833

Power Distribution
PE distribution

Power Distribution
N Distribution



Wire gauge: 16 mm²

Print No.: M6-030.844.01.03.02

00		Ciuclea	16.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC-SC, Ciuclea		
Geprüft			
W3833			
SIEMENS Medical Solution		8111713-EKD-01M-00 K2257	

4

3

2

1

4

3

2

1

D

D

X1
Power Distribution

X112
ACC (Roof)

Cable core end

X1.14



L



X112.1

HAN C, female,
0932 000 6205
HAN C, male ,
0932 000 6105

X1.13



L

Cable Length: 2460mm

C

C

X112
ACC (Roof)

Terminal M4

N



N



X112.2

HAN C, female,
0932 000 6205
HAN C, male ,
0932 000 6105

N



N

Cable Length: 210mm

B

B

ACC (Roof)

Cable core end

X112 PE



PE

Terminal M4

Cable Length: 130mm

Cable Type: 2,5mm²


Print No.: M6-030.844.01.03.02

A

A

00		Ciuclea	15.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W3834			
SIEMENS Medical Solution		8111721-EKD-01M-00 K2257	



4

3

2

1

D

D

C

C

B


B

A

A

W5100

D-Sub, 5W5, male
Cover: AMP 745173-1
4-40 UNC locking screws



D-Sub, 9 Pin, female
Cover: FMK3-K201
4-40 UNC locking screws
Cable entry 45° at Pin A1

Wire Gauge: 4x2,5mm²

K2257	8108479	1m
K2287	8116167	1,4m
	SAP Part No.	Length

00		Ciuclea	24.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W5100			
SIEMENS Medical Solution	SAP Part No.-EKD-01M-00 K2257		

4

3

2

1

4

3

2

1

D

D

C

C

B


B

A

A

W5103

AMP Mate-N-Lok,
3 Pin, male, with
pull relief



X9
Magnet/RFIS

1
3
2



BC Out
GND

Shield

X3
Magnet Bodycoil

1
3
2

AMP Mate-N-Lok,
3 Pin, male, with
pull relief



Cable Type: 2x1,5mm² (H05VVC4V5-K 2x1,5 grau) UL-Style 2587
Cable Length: 2m

00		Ciucea	23.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciucea		
Geprüft			
W5103			
SIEMENS Medical Solution		10018765-EKD-01M-00 K2287	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W5106



Cable Type: 3x1x0,54 mm²

00		Ciuclea	24.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W5101			
SIEMENS Medical Solution	8116159-EKD-01M-00 K2257		

4

3

2

1

D

D

C

C


B

B

A

A

W5152



Cable Type: RG223

00		Ciuclea	24.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W5152 0,45m		
SIEMENS Medical Solution	8109154-EKD-01M-00 K2297	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W5153



Cable Type: RG223

00		Ciuclea	24.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W5153 0,45m		
SIEMENS Medical Solution	8109147-EKD-01M-00 K2297	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W5154



Cable Type: RG223

00		Ciuclea	24.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W5154 0,45m		
SIEMENS Medical Solution	8109162-EKD-01M-00 K2297	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W5155



Cable Type: RG223

00		Ciuclea	24.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W5155 0,45m		
SIEMENS Medical Solution	8109139-EKD-01M-00 K2297	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W5156



Cable Type: RG223

00		Ciuclea	24.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W5156 0,45m		
SIEMENS Medical Solution	8109170-EKD-01M-00 K2297	

4

3

2

1

4


3

2

1

D

D



C

C

B

B

A

A

Cable Type: RG223

00		Ciuclea	24.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W5157 0,45m		
SIEMENS Medical Solution	8109188-EKD-01M-00 K2297	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W5170



Cable Type: RG214

00		Ciuclea	24.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W5170, 0,4m		
SIEMENS Medical Solution	8116126-EKD-01M-00 K2297	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W5171



Cable Type: RG214

00		Ciuclea	24.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W5171, 0,4m		
SIEMENS Medical Solution	8116134-EKD-01M-00 K2297	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W5181



Kabeltyp: V45466-B12-G17

				Abteilung /Name		Unterschrift/Datum				
				Ersteller	MR PLM SC SC, Ciuclea					
				Geprüft						
				W5181						
00	168 433	Ciuclea	18.05.06	SIEMENS Medical Solution	10018766-EKD-01M-00 K2287					
00		Ciuclea	02.09.05							
Rev	AEM-Nr.	Name	Datum							

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W5182



Kabeltyp: V45466-B12-G17

				Abteilung /Name		Unterschrift/Datum				
				Ersteller	MR PLM SC SC, Ciuclea					
					Geprüft					
W5182										
00	168 433	Ciuclea	18.05.06	SIEMENS Medical Solution	10018767-EKD-01M-00 K2287					
00		Ciuclea	02.09.05							
Rev	AEM-Nr.	Name	Datum							

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W5200



				Abteilung /Name		Unterschrift/Datum	
				Ersteller	MR PLM SC SC, Ciuclea		
				Geprüft			
				W5200 2,5m			
00		Ciuclea	23.04.07	SIEMENS Medical Solution	7390987-EKD-01M-00 K2177		
Rev	AEM-Nr.	Name	Datum				

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W5400



K2257	8109634	2m
K2287	8117389	3m
	SAP Part No.	Length

00		Ciucea	23.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciucea		
Geprüft			
W5400			
SIEMENS Medical Solution		SAP Part No.-EKD-01M-00	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W5401



00		Ciuclea	23.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W5401 1,2m		
SIEMENS Medical Solution	8109865-EKD-01M-00 K2297	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W5404



00		Ciuclea	23.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W5404 0,5m		
SIEMENS Medical Solution	10018374-EKD-01M-00 K2287	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W5405



00		Ciuclea	23.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W5405 2,2m		
SIEMENS Medical Solution	10018375-EKD-01M-00 K2297	

4

3

2

1

4

3

2

1

D

C

B

A

D

C

B

A


W5520

X2
Grad Coil

X50
PTab

Metrimate 18 pin, female
With cover and pull relief

D-Sub, 25 Pin, female
With metallized Cover
UNC 4-40 locking screws
Cable entry 45° at Pin 1



Cable Type: LIYCY10X2X0,14
Cable Length: 5,2 m

00		Ciuclea	24.04.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W5520, 5,2m			
SIEMENS Medical Solution		10018768-EKD-01M-00 K2287	

4

3

2

1

4

3

2

1

D

D

C

C

B


B

A

A

W5905

D-Sub, 9 Pin, female
With metallized Cover
4-40 UNC locking screws
Cable entry 45° at Pin 1



D-Sub, 9 Pin, male
With metallized Cover
4-40 UNC locking screws
Cable entry 45° at Pin 1

00		Ciuclea	26.03.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft		
W5905		
SIEMENS Medical Solution	8116175-EKD-01M-00 K2287	

4

3

2

1

Option

Gradient Switch

4

3

2

1

W0676

D

D



Fast On Connector;
Receptacle 6,3mm
Terminal M6 for PE



L/Z56

PE

250mm

Cable Type: 3x1x1,5²; Cable Lengths: 12 M

L Common

N

GND

Shield

L

N

PE

To Cable
W0678



Harting HAN Q5, male



0 Housing

Crimp terminal/
Stoßverbinder

C

C



Fast On Connector;
Receptacle 6,3mm
Terminal M6 for PE



L/Z57

PE

L Host 1

N

GND


Shield

PWR
Host 1

N

L

PE



Cold Device
Connector, female

Cable Type: 3x1x1,5²; Cable Lengths: 23 M

L Host 2

N

GND

Shield

PWR
Host 2

N

L

PE



Cold Device
Connector, female

B

B



Fast On Connector;
Receptacle 6,3mm
Terminal M6 for PE



L/Z58

PE

Cable Type: 3x1x1,5²; Cable Lengths: 23 M

A

A

00		Ciuclea	11.05.07
00		Ciuclea	22.11.06
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0676, PWR Host AC88			
SIEMENS Medical Solution	7371235-EKD-01M-00 K2287		

4

3

2

1

4


3

2

1

D

D



C

C

Cable Type: 3x0,75²; Cable Lengths: 3 M

B

B

A

A

			Abteilung /Name		Unterschrift/Datum		
			Ersteller	MREC-SC, Ciuclea			
			Geprüft				
			W0677 PWR Host AC88				
AEM-Nr.		Name	Datum	SIEMENS Medical Solution	7371276-EKD-01M-00 K2287		

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A

W0678

X114
ACC (Roof)

Cable Type: 3x1x1,5²; Cable Lengths: 0,5 M

To Cable
W0676

1
2
PE

L
N
PE

1
2
PE

Harting HAN Q5, female

Shield

0 Housing

To Cable
W0675

L
N
PE

1
2
PE

Harting HAN Q5, female

Shield

0 Housing

Cable Type: 3x1x1,5²; Cable Lengths: 0,5 M

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W0678, PWR Host AC88			
SIEMENS Medical Solution		7371375-EKD-01M-00 K2287	

	Ciuclea	14.05.07
AEM-Nr.	Name	Datum

4

3

2

1

4

3

2

1

W1682


Z57/Z30/Z31
Filter Panel

Switch Box




Fast On Connector;
Receptacle 6,3mm
Terminal M6 for PE

△ L1/Z56
△ L1/Z57
△ L1/Z58



L Common
L Host 1
L Host 2
GND

sw
sw
sw
gnge



30/32 △PIDG wire Pin/ Stiftkabelschuh
29 △15mm
31 △Terminal M6 for PE

PE

PE

Shield

250 mm

300 mm

Geflecht ca. 20 mm auf Mantel
zurücklegen

Cable Type: H05VV C4V5-K4G1,5
Cable Length: 4m

D

D

C

C

B

B

A

A

00		Ciuclea	11.05.07
00		Ciuclea	22.11.06
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1682, PWR FP-Switch			
SIEMENS Medical Solution		7371243-EKD-01M-00 K2287	

4

3

2

1

D

GND
Filterplatte

Terminal, M6

0

GND
Switch Box

Terminal, M6

C

4 m

C

B

Wire gauge: 10 mm² GNGE

A

			Abteilung /Name		Unterschrift/Datum	
			Ersteller	MR PLM SC SC, Ciucea		
			Geprüft			
			W1828, GND Switchbox			
			SIEMENS Medical Solution		7371268-EKD-01M-00 K2287	
	Ciucea	04.12.06				
AEM-Nr.	Name	Datum				

1

4

3

2

1

D

D

W1829

GND
Switch Box Cover

GND
Switch Box

Terminal, M6

0

0

Terminal, M6

0,4 m

Wire gauge: 6 mm² GNGE

C

C

GND
Switch Box Cover

GND
Switch Box

Terminal, M6

0

0

Terminal, M6

0,4 m

Wire gauge: 6 mm² GNGE

B

B

GND
Switch Box Cover

GND
Switch Box

Terminal, M6

0

0

Terminal, M6

0,4 m

Wire gauge: 6 mm² GNGE

A

A

00		Ciuclea	11.05.07
00		Ciuclea	04.12.06
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W1829, GND Switchbox Cover			
SIEMENS Medical Solution		7371250-EKD-01M-00 K2287	

4

3

2

1

D

GND
Handling Device

Terminal, M8

C

C

B

A

1

D



B

A

4

3


2

1

W2042


Main Current Output
Shim PSU

Filterplate



FastOn Steckverbinder
9,5 mm

AMP 206226-1 Connector



Cable Type: 6x6,0mm²
Cable Length: 2,5m

Cable is delivered by RRI

			Abteilung /Name		Unterschrift/Datum		
			Ersteller	MR PLM SC SC, Ciuclea			
			Geprüft				
			W2042, Shim SPSU-FP				
			SIEMENS Medical Solution	7371292-EKD-01M-00 K2287			
	Ciuclea	22.11.06					
AEM-Nr.	Name	Datum					

4

3

2

1

D

D

C

C

B


B

A

A

W2043

Terminal M4




Cable Type: 6x6,0mm² (Einzeladern)

			Abteilung /Name		Unterschrift/Datum
			Ersteller	MR PLM SC SC, Ciuclea	
			Geprüft		
			W2043, Switch Box - intern		
			SIEMENS Medical Solution	10276928-EKD-01M-00 K2287	
	Ciuclea	22.11.06			
AEM-Nr.	Name	Datum			

D

X1
Switch Box



Metrimate 18 pin, male
With cover and pull relief

Metrimate, 18-Pin, female
With cover and pull relief

B

Cable Type: LIYCY10X2X0,14, MED-Part No.: 3451085
Cable Length: 12 m

	Ciucelea	01.12.06
AEM-Nr.	Name	Datum

	Abteilung /Name	Unterschrift/Datum
	Ersteller	MR PLM SC SC, Ciuclea
	Geprüft	
	W5521, Switch – AC88	
6	SIEMENS Medical Solution	7371003-EKD-01M-00 K2287

A

4

3

2

1

D

D

C

C

B

B

A

A


X2
Switch Box

W5522

X20
PTab

Metrimate 18 pin, female
With cover and pull relief

D-Sub, 25 Pin, female
With metallized Cover
UNC 4-40 locking srews
Cable entry 45° at Pin 1



Cable Type: LIYCY10X2X0,14
Cable Length: 8 m

	Ciuclea	01.12.06
AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W5522, Switch – PTab			
SIEMENS Medical Solution		7371219-EKD-01M-00 K2287	



4

3

2


1

W5524a



X1
Switchbox

Switch AC88
Switchbox



Cable Core end/Stiftkabelschuh
Each wire has to be labeled



Leitung 200mm abmanteln

Cable Type: LIYCY10X2X0,14 MED-Part No.: 3451085
Cable Length: 0,6 m

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W5524a, Switchbox intern AC88			
SIEMENS Medical Solution		7371011-EKD-01P-00 K2287	

00		Ciuclea	22.11.06
Rev		AEM-Nr.	Datum
		Name	

4

3

2

1

D

D

C

C

B

B

A

A

4

3

2

1

W5524b



X2
Switchbox

Switch Common
Switchbox



1



PLUG CHECK 1

1/A2,4



2



PLUG CHECK 2

2/A6,8



4



NTC 1.1

4/A14,16



5



NTC 1.2

5/A18,20



6



NTC 2.1

6/A22,24



7



NTC 2.2

7/A26,28



8



NTC 3.1

8/A30,32



9



NTC 3.2

9/B2,4



10



NTC 4.1

10/B6,8



11



NTC 4.2

11/B10,12



12



NTC 5.1

12/B14,16



13



NTC 5.2

13/B18,20



14



NTC 6.1

14/B22,24



15



NTC 6.2

15/B26,28



3



Shield

3/A10,12



200

Leitung 200mm abmanteln

Metrimate, 18-Pin, male
With cover and pull relief

Cable Core end/Stiftkabelschuh
Each wire has to be labeled



Cable Type: LIYCY10X2X0,14 MED-Part No.: 3451085
Cable Length: 0,6 m

00		Ciuclea	11.05.07
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W5524b, Switchbox intern Common			
SIEMENS Medical Solution		7371011-EKD-02P-00 K2287	

4

3

2

1

D

D

C

C

B

B

A

A

4

3

2

1

W5524c



X3
Switchbox

Switch GC Whole Body
Switchbox



1

2

4

5

6

7

8

9

10

11

12

13

14

15

3

PLUG CHECK 1

PLUG CHECK 2

NTC 1.1

NTC 1.2

NTC 2.1

NTC 2.2

NTC 3.1

NTC 3.2

NTC 4.1

NTC 4.2

NTC 5.1

NTC 5.2

NTC 6.1

NTC 6.2

Shield

1/A1

2/A5

4/A13

5/A17

6/A21

7/A25

8/A29

9/B1

10/B5

11/B9

12/B13

13/B17

14/B21

15B25

3/A11

200

Cable Core end/Stiftkabelschuh
Each wire has to be labeled



Leitung 200mm abmanteln

Metrimate, 18-Pin, male
With cover and pull relief

Cable Type: LIYCY10X2X0,14 MED-Part No.: 3451085
Cable Length: 0,6 m

4

3

2

1

A

A

00		Ciuclea	22.11.06
Rev	AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MR PLM SC SC, Ciuclea		
Geprüft			
W5524c, Switchbox intern GC WB			
SIEMENS Medical Solution		7371011-EKD-03M-00 K2287	

Option

MR-PET

4

3

2

1

D

D

C

C

B

B

A

A

W0176

**D15-X1
Filterplatte**

D-Sub, 25 Pin, male
With metalized Cover
UNC 4-40 locking screws

- 1
- 2
- 3
- 4

Housing 0

**X89
ACC (Roof)**

D-Sub, 9 Pin, female
With metalized Cover
Cable entry 45° at Pin 1
UNC 4-40 locking screws

**X127
ACC (Roof)**

D-Sub, 9 Pin, female
With metalized Cover
Cable entry straight
UNC 4-40 locking screws

Cable Type: 4x0,34²

**D15-X1
Filterplatte**

**X127
ACC (Roof)**

**X89
ACC (Roof)**

Length: 0,40 m

	Ciuclea	11.08.06
AEM-Nr.	Name	Datum


Abteilung /Name		Unterschrift/Datum
Ersteller	MREC-SC, Ciuclea	
Geprüft		
W0176 ACC – Dafid Filter		
SIEMENS Medical Solution	10277016-EKD-01M-00 K2288	

4

3

2

1



	Stenschke	16.11.06
AEM-Nr.	Name	Datum


Abteilung /Name		Unterschrift/Datum
Ersteller	MREC-SC, Stenschke	
Geprüft	MREC-SC, Ciuclea	
W0616 Spannungsversorgung PET-Insert		
SIEMENS Medical Solution	10276843-EKD-01M-00 K2288	

D



B

1



4

3

2

1


W3503

**X127
ACC (Roof)**

D-Sub, 9 Pin, female
With metalized Cover
Cable entry 45° at Pin 1
UNC 4-40 locking bolts

Housing

1
2



0

0,8 m

6,3mm FastOn
Flachsteckverteiler



1,5kΩ

X45

X35

**AMC Bckplane D5
X45**

**AMC Bckplane D5
X35, GND**

**AMC Bckplane D5
X23**

D-Sub, 25 Pin, male
With metalized Cover
Cable entry 45° at Pin 25
UNC 4-40 locking screws

3
2

0

Cable Type: 0,14²
Cable Length (X23 – X45/X35): 0,4m
Leitung auf Seite X45/X35 100mm abmanteln

4

3

2

1

	Ciuclea	11.08.06
AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MR PLM SC SC, Ciuclea	
Geprüft	MR PLM SC SC, Schinn	
W3503		
SIEMENS Medical Solution	10092501-EKD-01M-00 K2287	

D

D

C

C

B

B

A

A

7

6

5

4

3

2

1

H

G

F

E

D

C

B

A

1

G

1


E

D

C

B

A





			Abteilung /Name		Unterschrift/Datum
			Ersteller	MREC-SC, Ciuclea	
			Geprüft		
			W5128		
	Ciuclea	11.08.06	SIEMENS	10092495-EKD-01M-00	
AEM-Nr.	Name	Datum	Medical Solution		

TX-Switch
A


1

RCCS
X311

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9




Metral-Connector
Minicoax 3x3 FCI
Electronics



Petcos
X1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9


Metral-Connector
Minicoax 3x3 FCI
Electronics



Petcos
X2


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Metral-Connector
Minicoax 3x3 FCI
Electronics



Shield

Shield



	Ciuclea	11.08.06
AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MREC-SC, Ciuclea		
Geprüft			
W5129, Petcos-RCCS			
6	SIEMENS Medical Solution	10276849-EKD-01M-00	

Option

2nd-HFC

4

3

2

1

D

D

C

C

B

B

A


A

W027a

Host 2
Monitor 2

Monitor 2

Pin 9 removed
D-Sub HD, 15-Pin, male



BNC

Cable Type: 5x75Ohm Coaxial-cable
Cable Length: 3m

	Ciuclea	14.12.06
AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MREC-SC, Ciuclea	
Geprüft		
W027a, PC-Videokabel 2nd-HFC		
SIEMENS Medical Solution	10276909-EKD-01M-00 K2287	

D

Netzvert. MRC 2

L

N

PF

Cold Device Connector, male

C

B

A

	Ciuclea	14.12.06
AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MREC-SC, Ciuclea		
Geprüft			
W070a, 2nd-HFC			
5	SIEMENS Medical Solution	10276910-EKD-01M-00 K2287	

D

vv070a

MRC/Netzverteiler 2

Diagram illustrating the structure of the three types of L1 elements (L, N, and PE) relative to the L1 insertion site (indicated by a hook on the left):

- L**: L1 element with a black box labeled **L** at the tail.
- N**: N element with a black box labeled **N** at the tail.
- PE**: PE element with a black box labeled **PE** at the tail and a label **GNGE** on the line near the hook.

Cold Device Connector, male

C

B

A

	Ciuclea	14.12.06
AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MREC-SC, Ciuclea		
Geprüft			
W076a, 2nd-HFC			
5	SIEMENS Medical Solution	10276911-EKD-01M-00 K2287	

D

MRC/MRSC
Netzverteiler 2

Diagram illustrating the structure of the three types of L1 elements:

- L**: A horizontal line with a hook on the left and a black box at the right end.
- N**: A horizontal line with a hook on the left and a black box at the right end.
- PE**: A horizontal line with a hook on the left, a black box labeled "GNGE" on the line, and a black box at the right end.

Cold Device Connector, male

B

A

Cable Type: 3x1,5²
Cable Length: 1,8m

			Geprüft	
			W086a, 2nd-HFC	
			SIEMENS Medical Solution	10276912-EKD-01M-00 K2287
AEM-Nr.	Ciuclea Name	14.12.06 Datum		

1

D

X38

0 Housing

C

X39

0 Housing

B

Leitungen im Zipperschlauch oder mit Kabelbinder gebündelt

A

1

Add Label: RF Test Cable
Only use for service!
Keep this Cable available at the site

1

D

ACC 1 (Roof)
X58

QLA-Pin, straight

C

0 Housing

15m

B

Cable Type: L45466-B13-C49 (703209)

A

Abteilung /Name		Unterschrift/Datum	
Ersteller	MREC-SC, Ciuclea		
Geprüft			
W0175, HF-Sync 2nd-HFC			
SIEMENS Medical Solution	10276898-EKD-01M-00 K2287		

4

3

2

1

D

D

C

C


B

B

A

A

W0215



Cable Type: Flexline 7/8"

			Abteilung /Name		Unterschrift/Datum
			Ersteller	MREC-SC, Ciuclea	
			Geprüft		
			W0215 9 M, 2nd HFC		
			SIEMENS Medical Solution	10276913-EKD-01M-00 K2177	
	Ciuclea	14.12.06			
AEM-Nr.	Name	Datum			

4

3

2

1

Housing

1

4

3

2

1

D

D



W0410

X85
ACC 2

2X
Switch (MRC) 2

D-Sub, 9 Pin, plug
With metallized cover
45 degree cable entry at pin 1
UNC 4-40 locking screws

RJ 45 8 pin



Cable Type: Ethernet Class 5+ performance type

A

A

			Abteilung /Name		Unterschrift/Datum	
			Ersteller	MREC-SC, Ciuclea		
			Geprüft			
			W0410, 2nd HFC			
			SIEMENS Medical Solution		10276915-EKD-01M-00 K2177	
	Ciuclea	14.12.06				
AEM-Nr.	Name	Datum				

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A


W0411

X86
ACC 2

3X
Switch (MRC) 2

D-Sub, 9 Pin, plug
With metallized cover
45 degree cable entry at pin 1
UNC 4-40 locking screws

RJ 45 8 pin



Cable Type: Ethernet Class 5+ performance type

			Abteilung /Name		Unterschrift/Datum
			Ersteller	MREC-SC, Ciuclea	
			Geprüft		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		
			W0411, 2nd HFC		

4

3

2


1

4

3

2

1



Accessoires Kit/ Beipack: - 1 x socket strip/ Steckdosenleiste 9-fach


			Abteilung /Name		Unterschrift/Datum		
			Ersteller	MREC-SC, Ciuclea			
			Geprüft				
			W0675, 2nd HFC				
			SIEMENS Medical Solution	10276917-EKD-01M-00 K2287			
	</						


4

3

2

1





			Abteilung /Name		Unterschrift/Datum	
			Ersteller	MREC-SC, Stenschke		
			Geprüft	MREC-SC, Ciuclea		
			W0694 Steuerleitung ACC-Slave			
			SIEMENS Medical Solution		10276824-EKD-01M-00 K2287	
	Stenschke	07.11.06				
AEM-Nr.	Name	Datum				

D

GND
ACC 2

GND
Filterplate

Terminal, M6

Terminal, M6

Ground

13 000

C

Conductor cross section: 16 mm² GNGE

B

Abteilung /Name		Unterschrift/Datum	
Ersteller	MREC-SC, Ciuclea		
Geprüft			
W0800, 2nd HFC			
6	SIEMENS Medical Solution	10276918-EKD-01M-00 K2177	

A

1

4

3

2

1

D

D

C

C


B

B

A

A

W0810



Conductor cross section: 10 mm² GNGE

			Abteilung /Name		Unterschrift/Datum
			Ersteller	MREC-SC, Ciuclea	
			Geprüft		
			W0810, 2nd HFC		
			SIEMENS Medical Solution	10276919-EKD-01M-00 K2177	

4

3

2

1

D

CV

QLA-Pin, straight

QLA-Pin, straight

C

QLA-Pin, straight

QLA-Pin. straight

0 ○

Shield

0 Housing

 0.0

Shield

0 Housing

11 m

B

Leitungen im Zipperschlauch oder mit Kabelbinder gebündelt

A

			Geprüft	
			W1174 11m, 2nd-HFC	
			SIEMENS Medical Solution	10276905-EKD-01M-00 K2287
AEM-Nr.	Ciuclea Name	05.01.07 Datum		

1

4


3

2

1

D


D



C

C

Cable Type: Flexline 7/8"



B

B

Cable Type: RG 214

A

A

			Abteilung /Name		Unterschrift/Datum		
			Ersteller	MREC-SC, Ciuclea			
			Geprüft				
			W1205 11 M, 2nd HFC				
			SIEMENS Medical Solution		10276920-EKD-01M-00 K2287		
	Ciuclea	14.12.06					
AEM-Nr.	Name	Datum					

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A

W1433

ACC 2

ACC 1

17 m

AMC LWL_Int D6 U28


HFBR-4503

AMC LWL_Int D6 U5

HFBR-4503

AMC LWL_Int D6 U4

HFBR-4513



AMC D16 U2

HFBR-4513

AMC D16 U3

HFBR-4513

AMC D16 U1

HFBR-4503



	Ciuclea	10.11.06
AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MREC-SC, Ciuclea	
Geprüft		
W1433 LWL Sync 2nd-HFC		
SIEMENS Medical Solution	10276897-EKD-01M-00 K2287	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W1434



	Ciuclea	10.11.06
AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MREC-SC, Ciuclea	
Geprüft		
W1434 CAN Tales 2, 2nd-HFC		
SIEMENS Medical Solution	10276900-EKD-01M-00 K2287	

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A

W1435

ACC 2

Adapterbox

17 m

AMC 2 LWL_Int D6 U1

HFBR-4503

AMC 2 PCI_Mon D2 U4

HFBR-4513

U2

HFBR-4513

U3

HFBR-4503

1 m

Plastic Fiber Optic
with Coating

0,3 m

Unblank

Shutdown

	Ciuclea	05.01.07
AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MREC-SC, Ciuclea	
Geprüft		
W1435 LWL Check, 2nd-HFC		
SIEMENS Medical Solution	10276901-EKD-01M-00 K2287	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W1436



			Abteilung /Name		Unterschrift/Datum		
			Ersteller	MREC-SC, Ciucea			
			Geprüft				
			W1436 LWL Dressler, 2nd-HFC				
			SIEMENS Medical Solution	10276902-EKD-01M-00 K2287			
	Ciucea	05.01.07					
AEM-Nr.	Name	Datum					

4

3

2

1

4

3

2

1

D

D

W3172

ACC 2 (Roof)
X58

10_IN
Synthesizer
D10

QLA-Pin, straight

QLA-Pin, straight

Housing

0

0

Housing

1,85m

C

C

B

B

Cable Type: V45466-B12-G17

A

A

	Ciuclea	10.11.06
AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MREC-SC, Ciuclea	
Geprüft		
W3172 Sync ACC Slave, 2nd-HFC		
SIEMENS Medical Solution	10276907-EKD-01M-00 K2287	

4

3

2

1

D

10M_2
Synthesizer
D10

QLA-Pin, straight

C

0

0 Housing

1,85m

B

A

A

4

3

2

1

D

D

W3196

RFPA 2
X02

Tiefpass-Filter
X1

N-Pin, straight

N-Pin, straight

Housing

0

0

Housing

1,4 m

C

C

Cable Type: RG 214

B

B

Label for Cable W3171:

X2
Tiefpass-Filter for Cable W3171

107

13

A

A

	Ciuclea	10.11.06
AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum
Ersteller	MREC-SC, Ciuclea	
Geprüft		
W3196 TP-Filter, 2nd-HFC		
SIEMENS Medical Solution	10276831-EKD-01M-00 K2287	

4

3

2

1

4

3

2

1

D

D

C

C


B

B

A

A

W3453



Cable Type: Plastic LWL

			Abteilung /Name		Unterschrift/Datum		
			Ersteller	MREC-SC, Ciuclea			
			Geprüft				
			W3453 Can Dressler 2nd-HFC				
			SIEMENS Medical Solution		10276832-EKD-01M-00 K2287		
	Ciuclea	10.11.06					
AEM-Nr.	Name	Datum					

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A


W5107

Tales
X11

Adapterbox
X2

D-Sub, 9 Pin, female
With metallized Cover
4-40 UNC locking screws
Cable entry 45° at Pin 1

D-Sub, 9 Pin, male
With metallized Cover
4-40 UNC locking screws



Cable Type: 3x1x0,5 mm²

			Abteilung /Name		Unterschrift/Datum		
			Ersteller	MREC-SC, Ciuclea			
			Geprüft				
			W5107 PWR Tales, 2nd-HFC				
			SIEMENS Medical Solution		10276903-EKD-01M-00 K2287		
	Ciuclea	10.11.06					
AEM-Nr.	Name	Datum					

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A

W5108

Tales 2
X11

Adapterbox
X3

*1

D-Sub, 9 Pin, female
With metallized Cover
4-40 UNC locking screws
Cable entry 45° at Pin 1

D-Sub, 9 Pin, male
With metallized Cover
4-40 UNC locking screws

Housing 0

Spulenstecker
X1a


*2

ODU-Mac Buchse
172.944.570.257.000

Housing 0

0 Housing

Label for Cable W5106:



*1 Cable Type: 3x1x0,5 mm²
Cable Length: 0,40m
*2 Cable Type: 2x1x0,9 mm²; V45581-A31-H8
Cable Length: 2,5m

	Ciuclea	10.11.06
AEM-Nr.	Name	Datum

Abteilung /Name		Unterschrift/Datum	
Ersteller	MREC-SC, Ciuclea		
Geprüft			
W5108			
SIEMENS Medical Solution		10276904-EKD-01M-00 K2287	

D

X1a
Zwischensteckung

X1a
Sendepin A9

Odu-Mac Coax-Connector
Female, 50 Ohm

250

C

B

A

			Abteilung /Name		Unterschrift/Datum
			Ersteller	MREC-SC, Ciucelea	
			Geprüft	MREC-SC, Schinn	
			W5122, 2nd-HFC		
			SIEMENS Medical Solution		
	Ciucelea	15.12.06	10276921-EKD-01M-01 K2287		
AEM-Nr.	Name	Datum			

A

1

4


3

2

1

D

D



C

C

B

B

Cable Type: RG214

A

A

			Abteilung /Name		Unterschrift/Datum		
			Ersteller	MREC-SC, Ciuclea			
			Geprüft				
			W5129, Sendeleitung Tales2				
			SIEMENS Medical Solution	10276906-EKD-01M-00 K2287			
	Ciuclea	10.11.06					
AEM-Nr.	Name	Datum					

4

3

2

1

D

C

- B

A