

SIEMENS

MAGNETOM

Wiring Diagrams System

Avanto
Espree

Answers for life.

Document Version

Siemens reserves the right to change its products and services at any time.

In addition, manuals are subject to change without notice. The hardcopy documents correspond to the version at the time of system delivery and/or printout. Versions to hardcopy documentation are not automatically distributed.

Please contact your local Siemens office to order a current version or refer to our website <http://www.healthcare.siemens.com>.

Disclaimer

Siemens provides this documentation "as is" without the assumption of any liability under any theory of law.

The content described herein shall be used by qualified personnel who are employed by Siemens or one of its affiliates or who are otherwise authorized by Siemens or its affiliates to use such documents.

Assemblers and other persons who are not employed by or otherwise directly affiliated with or authorized by Siemens or one of its affiliates are not entitled to use this documentation without prior written authority.

Copyright

"© Siemens, 2004" refers to the copyright of a Siemens entity such as:

Siemens Healthcare GmbH - Germany

Siemens Aktiengesellschaft - Germany

Siemens Shenzhen Magnetic Resonance Ltd. - China


Siemens Shanghai Medical Equipment Ltd. - China


Siemens Medical Solutions USA Inc. - USA

Siemens Healthcare Diagnostics Inc. - USA and/or

Siemens Healthcare Diagnostics Products GmbH - Germany


Topsheets_005_(with TIM-MSUP)






Without MKO

SIEMENS AG				Author	Ciuclea, PLM SD HW SC
Healthcare – Imaging & IT					
05	628048	C. Chaudhuri	27.08.15	Page:2/8	Topsheet_005_(with TIM-MSUP)_Equipment_Room
04	617482	C. Martin	11.02.15		
03	572224	C. Martin	21.01.14	Dok-Id.: 7016871-EKD-01S-05 K2257	
02	580669	C. Martin	16.11.12		
01	826024	Schneider	15.02.10		
00		Ciuclea	27.07.08		
Dok-Vers. Mod-No. Name Date				Print No.:	






© Siemens, 2004
Restricted






SIEMENS AG Healthcare – Imaging & IT			Author	Ciucea, PLM SD HW SC
05	626048	C. Chaudhri	27.08.15	Page:6/8 Topsheet_005_(with TIM-MSUP)_ACC Dok-Id.: 7016871-EKD-01S-05 K2257
05	617482	C. Martin	11.02.15	
03	612224	C. Martin	21.01.14	
02	580669	C. Martin	16.11.12	
01	526024	Schneider	15.02.10	
00		Ciucea	27.07.06	Print No.:

Without MKO





Air samples


SIEMENS AG Healthcare - Imaging & IT				Author	Ciuclea, PLM SD HW SC
05	628048	C. Chaudhuri	27.08.15	Page: 7/8	Topsheet_005_(with TIM-MSUP)_ACC_MKO
04	617482	C. Martin	11.02.15		
03	572224	C. Martin	21.01.14		
02	580669	C. Martin	16.11.12	Dok-Id:	7016871-EKD-01S-05 K2257
01	526024	Schneider	15.02.10	Print No.:	
00	526024	Ciuclea	27.07.08		
Dok-Vers	Mod-No.	Name	Date		



Topsheets_005_(with MSUP 098)











© Siemens, 2004
Restricted






Air samples

Without MKO


SIEMENS AG				Author	C. Martin, R&D HW SC
Healthcare - Imaging & IT				Page: 6/8	Topsheet_005_(with MSUP 098)_ACC
				Dok-Id:	7016871-EKD-02S-01 K2257
				Print No.:	
61	817482	C. Martin	11.02.15		
60		C. Martin	22.01.14		
Dok-Vers	Mod-No	Name	Date		



Air samples


With MKO


SIEMENS AG		Author	C. Martin, R&D HW SC
Healthcare - Imaging & IT		Page: 7/8	Topsheet_005_(with MSUP 098)_ACC_MKO
		Dok-Id:	7016871-EKD-02S-01 K2257
		Print No.:	
61	617482	C. Martin	11.02.15
60		C. Martin	22.01.14
Dok-Vers	Mod-No	Name	Date



SIEMENS AG Healthcare - Imaging & IT		Author	C. Martin, R&D HW SC
		Page: 8/8	Topsheet_005_(with MSUP 098)_Magnet
		Dok-Id:	7016871-EKD-02S-01 K2257
		Print No.:	
01	817482	C. Martin	11.02.15
02		C. Martin	22.01.14
Dok-Vers	Mod-No.	Name	Date


Line Power Distribution






① For ACC 005/022 SNR 8109501 (old) up to Rev. 68 and lower

SIEMENS AG Medical Solutions		Author	MR PLM SD-HW SC / Stensckke
572224	Stensckke	04.02.13	Page 2/4
577087	Stensckke	08.08.12	Netzverteiler 005/022
569313	Stensckke	11.01.12	Dok-Id.: 8109519-ESD-01S-11
561 515	Ciuclea	24.05.11	
Mod-Nr.	Name	Datum	




Power Distribution Avanto **DOT Upgrade ex factory (090)**
 ① For ACC 005/022 SNR 8109501 Rev. 69 and higher

SIEMENS AG Medical Solutions			Author	MR PLM SD-HW SC / Stensche
572224	Stensche	04.02.13	Page	3/4
577087	Stensche	08.08.12	Netzverteiler 005/022	
569313	Stensche	11.01.12	Dok-Id.: 8109519-ESD-01S-11	
561515	Ciulea	24.05.11		
Mod-Nr.	Name	Datum		



SIEMENS AG Medical Solutions			Author	MR PLM SD-HW SC / Stenschke
572224	Stenschke	04.02.13	Page 4/4	Netzverteiler 005/022
577087	Stenschke	08.08.12	Dok-Id.: 8109519-ESD-01S-11	
569313	Stenschke	11.01.12		
561515	Ciuclea	24.05.11		
Mod-Nr.	Name	Datum		



SIEMENS Medical Solutions, P41

8109519 ESD 018 06

Convert date: 2006-10-31T12:37:00-01:00

AUTHOR: 2006-10-31T12:44:17-01:00, Stensche, Jens

CHECKED: 2006-10-31T14:39:53-01:00, Kreisler, Ludwig

APPROVAL: 2006-11-02T14:04:55-01:00, Fleischmann, Heike


Pathname: \$ECAD_ARCHIV/Kabel/005/NETZ/schemat.c/sheet_005-2.03

Date printed: 23.10.06 Sheet Version: 2

Alle Betriebsanweisungen anvertraut. Alle Rechte vorbehalten.
 Confia a titra de secret d'entreprise. Tous droits réservés.
 Confiado como secreto industrial. Nos reservamos todos los derechos.


Name Date
 knue 10.01.03


A3 MED.DA





Dept./Name		Date/Signature	SIEMENS AG		Netzverteiler 005											
Issued by			Medical Solutions		PCB	Part	Part-No	Doc	Index	Rev	Typ-No	Mod	Chap	Page		
Checked by					n.o.	2/2	8109519	- ESD	- 01S	006	n.o.	--	--	--	n.o.	


ACC
















GPA



		1	2	3	4
A					
B					
C					
D					
E					
F					
G					
H					
A4_RDC_DA					
		1	2	3	4


PCB	Jumper- & switch-setting	
	D10	S1 both down
		S2 both down
		S3 0
S6 0		
D20	S1 ON 	
	S2 ON 	
	S3 ON 	
	S4 ON 	
	S5 ON 	
	S6 ON 	
	S7 ON 	
	S8 ON 	
	S9 ON 	
	X16 1 - 2	
	X17 1 - 2	
	X18 1 - 2	
	X19 1 - 2	
	X20 1 - 2	
	X21 1 - 2	
	X22 1 - 2	
	X23 1 - 2	
	X24 1 - 2	
	X25 18 - 19	
	X25 21 - 22	
X25 24 - 25		
D40	S1 ON 	
	S2 ON 	
	S3 ON 	
	S4** ON 	
	X9 1 - 2	
	X10 1 - 2	
	X11 1 - 2	
	X13 1 - 2	
X14 1 - 2		
D60	X50 16 - 17	
D70	X15 A4 - B4	
	X16 A12 - B12	
	S3 both down	
	S4 both down	


SSU
GPA XXL

** D40-REV >= 05 only


Abtlg./Name		Datum/Unterschrift			
Ersteller	PV R&D-PE GPA / Leykauf in SAP / EDM				
Freigabe Konstr.	in SAP / EDM				
Freigabe Fertigung	in SAP / EDM				
Aenderungsmitteilung		CO_00040382			
SIEMENS Healthcare		Jumperliste SSU XXL			
		Sachnummer	U-Art	Index	U-Stand
		7563799	-EBP-01M	03	K2259


Gradient Supervision







SEP











Coil Connector




OR105 Magnet Schematic



Cable Diagrams

W008



Cable Type: Diode line
Wire gauge: 0.14mm²


Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

Part Rev. --

SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W008; 3m
				Dok-Id.	7546125-EKD-01S-00 K2201
00		J. Schneider	05.06.13	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W009




Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.


Must not contain substances restricted by the EU Directive "RoHS".

Cable Type: Diode line
Wire gauge: 0.14mm²

Part Rev. --

SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W009; 3m
				Dok-Id.	7546133-EKD-01S-00 K2201
00		J. Schneider	05.06.13	Print No.	
Dok-Vers.	Mod-No.	Name	Date		





1

3

4

5

Data

GND

+5V

CLK

shield


1

3

4

5

W070A



Cable type:
3x0,75mm²


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	01
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W070A, Netzleitung
				Dok-Id.	5753251-EKD-01S-00 K2200
00		J. Schneider	10.04.13	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W072a




Cable Type:
Wire gauge: 3x0.75mm²

Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W72a, 1,5m
				Dok-Id.	7121002-EKD-01S-00 K2200
00		J. Schneider	13.06.13	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

Part Rev.	--
-----------	----



3000mm

Netzverteiler


Cold device connector,
male

Darf keine durch die EU-Richtlinie "RoHS"
 beschränkten Stoffe enthalten.

Must not contain substances restricted
 by the EU Directive "RoHS".

Part Rev.	--
-----------	----

W087a Cat.6




Cable Type: Ethernet Class 6 (Cat. 6)
Twisted pair: 1/2, 3/6, 4/5, 7/8

Part Rev. 03

SIEMENS AG Healthcare - Imaging & IT				Author	Ciuclea, MR PLM SC SC
04	529818	Schneider	17.02.09	Page	Cable W087a Cat.6
03	169087	Groß	22.02.08	Dok-Id.:	5774281-EKD-01M-04 K2257
02	154856				
01	099434			Print No.:	
Dok-Vers	Mod-No.	Name	Date		

W088a Cat.6




Cable Type: Ethernet Class 6 (Cat. 6)
Twisted pair: 1/2 ,3/6, 4/5, 7/8


Part Rev. 03

SIEMENS AG Healthcare - Imaging & IT				Author	Ciuclea, MR PLM SC SC
04	529818	Schneider	17.02.09	Page	Cable W088a Cat.6
03	169087	Groß	22.02.08	Dok-Id.:	5774299-EKD-01M-04 K2257
02	154856				
01	099434			Print No.:	
Dok-Vers	Mod-No.	Name	Date		









QLA-Pin, straight with Cable crest,
Free wire end 60 cm
Cable crest 30 cm in front of connector

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".


Cable type:
L45466-B13-C49



12m	8110426	02
9m	8110384	02
4m	8110376	02
1,5m	8111846	02
Length Y	SAP No.	Part Rev.

SIEMENS AG Healthcare – Imaging & IT				Author	C. Martin, MR R&D HW SC
				Page: 1/1	Cable W0184
				Dok-Id.	8110426-EKD-01S-02 K2257
02		C. Martin	26.07.13	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W0185




QLA-Pin, straight without cable crest free wire end 40cm

QLA-Pin, straight with cable crest N-Pin straight for Tas_3TM, X9 free wire end 60cm cable crest 30cm before connector

Cable Type: L45466-B13-C49


Cable in tube bounded

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.
Must not contain substances restricted by the EU Directive "RoHS".



1.5m	8111853	01
4m	8110392	02
9m	8110400	02
12m	8110558	02
Length Y	SAP No.	Part Rev.

SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W0185; 12 m
				Dok-Id.	8110558-EKD-01S-02 K2257
02		J. Schneider	14.06.13	Print No.	
Dok-Vers.	Mod-No.	Name	Date		




Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.


Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W0190; 12 m
				Dok-Id.	8110640-EKD-01S-00 K2257
00		J. Schneider	07.06.13	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

1.5m	8110616	-
4m	8110624	-
9m	8110632	-
12m	8110640	-
Length Y	SAP No.	Part Rev.




W0230 Cat.6





Cable Type: Ethernet Class 6 (Cat. 6)
Twisted pair: 1/2, 3/6, 4/5, 7/8

Part Rev. 01

SIEMENS AG				Author	Ciuclea , MR PLM SC SC
Healthcare - Imaging & IT				Page	Cable W0230 Cat.6
02	529818	Schneider	17.02.09	Dok-Id.:	8111663-EKD-01M-02 K2257
01	169087	Groß	22.02.08	Print No.:	
00		Ciuclea	26.03.07		
Dok-Vers.	Mod-No.	Name	Date		







X88
ACC_(roof)

23000mm

Diagram illustrating a 3-wire shielded cable configuration with a shield braid. The cable has three signal wires and a shield:

- Physio_beeper_1**: Top signal wire, connected to the **Center** terminal.
- Physio_beeper_2**: Middle signal wire, connected to the **Front** terminal.
- Shield**: Bottom wire, connected to the **Front** terminal and the **Housing 0** ground point.

The shield braid is represented by a dashed oval at the top of the shield wire, indicating its connection to the Housing 0 ground point.


3.5mm Sterio plug

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

W0410 Cat.6




Cable Type: Ethernet Class 6 (Cat. 6)
Twisted pair: 1/2, 3/6, 4/5, 7/8

1)
Order number Telegärtner: J80026A0017
Order number Weidmüller: 1963110000
Order number BTR-Netcom: 1401565010 ME

Part Rev. --

SIEMENS AG Healthcare - Imaging & IT				Author	Stenschke, MR PLM SC SC
				Page	Cable W0410 Cat.6
01	529818	Schneider	17.02.09	Dok-Id.:	10432847-EKD-01M-01 K2257
00		Stenschke	14.02.08	Print No.:	
Dok-Vers.	Mod-No.	Name	Date		

W0411 Cat.6



Cable Type: Ethernet Class 6 (Cat. 6)
Twisted pair: 1/2, 3/6, 4/5, 7/8

1)
Order number Telegärtner: J80026A0017
Order number Weidmüller: 1963110000
Order number BTR-Netcom: 1401565010 ME

Part Rev. --

SIEMENS AG Healthcare - Imaging & IT				Author	Stenschke, MR PLM SC SC
				Page	Cable W0411 Cat.6
01	529818	Schneider	17.02.09	Dok-Id.:	10432848-EKD-01M-01 K2257
00		Stenschke	14.02.08	Print No.:	
Dok-Vers.	Mod-No.	Name	Date		

X84
ACC_(roof)

Diagram illustrating the cable assembly structure. The cable length is labeled **Length Y**. The cable consists of two main conductors: **N GradFil. Overtemp** (Signal Wire) and **N GradFil. Overtemp GND** (Ground Wire). The signal wire is labeled **SW** and the ground wire is labeled **WS**. A **Shield** is present between the two conductors. The cable is terminated at both ends by **Housing 0**. The diagram shows the cable is terminated at both ends by **Housing 0**. The signal wire is labeled **SW** and the ground wire is labeled **WS**. The shield is labeled **Shield**. The cable is terminated at both ends by **Housing 0**.


D-Sub, 9 Pin, male
With metallized cover
4-40 UNC locking screws
Cable entry 45° at Pin 1


			4m	8111176	--
			5m	8115482	--
			9m	8111184	--
			10m	8115326	--
			12m	8111192	--
1.5m	8111168	--	13m	8115375	--
Length Y	SAP No.	Part Rev.	Length Y	SAP No.	Part Rev.

SIEMENS AG Healthcare – Imaging & IT			Author	J. Schneider, MR R&D HW SC
			Page: 1/1	Cable W0415, 13m
			Dok-Id.	8115375-EKD-01S-00 K2257
00		J. Schneider	10.07.13	
Dok-Vers.	Mod-No	Name	Date	Print No.

Darf keine durch die EU-Richtlinie "RoHS"
 beschränkten Stoffe enthalten.

Must not contain substances restricted
 by the EU Directive "RoHS".





X87
ACC_(roof)

The diagram shows a cable assembly with three main conductors. The top conductor is labeled 'Door_contact_1' and 'BL'. The middle conductor is labeled 'Door_contact_2' and 'RT'. The bottom conductor is labeled 'Shield' and 'Housing 0'. The total length of the assembly is indicated as 20000mm. A specific section at the right end is dimensioned as 50mm. There are two dashed ovals representing contact points or components on the top and middle conductors.


S4
door
contact

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

W0580



Cable Type: 10x2x0.22
Wire gauge: 0.22mm²


Part Rev. --

SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W0580; 25 m
				Dok-Id.	8110681-EKD-01S-00 K2257
00		J. Schneider	07.06.13	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

W0600




Cable type:
5x1.5mm²


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.
Must not contain substances restricted by the EU Directive "RoHS".

Part Rev. 00

SIEMENS AG Healthcare – Imaging & IT				Author	Ciuclea, MR PLM SC SC
				Page: 1/1	Cable W0600
				Dok-Id.	8110269-EKD-01S-01 K2257
01	570454	J. Schneider	16.05.13	Print No.	
00		Ciuclea	26.03.07		
Dok-Vers.	Mod-No.	Name	Date		




W0615




Terminal ends have to be crimped horizontally, so that they can be easily connected to the terminal block. Before crimping, press the conductors into the following arrangement:

Arrangement at terminal block (viewed from Top)




Terminal end

Section view: cut-to-length cable (GPA side)




Section view: cut-to-length cable (ACC/EPC side)



Cable type:
Ölfex 191CY 4G35 (4x35mm²)
or alternative: Helukabel JZ-602-CY 4 G 35

Detail view: Terminal ends L1, L2, L3




Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.


Must not contain substances restricted by the EU Directive "RoHS".


SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W0615, Netzleitung
03	623686	C. Chaudhuri	08.06.15	Dok-Id.	8108826-EKD-01S-03 K2257
02	608486	C. Martin	30.07.14		
01	570454	J. Schneider	16.05.13		
00		J. Schneider	16.05.13	Print No.	
Dok-Vers.	Mod-No.	Name	Date		


Part Rev. 00




SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W0650, 13m
				Dok-Id.	8115391-EKD-01S-00 K2257
00		J. Schneider	10.07.13	Print No.	
Dok-Vers.	Mod-No.	Name	Date		












W0681



L1

L2

L3

PE

7050mm

X102
ACC_(roof)

180mm

360mm

L1

L2

L3

PE

Cable core end
Terminal M& for PE

Cable Type:
Wire gauge: 4x4mm²


Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.


Must not contain substances restricted
by the EU Directive "RoHS".


SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W0681, 7m
				Dok-Id.	8111093-EKD-01S-02 K2257
02		J. Schneider	13.06.13	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

Part Rev.


--







W0690




Cable type:
4x1x0.86 mm²


Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	C. Martin, MR R&D HW SC
				Page: 1/1	Cable W0690, Filterplate-X1
				Dok-Id.	8111283-EKD-01S-00 K2257
				Print No.	
00		C. Martin	28.08.14		
Dok-Vers.	Mod-No.	Name	Date		

Part Rev. --






1.5m	8110061	--
13m	8110079	--
Length Y	SAP No.	Part Rev.


SIEMENS AG Healthcare – Imaging & IT			Author	J. Schneider, MR R&D HW SC
			Page: 1/1	Cable W0800, 13m
			Dok-Id.	8110079-EKD-01S-00 K2257
00		J. Schneider	13.06.13	Print No.
Dok.-Vers.	Mod.-No.	Name	Date	

Must not contain substances restricted by the EU Directive "RoHS".




Must not contain substances restricted by the EU Directive "RoHS".


SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W0810, 23m
				Dok-Id.	8110970-EKD-01S-00 K2257
00		J. Schneider	13.06.13	Print No.	
Dok-Vers.	Mod-No	Name	Date		





Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT			Author	J. Schneider, MR R&D HW SC
			Page: 1/1	Cable W0820, 15m
			Dok-Id.	8111101-EKD-01S-00 K2257
00		J. Schneider	Print No.	
Dok. Vers.	Mod. No.	Drawn		
		Date		









X40, X41 Filterplate

Length Y

X40/1
X40/2
X41/1
X41/2

X3/1
X3/2
X1
X2

Shield


100mm

-----	-----	-----
-----	-----	-----
-----	-----	-----
8m	8108412	--
11m	8108420	--
16m	8108438	--
Length Y	SAP No.	Part Rev.

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

W1141




Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.


Must not contain substances restricted by the EU Directive "RoHS".

Cable Type:
Wire gauge: 4x6mm²


8m	8108446	-
11m	8108453	-
16m	8108461	-
Length Y	SAP No.	Part Rev.

SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W1141; 16 m
				Dok-Id.	08108461-EKD-01S-01 K2257
01		J. Schneider	11.07.13	Print No.	
Dok-Vers.	Mod-No.	Name	Date		











W1190




Cable Type: 7/8" Low-Loss Fire Retardant Feeder Cable



Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W1190; 16 m
				Dok-Id.	8110673-EKD-01S-01 K2257
01	810068	C. Martin	26.08.14	Print No.	
00		J. Schneider	14.06.13		
Length Y	SAP No.	Part Rev.	Dok-Vers.	Mod-No.	Name
					Date




Must not contain substances restricted by the EU Directive "RoHS".

© Siemens, 2004
Restricted




Must not contain substances restricted by the EU Directive "RoHS".

© Siemens, 2004
Restricted



W1400




Cable Type:
Wire gauge *1: L-02YS(ST)CY 10x2x0.24
Wire gauge *2: L-02YS(ST)CY 2x1x0.22
Length 2m

8m	8110152	--
11m	8110160	--
16m	8110178	--
Length Y	SAP No.	Part Rev.

SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W1400; 16 m
				Dok-Id.	8110178-EKD-01S-03 K2257
				Print No.	
03	602203	C. Martin	22.08.14		
02		J. Schneider	12.07.13		
Dok-Vers.	Mod-No.	Name	Date		



W1401



Cable type:
Plastic fibre optic with coating

Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.


Must not contain substances restricted
by the EU Directive "RoHS".

13m	10684586	--
16m	10684587	--
23m	10684588	--
26m	10915800	--
Length Y	SAP No.	Part Rev.

SIEMENS AG Healthcare – Imaging & IT			
01	592527	C. Martin	26.08.13
00		J. Schneider	09.12.11
Dok-Vers.	Mod-No.	Name	Data

Author	J. Schneider, MR PLM SD HW SC
Page: 1/1	Cable W1401, AMC-MSUP
Dok-Id.	10684588-EKD-01S-01 K2268
Print No.	

W1402




Cable type:
Plastic fibre optic with coating


Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

			SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR PLM SD HW SC
							Page: 1/1	Cable W1402, AMC-RCCS
							Dok-Id.	10684591-EKD-01S-00 K2268
							Print No.	
13m	10684589	-	00	J. Schneider	09.12.11			
16m	10684590	-	Dok-Vers.	Mod-No.	Name	Data		
23m	10684591	-						
Length Y	SAP No.	Part Rev.						



W1421



Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.


Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W1421; 23m
				Dok-Id.	8109717-EKD-01S-00 K2257
				Print No.	
00	J. Schneider	17.07.13			
Dok-Vers.	Mod-No.	Name	Date		

13m	8109691	-
16m	8109709	-
23m	8109717	-
Length Y	SAP No.	Part Rev.



W1424-DOT




Cable type:
Plastic fibre optic with coating

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.
Must not contain substances restricted by the EU Directive "RoHS".

			SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR PLM SD HW SC
							Page: 1/1	Cable W1424-DOT, AMC-PTab
							Dok-Id.	10684584-EKD-01S-00 K2268
							Print No.	
13m	10684582	-	00	Dok-Vers.	Mod-No.	J. Schneider	09.12.11	
16m	10684583	-				Name	Data	
23m	10684584	-						
Length Y	SAP No.	Part Rev.						

W1425




Cable Type: Plastic fibre optic with coating

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

			SIEMENS AG Healthcare – Imaging & IT			Author	J. Schneider, MR R&D HW SC
						Page: 1/1	Cable W1425; 23m
						Dok-Id.	8109683-EKD-01S-00 K2257
13m	8109667	--				Print No.	
16m	8109675	--					
23m	8109683	--					
Length Y	SAP No.	Part Rev.	00	J. Schneider	17.07.13		
			Dok-Vers.	Mod-No.	Name	Date	

W1430




Cable Type: Plastic fibre optic with coating

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.
Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W1430; 23m
				Dok-Id.	8111259-EKD-01S-02 K2257
				Print No.	

13m	8111234	--	02	630347	C. Chaudhuri 27.10.15
16m	8111242	--	01	614206	C. Martin 17.12.14
23m	8111259	--	00		J. Schneider 02.07.13
Length Y	SAP No.	Part Rev.	Dok-Vers.	Mod-No.	Name Date

W1500



Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".



Cable Type:
Pin 1/11/2/3 → 0.54mm²
Pin 4/5/9 → 0.22mm²

-----	-----	-----
-----	-----	-----
-----	-----	-----
8m	8108495	--
11m	8109253	--
16m	8109261	--
Length Y	SAP No.	Part Rev.

SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W1500; 16 m
				Dok-Id.	8109261-EKD-01S-02 K2257
02		J. Schneider	02.07.13	Print No.	
Dok-Vers.	Mod-No	Name	Date		

W1680

WAGO Connector,
-Female connector with locking lever, 4-Pole: 721-204/037-045
-Strain relief housing: 232-664
-Cable clamp for strain relief Housing: 209-177
-Fixing screw for cable strap: 209-176



Cable core end
for Z17/Z18
Terminal M6 for PE

Cable Type:
Wire gauge: 3x1.5mm²,
screened


Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

9m	7548071	-
12m	7548113	-
17m	7548121	-
Length Y	SAP No.	Part Rev.

SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W1680; 17m
				Dok-Id.	7548121-EKD-01S-02 K2257
02	602203	C. Martin	14.03.14	Print No.	
01		J. Schneider	12.07.13		
Dok-Vers.	Mod-No.	Name	Date		

W1820




Cable cross section: 16mm² GNYL

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.


Must not contain substances restricted by the EU Directive "RoHS".

4m	10432913	--
8m	8110954	--
11m	10849715	--
13m	8110962	--
16m	8111002	--
Length Y	SAP No.	Part Rev.

SIEMENS AG Healthcare – Imaging & IT				Author	Groß, MR PLM SC SC
				Page: 1/1	Cable W1820, Filter_panel-Magnet
				Dok-Id.	10432913-EKD-01S-00 K2257
00		J. Schneider	30.07.12	Print No.	
00		Groß	16.04.08		
Dok-Vers.	Mod-No.	Name	Date		



W2002-Q12



Cable Type: L-Y (ST) CY 10x1x2.1 VZN GR


UL-Style: 105°C / 300V


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.


Must not contain substances restricted by the EU Directive "RoHS".


13m	10590889	--
5m	10590888	--
2m	10590887	--
Length Y	SAP No.	Part Rev.

SIEMENS AG Healthcare – Imaging & IT				Author	C. Martin, MR R&D HW SC
				Page: 1/1	Cable W2002 – Q12
				Dok-Id.	10590889-EKD-01S-00 K2257
00		C. Martin	11.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		











SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR R&D HW SC
				Page: 1/1	Cable W2009 15m - LEAD ASSY....
				Dok-Id.	10104566-EKD-01S-00 K2257
00		J. Schneider	03.07.13	Print No.	
Dok-Vers	Mod-No	Name	Date		



W2011 – Q12




Cable Type: L-Y (ST) CY 10x1x2.1 VZN GR

UL-Style: 105°C / 300V

1) Shield uncovered and wrapped instead with
500mm copper foil thickness 0,09mm.


--	--	--
10 m	10590890	00
15 m	10590891	00
length Y	SAP No.:	Part Rev.

SIEMENS AG Healthcare - Imaging & IT				Author	Schinn, MR PLM SC SC
--	--	--	--	Page	Cable W2011 – Q12 / 005
02	583459	C. Martin	16.01.13	Dok-Id.:	10590891-EKD-01M-02 K2257
01	558162	Schneider	24.02.11		
00		Schinn	15.05.09	Print No.:	
Dok-Vers.	Mod-No.	Name	Date		



SIEMENS AG Healthcare – Imaging & IT			Author	J. Schneider, MR R&D HW SC
			Page: 1/1	Cable W2019 15m - LEAD ASSY...
			Dok-Id.	10104568-EKD-01S-00 K2257
00		J. Schneider	04.07.13	Print No.
Dok-Vers.	Mod-No	Name	Date	


W2031




Cable Type: L-Y(ST)CY 4x1x0.22


Part Rev. 00

SIEMENS AG				Author	Ciuclea, MR PLM SD HW SC
Healthcare - Imaging & IT				Page	Cable W2031, ACC - Host
--	--	--	--	Dok-Id.:	10104149-EKD-01M-02 K2257
02	583459	C. Martin	17.01.13	Print No.:	
01	558162	Schneider	24.02.11		
00		Ciuclea	26.03.07		
Dok-Vers.	Mod-No.	Name	Date		





W2035



Supervisory X1	Signal	Magnet Turret A
21	SH+	r
9	SH-	t
23	EIS+	n
11	EIS-	q
22	QH1+	k
10	QH1-/2-	m/j
5	QH2+	h
24	PH+	f
12	PH-	g
15	CR1+	a
3	CR2+	b
16	CR3+	c
4	CR TOP+	d
17	CR COM-	e
1	Turret Stage 1+	A
14	Turret COM	B
2	Turret Stage 2+	C
7	HE V-1	Y
18	HE V+1/V+2	W/U
20	HE V-2	R
19	HE I-1	Z
6	HE I+1/I+2	X/T
8	HE I-2	P
Housing	Shield	Housing

Supervisory X14	Signal	Magnet Turret A
1	EH+	N
2	SHSA	M
3	EASB	L
4	EBSC	K
5	ECSD	J
13	EDSE	H
12	EESF	G
11	EFSG	F
10	EGEJ	E
9	SJ-	D
Housing / 15	Shield	Housing


Cable length: 4,00m

Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	Heinrichs, MR PLM SC CMI
				Page: 1/1	Cable W2035
				Dok-Id.	10121241-EKD-01S-01 K2297
				Print No.	
01	592527	C. Martin	08.08.13		
00		Heinrichs	17.07.09		
Dok-Vers.	Mod-No.	Name	Date		

W2035M



Supervisory X1	Signal	Magnet Turret A
21	SH+	r
9	SH-	t
23	EIS+	n
11	EIS-	q
22	QH1+	k
10	QH1-/2-	m/j
5	QH2+	h
24	PH+	f
12	PH-	g
15	CR1+	a
3	CR2+	b
16	CR3+	c
4	CR TOP+	d
17	CR COM-	e
1	Turret Stage 1+	A
14	Turret COM	B
2	Turret Stage 2+	C
7	HE V-1	Y
18	HE V+1/V+2	W/U
20	HE V-2	R
19	HE I-1	Z
6	HE I+1/I+2	X/T
8	HE I-2	P
Housing	Shield	Housing


Supervisory X14	Signal	Magnet Turret A
1	EH+	N
2	SHSA	M
3	EASB	L
4	EBSC	K
5	ECSD	J
13	EDSE	H
12	EESF	G
11	EFSG	F
10	EGEJ	E
9	SJ-	D
Housing / 15	Shield	Housing


Cable length: 8,00m


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	Heinrichs, MR PLM SC CMI
				Page: 1/1	Cable W2035M
				Dok-Id.	10118338-EKD-01S-01 K2297
				Print No.	
01	592527	C. Martin	08.08.13		
00		Heinrichs	17.07.09		
Dok-Vers.	Mod-No.	Name	Date		







W3101



Cable type:
V45466-B12-G17

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3101
				Dok-Id.	08108503-EKD-01S-00 K2257
00		Schinn	05.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3102



Cable type:
V45466-B12-G17

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3102
				Dok-Id.	08108511-EKD-01S-00 K2257
00		Schinn	05.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3103



Cable type:
V45466-B12-G17

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.
Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3103
				Dok-Id.	08108529-EKD-01S-00 K2257
00		Schinn	05.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3104



Cable type:
V45466-B12-G17

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3104
				Dok-Id.	08108537-EKD-01S-00 K2257
00		Schinn	05.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3105



Cable type:
V45466-B12-G17

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3105
				Dok-Id.	08108545-EKD-01S-00 K2257
00		Schinn	05.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3106



Cable type:
V45466-B12-G17

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.
Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3106
				Dok-Id.	08108552-EKD-01S-00 K2257
00		Schinn	05.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3107



Cable type:
V45466-B12-G17

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.
Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3107
				Dok-Id.	08108560-EKD-01S-00 K2257
00		Schinn	05.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3108



Cable type:
V45466-B12-G17


Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3108
				Dok-Id.	08108578-EKD-01S-00 K2257
00		Schinn	05.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3150



Cable type:
V45466-B12-G17


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3150
				Dok-Id.	08109782-EKD-01S-00 K2257
00		Schinn	06.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3151



Cable type:
V45466-B12-G17


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3151
				Dok-Id.	08109790-EKD-01S-00 K2257
00		Schinn	06.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3152



Cable type:
V45466-B12-G17

Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3152
				Dok-Id.	08109386-EKD-01S-00 K2257
00		Schinn	06.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3153



Cable type:
V45466-B12-G17


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3153
				Dok-Id.	08109394-EKD-01S-00 K2257
00		Schinn	06.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3154



Cable type:
V45466-B12-G17


Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3154
				Dok-Id.	08109402-EKD-01S-00 K2257
				Print No.	
00		Schinn	06.06.2013		
Dok-Vers.	Mod-No.	Name	Date		

Part Rev.	--
-----------	----

W3155



Cable type:
V45466-B12-G17


Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3155
				Dok-Id.	08109410-EKD-01S-00 K2257
00		Schinn	13.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3156



Cable type:
V45466-B12-G17


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3156
				Dok-Id.	08109428-EKD-01S-00 K2257
				Print No.	
00		Schinn	13.06.2013		
Dok-Vers.	Mod-No.	Name	Date		

Part Rev.	--
-----------	----

W3157



Cable type:
V45466-B12-G17


Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3157
				Dok-Id.	08109436-EKD-01S-00 K2257
00		Schinn	06.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3158



Cable type:
V45466-B12-G17

Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.


Must not contain substances restricted
by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3158
				Dok-Id.	08109444-EKD-01S-01 K2257
01 Dok-Vers.		Schinn Mod-No. Name	18.06.2013 Date	Print No.	

W3159

(2 labels)



Cable type:
V45466-B12-G17


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.
Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3159
				Dok-Id.	08109451-EKD-01S-00 K2257
00		Schinn	18.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3160

(2 labels)



Cable type:
V45466-B12-G17


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3160
				Dok-Id.	08109469-EKD-01S-00 K2257
00		Schinn	18.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3170



Cable type: RG214


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3170
				Dok-Id.	08109808-EKD-01S-00 K2257
00		Schinn	18.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

Part Rev.

--




W3186




Cable type:
V45466-B12-G17

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.
Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3186
				Dok-Id.	08111275-EKD-01S-00 K2257
				Print No.	
00		Schinn	10.06.2013		
Dok-Vers.	Mod-No.	Name	Date		




W3402



Cable type: Polymer Optic Fiber (POF)

SIEMENS AG Healthcare - Imaging & IT				Author	J.Schneider, PLM SD HW SC
				Page	Kabel W3402, AMC/D20_RFPA
01	566396	J.Schneider	14.10.11	Dok-Id.:	8109477-EKD-01M-01 K2257
00		J.Schneider	14.10.11	Print No.:	
Dok.Ver	Mod-Nr	Name	Datum		

W3403



Cable type: Plastic fibre optic


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3403
				Dok-Id.	08109485-EKD-01S-00 K2257
00		Schinn	18.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3429



Cable type: Plastic optic fibre


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3429
				Dok-Id.	08110301-EKD-01S-00 K2257
00		Schinn	18.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3430



Cable type: 2x1G62,5/125 µm


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3430
				Dok-Id.	10092331-EKD-01S-00 K2257
00		Schinn	11.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

Part Rev.	--
-----------	----

W3431




Cable type: 2x1G62,5/125 μm

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.
Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3431
				Dok-Id.	10092332-EKD-01S-00 K2257
00		Schinn	12.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3440




Cable type: Plastic fibre optic

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.
Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3440
				Dok-Id.	08111267-EKD-01S-00 K2257
00		Schinn	13.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3470



Cable type: Plastic fibre optic with coating

Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

Part Rev.	--					
-----------	----	--	--	--	--	--


SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3470
				Dok-Id.	08111887-EKD-01S-00 K2257
00		Schinn	11.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3500

X25
BACKPLANE D5
AMC


X89
ACC (ROOF)

D-Sub, 9 pin, male, with metalized cover
cable entry 45° at pin 9, UNC 4-40 locking bolts
connector mounted in front of cover




X87
ACC (ROOF)

D-Sub, 9 pin, male, with metalized cover
cable entry 45° at pin 9, UNC 4-40 locking bolts
connector mounted in front of cover




X88
ACC (ROOF)

D-Sub, 9 pin, female, with metalized cover
cable entry 45° at pin 1, UNC 4-40 locking bolts
connector mounted in front of cover



D-Sub, 15 Pin, male
With metalized Cover
Cable entry 45° at Pin 15
UNC 4-40-2A locking screws



Cable type: 0,14 mm²


Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".


SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3500
				Dok-Id.	08108834-EKD-01M-01 K2257
01	592 874	Schinn	15.08.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

Part Rev.	01
-----------	----

W3501



W3520



X1 / BR / D12	Signal	X12 /AMC Backplane
1	RX AD 15	1
21	GND	21
2	RX AD 14	2
22	GND	22
3	RX AD 13	3
23	GND	23
4	RX AD 12	4
24	GND	24
5	RX AD 11	5
25	GND	25
6	RX AD 10	6
26	GND	26
7	RX AD 9	7
27	GND	27
8	RX AD 8	8
28	GND	28
9	RX AD 7	9
29	GND	29
10	RX AD 6	10
30	GND	30
11	RX AD 5	11
31	GND	31
12	RX AD 4	12
32	GND	32
13	RX AD 3	13
33	GND	33
14	RX AD 2	14
34	GND	34
15	RX AD 1	15
35	GND	35
16	RX AD 0	16
36	GND	36
17	N RX ADS	17
37	GND	37
18	N RX DEN	18
38	GND	38
19	N RX RW	19
39	GND	39

X1 / BR / D12	Signal	X12 /AMC Backplane
20	N RX USB	20
59	N RX RE0	59
40	GND	40
41	RX CLK10	41
42	GND	42
43	RX CLK20	43
44	GND	44
64	RX AD 27	64
45	GND	45
65	RX AD 26	65
46	GND	46
66	RX AD 25	66
47	GND	47
67	RX AD 24	67
48	GND	48
68	RX AD 23	68
49	GND	49
69	RX AD 22	69
50	GND	50
70	RX AD 21	70
51	Reserve 0	51
52	Reserve 1	52
53	Reserve 0	53
54	Reserve 1	54
55	N RX NCO INIT	55
75	RX AD 16	75
56	N RX FRO CHG	56
78	N RX B0 CHG	78
57	N RX INTF RST	57
58	N RX FI CLK	58
60	RX AD 31	60
61	RX AD 30	61
62	RX AD 29	62
63	RX AD 28	63
71	RX AD 20	71
72	RX AD 19	72
73	RX AD 18	73
74	RX AD 17	74
76	N RX RXON	76
77	N RX TX ON	77

Cable Type: 0,09 mm²
Cable Length: 1200 mm

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".


SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3520
				Dok-Id.	08111010-EKD-01S-00 K2257
00 Dok-Vers.		Schinn Mod-No.	19.08.2013 Date	Print No.	

Part Rev.	--
-----------	----

W3521

X3 Grad D10	Signal	X11 / AMC Backplane
1	G DAT P0	1
2	G DAT N0	2
3	G DAT P1	3
4	G DAT N1	4
5	G DAT P2	5
6	G DAT N2	6
7	G DAT P3	7
8	G DAT N3	8
9	G DAT P4	9
10	G DAT N4	10
11	G DAT P5	11
12	G DAT N5	12
13	G DAT P6	13
14	G DAT N6	14
15	G DAT P7	15
16	G DAT N7	16
17	G SEL P0	17
18	G SEL N0	18
19	G TEST P0	19
20	G TEST N0	20
21	GND	21
42	GND	42
22	G DAT P8	22
23	G DAT N8	23
24	G DAT P9	24
25	G DAT N9	25
26	G DAT P10	26
27	G DAT N10	27
28	G DAT P11	28
29	G DAT N11	29
30	G DAT P12	30
31	G DAT N12	31
32	G DAT P13	32
33	G DAT N13	33
34	G DAT P14	34
35	G DAT N14	35
36	G DAT P15	36
37	G DAT N15	37
38	G SEL P1	38
39	G SEL N1	39
40	G TEST P1	40
41	G TEST N1	41
43	G DAT P16	43
44	G DAT N16	44
45	G DAT P17	45
46	G DAT N17	46
47	G DAT P18	47
48	G DAT N18	48
49	G DAT P19	49
50	G DAT N19	50
51	G DAT P20	51
52	G DAT N20	52
53	G DAT P21	53
54	G DAT N21	54
55	G DAT P22	55
56	G DAT N22	56
57	G DAT P23	57
58	G DAT N23	58
59	G SEL P2	59
60	G SEL N2	60
61	G CLK P	61
62	G CLK N	62

D-Sub, 62 Pin, male with metallized Cover
Cable entry 45° at Pin 1
UNC 4-40 locking screws



D-Sub, 62 Pin, male with metallized Cover
Cable entry 45° at Pin 1
UNC 4-40 locking screws

Cable type: 0,09 mm²


Cable length: 1.700 mm

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.


Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3521
				Dok-Id.	08111028-EKD-01S-00 K2257
00		Schinn	10.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

Part Rev.	--
-----------	----



W3541




Cable Type: Ethernet Class 6 (Cat. 6)
Twisted pair: 1/2, 3/6, 4/5, 7/8

Part Rev. --

SIEMENS AG				Author	Stenschke, MR PLM SC SC
Healthcare - Imaging & IT				Page	Cable W3541 Cat.6
01	529818	Schneider	17.02.09	Dok-Id.:	10432840-EKD-01M-01 K2257
00		Stenschke	08.02.08	Print No.:	
Dok-Vers.	Mod-No.	Name	Date		

W3542




Cable Type: Ethernet Class 6 (Cat. 6)
Twisted pair: 1/2, 3/6, 4/5, 7/8


Part Rev. --

SIEMENS AG Healthcare - Imaging & IT				Author	Stenschke, MR PLM SC SC
				Page	Cable W3542 Cat.6
01	529818	Schneider	17.02.09	Dok-Id.:	10432841-EKD-01M-01 K2257
00		Stenschke	08.02.08	Print No.:	
Dok-Vers	Mod-No.	Name	Date		





W3660



Cable type: 0,54 mm²


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3660 – 0,6 m
				Dok-Id.	08109279-EKD-01S-00 K2257
00		Schinn	06.06.2013	Print No.	
Dok-Vers.	Mod-No	Name	Date		

Part Rev.	--
-----------	----

W3661



Cable type: 0,54 mm²


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3661
				Dok-Id.	08109287-EKD-01S-00 K2257
00		Schinn	06.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3662




Cable type: 0,54 mm²

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.
Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3662
				Dok-Id.	08109303-EKD-01S-00 K2257
00		Schinn	27.08.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

Part Rev.	--
-----------	----

W3662 Dot



Cable Type: 0,22 mm²


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev. --

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR PLM SD HW SC
				Page: 1/1	Cable W3662 Dot
				Dok-Id.	10684570-EKD-01S-00 K2268
00		Schinn	16.11.2011	Print No.	
Dok-Vers.	Mod-No.	Name	Data		

W3670



Cable type: 0,54 mm²


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3670
				Dok-Id.	08111309-EKD-01S-00 K2257
00		Schinn	18.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3700



Cable type:
0,14 mm²


Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3700
				Dok-Id.	08110202-EKD-01S-00 K2257
00		Schinn	07.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3701



Cable type:
0,14 mm²


Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3701
				Dok-Id.	08110210-EKD-01S-00 K2257
00		Schinn	07.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3702



Cable type:
0,14 mm²

Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.


Must not contain substances restricted
by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3702
				Dok-Id.	08110228-EKD-01S-00 K2257
				Print No.	
00 Dok-Vers.		Schinn Mod-No.	07.06.2013 Date		

Part Rev.	--
-----------	----

W3801

X112
ACC



HAN C 2,5 mm² 09320006205 female
Housing: HAN3 MOD BU-C 40A, 09140033101

HAN C 2,5 mm² 09320006105 male
Housing: HAN3 MOD BU-C 40A, 09140033001

Cable type: 2,5 mm²

Cable length: 80 mm


Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3801
				Dok-Id.	08110699-EKD-01S-00 K2257
00		Schinn	10.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3812



Cable type: 3 x 1,5 mm²


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page:	1/1 Cable W3812
				Dok-Id.	08111507-EKD-01S-01 K2257
01		Schinn	14.08.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3813




Cable type: 3 x 1,5 mm²

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.
Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3813
				Dok-Id.	08111515-EKD-01S-01 K2257
01		Schinn	14.08.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3814



Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.


Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3814
				Dok-Id.	08111523-EKD-01S-01 K2257
01		Schinn	14.08.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

Part Rev.

--

W3816



Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.


Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3816
				Dok-Id.	8111549-EKD-01M-03 K2257
				Print No.	
03	582 469	Schinn	05.03.2013		
Dok-Vers.	Mod-No.	Name	Date		

Part Rev.

01

W3817



Cable type: 3 x 1,5 mm²


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3817
				Dok-Id.	08111556-EKD-01S-01 K2257
01		Schinn	14.08.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3818




Cable type: 5 x 1,5 mm²

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.
Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3818
				Dok-Id.	08111564-EKD-01S-01 K2257
01		Schinn	14.08.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3819



Cable type:
0,86mm²


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

Part Rev. --

SIEMENS AG Healthcare – Imaging & IT				Author	Krüger, MR PLM SC SC
				Page: 1/1	Cable W3819, ACC-Power_Distribution
03	571852	J. Schneider	07.03.12	Dok-Id.	8111572-EKD-01M-03 K2257
02	169087	Stenschke	23.01.08		
01	130190	Krüger	17.11.03		
00		Krüger	17.11.03	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3819



Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".


Cable type:
0,86mm²

SIEMENS AG Healthcare – Imaging & IT				Author	Krüger, MR PLM SC SC
				Page: 1/1	Cable W3819, ACC-Power_Distribution
03	571852	J. Schneider	07.03.12	Dok-Id.	8111572-EKD-01M-03 K2257
02	169087	Stenschke	23.01.08		
01	130190	Krüger	17.11.03		
00		Krüger	17.11.03	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

Part Rev.	--
-----------	----

W3822

(2 labels)




Cable type: 2,5 mm²

Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

Part Rev.	--	SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
						Page: 1/1	Cable W3822
						Dok-Id.	08111622-EKD-01S-03 K2257
03		Schinn	13.08.2013			Print No.	
Dok-Vers.	Mod-No.	Name	Date				

W3831





Cable type: 6 mm²

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.
Must not contain substances restricted by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3831
				Dok-Id.	08111697-EKD-01S-00 K2257
00		Schinn	11.06.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W3834



Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3834
				Dok-Id.	08111721-EKD-01S-02 K2257
02		Schinn	14.08.2013	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

Part Rev.	--
-----------	----


Cable type: 2,5 mm² blue

Must not contain substances restricted by the EU Directive "RoHS".


SIEMENS AG Healthcare – Imaging & IT				Author	Schinn, MR R&D HW SC
				Page: 1/1	Cable W3836
				Dok-Id.	10092380-EKD-01S-00 K2257
00		Schinn	12.06.2013	Print No.	
Dok-Vers.	Mod-No	Name	Date		


Part Rev.	--
-----------	----


W3990




SIEMENS AG Healthcare - Imaging & IT				Author	MR PLM SD HW SC, Schneider
--	--	--	--	Page	W3990, Grad.cable Supervision – Adapter ACC intern, Project 005, 018, 022, 092, 095, 097
--	--	--	--	Dok-Id.:	10683996-EKD-01S-00 K2257
00	00	Schneider	04.04.11	Print No.:	
Dok-Vers.	Mod-No.	Name	Date		










Length	Part Number	Notes
	81 10 046 K2257	

W5407



Cable type:
Plastic fibre optic

Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.


Must not contain substances restricted
by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	J. Schneider, MR PLM SD HW SC
				Page: 1/1	Cable W5407, MSUP-MDSD
				Dok-Id.	10684585-EKD-01S-01 K2268
01	608486	C. Martin	30.07.14	Print No.	
00		J. Schneider	09.12.11		
Dok-Vers.	Mod-No.	Name	Data		

W5520**X50
PTAB****X2
Gradientenspule**

3450mm



D-Sub, 25 Pin, female,
with metallized cover and
UNC 4-40 locking screws,
cable entry 45° at pin 1

Metrimate 18
polig, male

Shield wire

Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".


Cable type:
10x2x0,14mm², screened

SIEMENS AG Healthcare – Imaging & IT				Author	C.Martin, MR R&D HW SC
				Page: 1/1	Cable W5520, PTAB-Gradientenspule
				Dok-Id.	8110053-EKD-01S-01 K2257
01	602203	C. Martin	22.08.14	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

Part Rev. --

W5520M**Electroboard
X50
PTAB****Magnet
X2
Gradientenspule**

5080mm



Cable type:
10x2x0,14mm², screened

Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.

Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	C.Martin, MR R&D HW SC
				Page: 1/1	Cable W5520M, PTAB-Gradientenspule
				Dok-Id.	8114683-EKD-01S-01 K2257
				Print No.	
01	602203	C. Martin	22.08.14		
Dok-Vers.	Mod-No.	Name	Date		

Part Rev. --

W5905**X66
PTAB/A4120****X6
RFIS/D14**

2100mm

450mm



40mm

Bare Screening

D-Sub, 9-polig,
Male, with metallized
cover and UNC 4-40
locking screws,
cable entry 45° at pin 1

D-Sub, 9-polig,
female, with metallized
cover and UNC 4-40
locking screws,
cable entry 45° at pin 1

Housing 0

Housing 0

Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.


Must not contain substances restricted
by the EU Directive "RoHS".

Cable type:
2x1x0,5mm², screened

SIEMENS AG Healthcare – Imaging & IT				Author	C.Martin, MR R&D HW SC
				Page: 1/1	Cable W5905, PTAB - RFIS_D14
				Dok-Id.	8110293-EKD-01S-01 K2257
01	602203	C. Martin	22.08.14	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

Part Rev. –


D-Sub, 25 Pin, male
With metallized Cover
4-40 UNC locking screws
Cable entry 45° at Pin1
Housing FKC3



Platine
10128883-ESP-000-00


Platine Lötpunkt	D-Sub X93 Pin
1	1
2	2
3	3
4	4
5	5
7	7
8	8
9	9
10	10
11	11

W10007




Cable Type: L-Y(ST)CY 10x0.34mm²
L45551-P81-A25

15m	10591019	00	SIEMENS AG Healthcare - Imaging & IT				Author	Schneider, MR PLM SC SC
--	--	--					--	--
--	--	--	--	--	--	--	Dok-Id.:	10591019-EKD-01S-01 K2307
--	--	--	01	566396	Schneider	05.10.11	Print No.:	
length Y	SAP No.:	Part Rev.	00		Schneider	08.06.09		
			Dok-Vers.	Mod-No.	Name	Date		



SIEMENS AG Healthcare - Imaging & IT				Author	Gross, MR PLM SC SC
--	--	--	--	Page	W10236, MSUP to RF Wall
01	566396	Schneider	05.10.11	Dok-Id.:	10433589-EKD-01S-01 K2307
00		Schneider	18.09.09		
00		Groß	27.01.09	Print No.:	
Dok-Vers	Mod-No.	Name	Date		

W10500



Cable Type: Ethernet Class 6 (Cat. 6)
Twisted pair: 1/2 ,3/6, 4/5, 7/8


Darf keine durch die EU-Richtlinie "RoHS" beschränkten Stoffe enthalten.


Must not contain substances restricted by the EU Directive "RoHS".

SIEMENS AG Healthcare – Imaging & IT				Author	Ciuclea, MR R&D HW SC
				Page: 1/1	Cable W10500, KVM-T/R – Hosp. Net
				Dok-Id.	10591040-EKD-01S-01 K2307
				Print No.	
01	600603	C. Martin	12.03.14		
00		Schneider	17.06.09		
Dok-Vers.	Mod-No.	Name	Date		

Part Rev. --











© Siemens, 2004
Restricted

W12011



CPU-Circular connector
Female
37-pin
AMP 206150-1
With pull relief




Han Q12
Male
Straight cable entry
Housing EMV 19 62 003 1440

Cable type:
L-Y (ST) CY 10x1x2.1 VZN GR
UL-Style: 105°C / 300V


Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

			SIEMENS AG Healthcare – Imaging & IT			Author		Groß, MR PLM SD HW SC	
						Page: 1/1		Cable W12011, Shim_Coil-RF_WALL	
						Dok-Id.		10433376-EKD-01S-03 K2307	
						Print No.			



W12040



Cable type: LIY(ST)CY 6x1x20AWG, 6x1x0.5


Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

Part Rev. —

SIEMENS AG Healthcare – Imaging & IT				Author	Ciuclea, MR R&D HW SC
				Page: 1/1	Cable W12040, Battery-MSUP
03	581196	C. Martin	15.11.12	Dok-Id.	10590955-EKD-01S-03 K2307
02	553716	Seibold	27.10.10		
01	538789	Schneider	05.11.09		
00		Schneider	17.06.09	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

W17991



Always use crimp ring HFBR-4525 on
simplex connector.
Supplied with HFBR-4501 resp. HFBR-4511
Anti-kink sleeve is necessary

Cable type:
Polymeric optical fibre (POF)

Darf keine durch die EU-Richtlinie "RoHS"
beschränkten Stoffe enthalten.

Must not contain substances restricted
by the EU Directive "RoHS".

Part Rev.	--
-----------	----

SIEMENS AG Healthcare – Imaging & IT				Author	Stenschke, MR PLM SD HW SC
				Page: 1/1	Cable W17991, Grad._cable_SV-GPA
02	614206	C. Martin	17.12.14	Dok-Id.	10683942-EKD-01S-02 K2307
01	571446	J. Schneider	16.03.12		
00		Stenschke	04.10.11	Print No.	
Dok-Vers.	Mod-No.	Name	Date		

Changes to previous version

Version 11:

- All of the topsheets were completely revised.
 - Topsheets with MSUP K2306 added.
 - Topsheets with MSUP K2256 added.
- All of the cable drawings were completely revised.

Version 12:

- All of the topsheets were completely revised.
- Line power distribution were revised.
- Jumpersetting GPA were revised.
- Cable drawings were revised

Version 13:

- ACC Roof Connections - OLD was revised.
- Internal Wiring GPA was revised.
- Cable drawings were revised

- Restricted - All documents may only be used by authorized personnel for rendering services on Siemens Healthcare Products. Any document in electronic form may be printed once. Copy and distribution of electronic documents and hardcopies is prohibited. Offenders will be liable for damages. All other rights are reserved.

healthcare.siemens.com/services

Siemens Healthcare Headquarters
Siemens Healthcare GmbH
Henkestr. 127
91052 Erlangen
Germany
Telephone: +49 9131 84-0
siemens.com/healthcare

Print No.: M6-020.844.01.13.02 | Replaces: M6-020.844.01.12.02
Doc. Gen. Date: 06.16 | Language: English
© Siemens Healthcare GmbH, 2004

siemens.com/healthcare